

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0822-4434
ORDER DATE	08/30/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006558
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Jason Wellons	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Jason Wellons	SALES REP	Lenny Norris
JOBSITE PHONE #	(910) 263-0276	SALES AREA	Curtis Quick

SCHEDULE	Wellco Contractors, Inc. PO Box 766 Spring Lake, NC 28390 (910) 436-3131	JOB NAME: Lot 123 Hidden Lakes MODEL: TAG: Plan 2 DELIVERY INSTRUCTIONS:	LOT # 123 SUBDIV: Hidden Lakes JOB CATEGORY: WCall - Will Call
	Wellco Contractors Lot 123 Hidden Lakes Spring Lake, NC	SPECIAL INSTRUCTIONS: Like Lot 110 Hidden Lakes (J0722-3667)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT RETURN					LAYOUT	CQ 11/03/22
	PLUMB	GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	CQ 09/13/22

ROOF TRUSSES **LOADING INFORMATION** **ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)**

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		PLY	TOP			BOT	TOP	BOT	LEFT	
	6	6.00	0.00	PIGGYBACK A1	56-08-00 56-08-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 Joint 12 2420.0 lbs. 2420.0 lbs. -111.2 lbs. -111.2 lbs.
	1	6.00	0.00	PIGGYBACK A1A	56-08-00 56-08-00	2 X 6	2 X 6		00-10-08	Joint 1 Joint 11 2376.5 lbs. 2420.3 lbs. -99.2 lbs. -111.2 lbs.
	1	6.00	0.00	GABLE A1GE	56-08-00 56-08-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 Joint 34 Joint 36 Joint 37 Joint 38 155.2 lbs. 136.3 lbs. 189.1 lbs. 151.9 lbs. 161.7 lbs. -27.0 lbs. 6.0 lbs. -85.1 lbs. -66.3 lbs. -69.5 lbs.
	2	6.00	0.00	PIGGYBACK A2	56-08-00 56-08-00	2 X 6	2 X 6		00-10-08	Joint 1 Joint 13 2252.3 lbs. 2547.5 lbs. -100.9 lbs. -116.1 lbs.
	4	6.00	0.00	GIRDER A3	56-08-00 56-08-00	2 X 6	2 X 8			Joint 1 Joint 11 Joint 14 Joint 16 Joint 17 763.4 lbs. 707.3 lbs. 1530.6 lbs. 763.9 lbs. 2237.9 lbs. -44.6 lbs. -56.0 lbs. -101.7 lbs. 87.1 lbs. 82.2 lbs.
	1	6.00	0.00	GIRDER A4	56-08-00 56-08-00	2 X	2 X 8	00-10-08		Joint 2 Joint 13 Joint 16 Joint 18 Joint 19 1065.2 lbs. 1050.6 lbs. 1168.8 lbs. 1074.9 lbs. 2064.5 lbs. -31.4 lbs. -29.3 lbs. -148.6 lbs. 116.7 lbs. 93.0 lbs.
	2	6.00	0.00	GIRDER A5	56-08-00 56-08-00	2 X	2 X 8	00-10-08		Joint 2 Joint 13 Joint 16 Joint 18 Joint 20 770.8 lbs. 919.2 lbs. 786.2 lbs. 2048.8 lbs. 1710.7 lbs. -16.8 lbs. -36.1 lbs. -218.9 lbs. 311.3 lbs. 48.2 lbs.
	3	6.00	0.00	GIRDER A6	56-08-00 56-08-00	2 X	2 X 8	00-10-08		Joint 2 Joint 13 Joint 16 Joint 19 1180.3 lbs. 1350.8 lbs. 2051.5 lbs. 1906.0 lbs. -9.2 lbs. -24.0 lbs. 153.1 lbs. 91.5 lbs.
	1	6.00	0.00	GABLE A6GE	56-08-00 56-08-00	2 X	2 X 8	00-10-08		Joint 2 Joint 13 Joint 16 Joint 19 1180.3 lbs. 1350.8 lbs. 2028.7 lbs. 1882.1 lbs. -135.0 lbs. -171.1 lbs. -37.5 lbs. -136.8 lbs.
	1	12.00	0.00	COMMON B1GE	20-01-00 20-01-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 Joint 12 Joint 14 Joint 15 Joint 16 305.5 lbs. 269.6 lbs. 222.6 lbs. 186.4 lbs. 195.3 lbs. -125.4 lbs. -70.8 lbs. -222.0 lbs. -133.6 lbs. -159.1 lbs.
	1 2 Ply	12.00	0.00	FINK B2GDR	20-01-00 20-01-00	2 X 6	2 X 10			Joint 1 Joint 5 5840.2 lbs. 4626.5 lbs. -227.0 lbs. -280.0 lbs.

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0822-4434
ORDER DATE	08/30/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006558
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Jason Wellons	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Jason Wellons	SALES REP	Lenny Norris
JOBSITE PHONE #	(910) 263-0276	SALES AREA	Curtis Quick

S O F T W A R E	Wellco Contractors, Inc. PO Box 766 Spring Lake, NC 28390 (910) 436-3131	JOB NAME: Lot 123 Hidden Lakes MODEL: TAG: Plan 2 DELIVERY INSTRUCTIONS:	LOT # 123 SUBDIV: Hidden Lakes JOB CATEGORY: WCall - Will Call
	Wellco Contractors Lot 123 Hidden Lakes Spring Lake, NC	SPECIAL INSTRUCTIONS: Like Lot 110 Hidden Lakes (J0722-3667)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT RETURN	GABLE STUDS	24 IN. OC	JOBSITE	1	LAYOUT	CQ 11/03/22
	PLUMB			JOBSITE	1	CUTTING	CQ 09/13/22

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	4	6.00	0.00	COMMON P1	14-00-00 14-00-00	2 X 4	2 X 6	00-10-08	00-10-08	Joint 2 Joint 4 609.6 lbs. 609.6 lbs. -125.1 lbs. -125.1 lbs.
	1	6.00	0.00	GABLE P1GE	14-00-00 14-00-00	2 X 4	2 X 6	00-10-08	00-10-08	Joint 2 Joint 4 609.6 lbs. 609.6 lbs. -141.4 lbs. -141.4 lbs.
	19	6.00	0.00	PIGGYBACK PB1	11-09-06 11-09-06	2 X 4	2 X 4			Joint 2 Joint 4 Joint 6 258.0 lbs. 258.0 lbs. 507.6 lbs. -38.2 lbs. -45.6 lbs. 1.5 lbs.
	2	6.00	0.00	GABLE PB1GE	11-09-06 11-09-06	2 X 4	2 X 4			Joint 2 Joint 8 Joint 10 Joint 11 Joint 12 111.8 lbs. 111.9 lbs. 163.1 lbs. 168.3 lbs. 137.4 lbs. -20.1 lbs. -24.1 lbs. -69.9 lbs. -74.0 lbs. 27.7 lbs.
	1	12.00	0.00	GABLE VA1	15-00-08 15-00-08	2 X 4	2 X 4			Joint 1 Joint 9 Joint 10 Joint 11 Joint 12 195.0 lbs. 170.8 lbs. 170.6 lbs. 194.0 lbs. 198.0 lbs. -98.1 lbs. -62.1 lbs. -123.8 lbs. -144.7 lbs. -140.0 lbs.
	1	12.00	0.00	VALLEY VA2	13-00-08 13-00-08	2 X 4	2 X 4			Joint 1 Joint 5 Joint 6 Joint 7 Joint 8 123.9 lbs. 105.5 lbs. 375.7 lbs. 385.9 lbs. 376.0 lbs. -41.3 lbs. -16.9 lbs. -162.9 lbs. 57.1 lbs. -163.0 lbs.
	1	12.00	0.00	VALLEY VA3	11-00-08 11-00-08	2 X 4	2 X 4			Joint 1 Joint 5 Joint 6 Joint 7 Joint 8 117.4 lbs. 102.6 lbs. 347.0 lbs. 221.6 lbs. 347.1 lbs. -95.0 lbs. -74.5 lbs. -166.0 lbs. 53.0 lbs. -166.0 lbs.
	1	12.00	0.00	VALLEY VA4	09-00-08 09-00-08	2 X 4	2 X 4			Joint 1 Joint 3 Joint 4 190.5 lbs. 190.5 lbs. 291.0 lbs. -25.0 lbs. -25.0 lbs. 11.7 lbs.
	1	12.00	0.00	VALLEY VA5	07-00-08 07-00-08	2 X 4	2 X 4			Joint 1 Joint 3 Joint 4 155.9 lbs. 155.9 lbs. 200.2 lbs. -27.8 lbs. -27.8 lbs. 26.4 lbs.
	1	12.00	0.00	VALLEY VA6	05-00-08 05-00-08	2 X 4	2 X 4			Joint 1 Joint 3 Joint 4 107.2 lbs. 107.1 lbs. 137.7 lbs. -19.1 lbs. -19.1 lbs. 18.1 lbs.
	1	12.00	0.00	VALLEY VA7	03-00-08 03-00-08	2 X 4	2 X 4			Joint 1 Joint 3 Joint 4 58.5 lbs. 58.4 lbs. 75.1 lbs. -10.4 lbs. -10.4 lbs. 9.9 lbs.

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0822-4434
ORDER DATE	08/30/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006558
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Jason Wellons	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Jason Wellons	SALES REP	Lenny Norris
JOBSITE PHONE #	(910) 263-0276	SALES AREA	Curtis Quick

S O F T W A R E	Wellco Contractors, Inc. PO Box 766 Spring Lake, NC 28390 (910) 436-3131	JOB NAME: Lot 123 Hidden Lakes MODEL: TAG: Plan 2 DELIVERY INSTRUCTIONS:	LOT # 123 SUBDIV: Hidden Lakes JOB CATEGORY: WCall - Will Call
	Wellco Contractors Lot 123 Hidden Lakes Spring Lake, NC	SPECIAL INSTRUCTIONS: Like Lot 110 Hidden Lakes (J0722-3667)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 11/03/22
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING CQ 09/13/22

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 1	Joint 11	Joint 12	Joint 13	Joint 15
	1	12.00	0.00	GABLE VB1	19-02-04 19-02-04	2 X 4	2 X 4			Joint 1 261.6 lbs. -133.4 lbs.	Joint 11 230.2 lbs. -86.9 lbs.	Joint 12 173.6 lbs. -127.1 lbs.	Joint 13 194.5 lbs. -141.0 lbs.	Joint 15 189.5 lbs. -143.6 lbs.
	1	12.00	0.00	VALLEY VB2	17-02-04 17-02-04	2 X 4	2 X 4			Joint 1 199.6 lbs. -24.1 lbs.	Joint 5 175.1 lbs. 8.5 lbs.	Joint 6 538.8 lbs. -208.2 lbs.	Joint 8 415.1 lbs. 62.1 lbs.	Joint 9 539.1 lbs. -208.3 lbs.
	1	12.00	0.00	VALLEY VB3	15-02-04 15-02-04	2 X 4	2 X 4			Joint 1 165.2 lbs. -30.5 lbs.	Joint 5 143.6 lbs. -1.8 lbs.	Joint 6 456.2 lbs. -182.1 lbs.	Joint 7 413.8 lbs. 60.3 lbs.	Joint 8 456.5 lbs. -182.3 lbs.
	1	12.00	0.00	VALLEY VB4	13-02-04 13-02-04	2 X 4	2 X 4			Joint 1 127.0 lbs. -39.7 lbs.	Joint 5 108.4 lbs. -14.9 lbs.	Joint 6 379.8 lbs. -163.8 lbs.	Joint 7 388.8 lbs. 57.4 lbs.	Joint 8 380.2 lbs. -163.9 lbs.
	1	12.00	0.00	VALLEY VB5	11-02-04 11-02-04	2 X 4	2 X 4			Joint 1 116.1 lbs. -88.8 lbs.	Joint 5 99.4 lbs. -68.0 lbs.	Joint 6 343.7 lbs. -164.2 lbs.	Joint 7 222.0 lbs. 53.3 lbs.	Joint 8 343.9 lbs. -164.2 lbs.
	1	12.00	0.00	VALLEY VB6	09-02-04 09-02-04	2 X 4	2 X 4			Joint 1 193.8 lbs. -25.4 lbs.	Joint 3 193.8 lbs. -25.4 lbs.	Joint 4 296.1 lbs. 11.9 lbs.		
	1	12.00	0.00	VALLEY VB7	07-02-04 07-02-04	2 X 4	2 X 4			Joint 1 159.5 lbs. -28.4 lbs.	Joint 3 159.4 lbs. -28.4 lbs.	Joint 4 204.8 lbs. 27.0 lbs.		
	1	12.00	0.00	VALLEY VB8	05-02-04 05-02-04	2 X 4	2 X 4			Joint 1 110.8 lbs. -19.7 lbs.	Joint 3 110.7 lbs. -19.7 lbs.	Joint 4 142.2 lbs. 18.7 lbs.		
	1	12.00	0.00	VALLEY VB9	03-02-04 03-02-04	2 X 4	2 X 4			Joint 1 101.8 lbs. -3.3 lbs.	Joint 3 101.8 lbs. -3.3 lbs.			
	1	6.00	0.00	VALLEY VP1	13-08-09 13-08-09	2 X 4	2 X 4			Joint 1 61.3 lbs. -3.1 lbs.	Joint 5 61.4 lbs. 4.1 lbs.	Joint 6 305.1 lbs. -70.4 lbs.	Joint 7 284.3 lbs. 25.7 lbs.	Joint 8 305.0 lbs. -70.6 lbs.
	1	6.00	0.00	VALLEY VP2	09-08-09 09-08-09	2 X 4	2 X 4			Joint 1 157.9 lbs. -20.9 lbs.	Joint 3 158.0 lbs. -25.7 lbs.	Joint 4 369.5 lbs. 0.5 lbs.		

Reaction Summary of Order




ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0822-4434
ORDER DATE	08/30/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006558
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Jason Wellons	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Jason Wellons	SALES REP	Lenny Norris
JOBSITE PHONE #	(910) 263-0276	SALES AREA	Curtis Quick

S H I P T O	Wellco Contractors, Inc. PO Box 766 Spring Lake, NC 28390 (910) 436-3131	JOB NAME: Lot 123 Hidden Lakes MODEL: TAG: Plan 2 DELIVERY INSTRUCTIONS:	LOT # 123 SUBDIV: Hidden Lakes JOB CATEGORY: WCall - Will Call
	Wellco Contractors Lot 123 Hidden Lakes Spring Lake, NC	SPECIAL INSTRUCTIONS: Like Lot 110 Hidden Lakes (J0722-3667)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT RETURN PLUMB	GABLE STUDS	24 IN. OC	JOBSITE 1 JOBSITE 1	JOBSITE 1 JOBSITE 1	LAYOUT	CQ 11/03/22
						CUTTING	CQ 09/13/22

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)								
		20.0,10.0,0.0,10.0	1.15									
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG	REACTIONS			
	1	TOP	BOT	VALLEY VP3	05-08-09 05-08-09	TOP	BOT	LEFT	RIGHT	Joint 1	Joint 3	Joint 4
		6.00	0.00			2 X 4	2 X 4			92.5 lbs.	92.5 lbs.	177.6 lbs.
										-14.8 lbs.	-17.4 lbs.	7.7 lbs.

ITEMS												
QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES							
9	Hangers, USP	HUS 26			SIMPSON (HUS26)							
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		BM1							
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	21-00-00		GDH							