

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0223-0859
ORDER DATE	02/23/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 17 Liberty Meadow MODEL: Roof w/2x6 Walls TAG: Menger w/o CP DELIVERY INSTRUCTIONS: 54 miles round trip	LOT # 17 SUBDIV: Liberty Meadow JOB CATEGORY: B & S - Build and Ship
	Precision Custom Homes and 108 Edes Ct. Cameron, NC	SPECIAL INSTRUCTIONS: Modified from 31 Liberty Meadows	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	NB 02/24/23
	PLUMB					CUTTING	NB 02/23/23
	GABLE STUDS	24 IN. OC		JOBSITE 1	JOBSITE 1		

ROOF TRUSSES **LOADING INFORMATION** **ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)**

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	8.25	0.00	GABLE A1-GE	24-09-00 24-09-00	2 X 6	2 X 6	01-02-08		Joint 2: 283.0 lbs., -157.9 lbs. Joint 17: 87.9 lbs., -37.4 lbs. Joint 18: 205.6 lbs., -110.3 lbs. Joint 19: 179.9 lbs., -105.4 lbs. Joint 20: 166.5 lbs., -40.4 lbs.
	6	8.25	0.00	COMMON A2	24-09-00 24-09-00	2 X 6	2 X 6	01-02-08		Joint 2: 1119.2 lbs., -55.3 lbs. Joint 11: 1265.6 lbs., -65.8 lbs.
	1	8.25	4.50	ROOF A3	28-03-00 28-03-00	2 X 6	2 X 6	01-02-08		Joint 2: 712.9 lbs., -28.2 lbs. Joint 10: 106.9 lbs., -502.0 lbs. Joint 11: 2002.8 lbs., -188.7 lbs.
	4	8.25	4.50	SCISSORS A4	21-02-08 21-02-08	2 X 6	2 X 6	01-02-08		Joint 2: 904.2 lbs., -25.7 lbs. Joint 8: 825.5 lbs., -112.5 lbs.
	2	8.25	4.50	SCISSORS A5	21-06-00 21-06-00	2 X 6	2 X 6	01-02-08		Joint 2: 915.9 lbs., -28.9 lbs. Joint 8: 837.2 lbs., -108.3 lbs.
	1	8.25	4.50	SCISSORS A6	21-08-10 21-08-10	2 X 6	2 X 6			Joint 1: 848.2 lbs., -11.8 lbs. Joint 7: 848.2 lbs., -110.1 lbs.
	1	8.25	0.00	ROOF A7	23-07-03 23-07-03	2 X 6	2 X 6			Joint 7: 1157.4 lbs., -105.2 lbs. Joint 11: 983.6 lbs., 1.3 lbs.
	1	3.50	0.00	ROOF A8	24-09-01 24-09-01	2 X 4	2 X 6	01-02-08		Joint 1: 256.4 lbs., -2.5 lbs. Joint 2: 0.0 lbs. Joint 5: 267.7 lbs., -66.5 lbs. Joint 10: 0.0 lbs.
	1	3.50	0.00	ROOF A9	24-09-01 24-09-01	2 X 4	2 X 6	01-02-08		Joint 2: 1053.6 lbs., -55.6 lbs. Joint 9: 1153.8 lbs., -107.0 lbs.
	1	12.00	0.00	GABLE B1-GE	14-03-00 14-03-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 12: 251.9 lbs., -142.2 lbs. Joint 13: 245.5 lbs., -239.6 lbs. Joint 14: 172.7 lbs., -167.3 lbs. Joint 15: 276.0 lbs., 36.3 lbs. Joint 16: 279.8 lbs., 23.8 lbs.
	1	12.00	0.00	COMMON B2	14-03-00 14-03-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 7: 635.6 lbs., -28.1 lbs. Joint 9: 635.6 lbs., -28.1 lbs.

Reaction Summary of Order








ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0223-0859
ORDER DATE	02/23/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 17 Liberty Meadow MODEL: Roof w/2x6 Walls TAG: Menger w/o CP DELIVERY INSTRUCTIONS: 54 miles round trip	LOT # 17 SUBDIV: Liberty Meadow JOB CATEGORY: B & S - Build and Ship
	SHIPP TO	Precision Custom Homes and 108 Edes Ct. Cameron, NC	SPECIAL INSTRUCTIONS: Modified from 31 Liberty Meadows

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN					
	PLUMB						
	GABLE STUDS	24 IN. OC		JOBSITE	1	JOBSITE	1
				CUTTING	NB		02/23/23

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	3	12.00	0.00	COMMON B3	14-03-00 14-03-00	2 X 6	2 X 6			Joint 5 554.7 lbs. -20.2 lbs.	Joint 7 554.7 lbs. -20.2 lbs.			
	1	12.00	0.00	COMMON B4	11-11-00 11-11-00	2 X 6	2 X 6			Joint 5 458.0 lbs. -3.7 lbs.	Joint 7 458.8 lbs. -45.0 lbs.			
	1	12.00	0.00	GABLE C1-GE	11-03-08 11-02-08	2 X 6	2 X 6	01-03-00	01-03-00	Joint 10 698.4 lbs. -612.8 lbs.	Joint 11 797.7 lbs. -718.2 lbs.	Joint 12 384.7 lbs. 70.8 lbs.	Joint 13 384.6 lbs. 71.7 lbs.	Joint 14 801.3 lbs. -721.5 lbs.
	2	12.00	0.00	COMMON C2	11-03-08 11-02-08	2 X 6	2 X 6	01-03-00	01-03-00	Joint 6 526.2 lbs. -38.8 lbs.	Joint 8 526.2 lbs. -38.8 lbs.			
	4	12.00	0.00	COMMON C3	11-03-08 11-02-08	2 X 6	2 X 6			Joint 4 433.3 lbs. -45.0 lbs.	Joint 6 433.3 lbs. -45.0 lbs.			
	1	12.50	7.00	GABLE D1-GE	15-10-00 15-10-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 12 213.9 lbs. -127.9 lbs.	Joint 13 278.7 lbs. -260.5 lbs.	Joint 14 182.6 lbs. -143.6 lbs.	Joint 15 203.8 lbs. -116.6 lbs.	Joint 16 558.7 lbs. -163.9 lbs.
	5	12.50	7.00	SCISSORS D2	15-10-00 15-10-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 6 691.7 lbs. -31.0 lbs.	Joint 8 691.7 lbs. -31.0 lbs.			
	2	12.50	7.00	SCISSORS D2A	15-10-00 15-10-00	2 X 6	2 X 6	01-02-08		Joint 5 600.9 lbs. -29.0 lbs.	Joint 7 695.8 lbs. -30.4 lbs.			
	4	12.50	0.00	COMMON D3	15-01-08 15-01-08	2 X 6	2 X 6	01-02-08		Joint 2 662.0 lbs. -26.3 lbs.	Joint 7 598.4 lbs. -33.1 lbs.			
	1	12.50	0.00	ATTIC G1-GE	22-00-00 22-00-00	2 X 8	2 X 10	01-02-08	01-02-08	Joint 2 1555.9 lbs. 52.8 lbs.	Joint 10 1555.9 lbs. 52.8 lbs.			
	6	12.50	0.00	ATTIC G2	22-00-00 22-00-00	2 X 8	2 X 10	01-02-08	01-02-08	Joint 2 1562.0 lbs. 174.8 lbs.	Joint 10 1562.0 lbs. 174.8 lbs.			

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0223-0859
ORDER DATE	02/23/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 17 Liberty Meadow MODEL: Roof w/2x6 Walls TAG: Menger w/o CP DELIVERY INSTRUCTIONS: 54 miles round trip	LOT # 17 SUBDIV: Liberty Meadow JOB CATEGORY: B & S - Build and Ship
	SHIPP TO	Precision Custom Homes and 108 Edes Ct. Cameron, NC	SPECIAL INSTRUCTIONS: Modified from 31 Liberty Meadows

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	NB 02/24/23
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING NB 02/23/23

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	6	12.50	0.00	ATTIC G3	22-00-00 22-00-00	2 X 8	2 X 10	01-02-08		Joint 2 1563.7 lbs. 174.3 lbs.	Joint 10 1517.8 lbs. 177.0 lbs.			
	1	12.50	0.00	ATTIC G5	22-00-00 21-08-08	2 X 8	2 X 10	01-02-08		Joint 2 1565.0 lbs. 174.4 lbs.	Joint 11 1517.7 lbs. 176.9 lbs.			
	6	12.50	0.00	ROOF G6	21-08-08 21-08-08	2 X 6	2 X 6	01-02-08		Joint 2 662.6 lbs. -92.6 lbs.	Joint 12 234.1 lbs. -144.2 lbs.	Joint 13 1034.1 lbs. 3.0 lbs.		
	1	12.50	0.00	ROOF G7-GE	21-08-08 21-08-08	2 X 6	2 X 6	01-02-08		Joint 2 668.9 lbs. -209.4 lbs.	Joint 12 658.8 lbs. -310.7 lbs.	Joint 13 1350.1 lbs. -168.1 lbs.		
	1 2 Ply	3.50	0.00	HALF HIP K1	24-09-01 24-09-01	2 X 6	2 X 6			Joint 1 1757.5 lbs. -581.2 lbs.	Joint 8 3079.0 lbs. -422.6 lbs.			
	3	3.50	0.00	JACK-CLOSED M1	10-03-13 10-03-13	2 X 4	2 X 6	01-02-08		Joint 2 479.0 lbs. -39.5 lbs.	Joint 7 416.0 lbs. -88.8 lbs.			
	4	8.25	0.00	MONOPITCH P1	12-08-00 11-00-08	2 X 6	2 X 6	01-02-08		Joint 2 326.9 lbs. -42.4 lbs.	Joint 7 335.3 lbs. 52.5 lbs.	Joint 9 336.5 lbs. -166.7 lbs.		
	1	8.25	0.00	VALLEY VA1	22-03-14 22-03-14	2 X 4	2 X 6			Joint 7 197.4 lbs. -48.7 lbs.	Joint 8 480.5 lbs. -123.5 lbs.	Joint 10 525.4 lbs. -97.8 lbs.	Joint 11 500.0 lbs. 30.2 lbs.	Joint 12 555.1 lbs. -108.6 lbs.
	1	8.25	0.00	VALLEY VA2	19-03-08 19-03-08	2 X 4	2 X 4			Joint 7 90.1 lbs. -39.2 lbs.	Joint 8 271.6 lbs. -78.7 lbs.	Joint 9 463.3 lbs. -109.3 lbs.	Joint 11 461.7 lbs. 83.0 lbs.	Joint 12 461.5 lbs. -107.7 lbs.
	1	8.25	0.00	VALLEY VA3	14-07-15 14-07-15	2 X 4	2 X 4			Joint 1 116.5 lbs. -11.2 lbs.	Joint 5 103.4 lbs. 9.0 lbs.	Joint 6 350.2 lbs. -103.7 lbs.	Joint 7 254.3 lbs. 53.0 lbs.	Joint 8 350.4 lbs. -103.9 lbs.
	1	8.25	0.00	VALLEY VA4	08-07-04 08-07-04	2 X 4	2 X 4			Joint 1 169.5 lbs. -26.7 lbs.	Joint 3 169.6 lbs. -32.9 lbs.	Joint 4 279.6 lbs. 21.1 lbs.		

Reaction Summary of Order





ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0223-0859
ORDER DATE	02/23/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 17 Liberty Meadow MODEL: Roof w/2x6 Walls TAG: Menger w/o CP DELIVERY INSTRUCTIONS: 54 miles round trip	LOT # 17 SUBDIV: Liberty Meadow JOB CATEGORY: B & S - Build and Ship
	SHIPP TO	Precision Custom Homes and 108 Edes Ct. Cameron, NC	SPECIAL INSTRUCTIONS: Modified from 31 Liberty Meadows

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN					
	PLUMB					LAYOUT	NB 02/24/23
	GABLE STUDS	24 IN. OC		JOBSITE 1	JOBSITE 1	CUTTING	NB 02/23/23

ROOF TRUSSES		LOADING INFORMATION		TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)				
				20.0,10.0,0.0,10.0	1.15					
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
	PLY	TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	12.00	0.00	VALLEY VB1	04-01-04 04-01-04	2 X 4	2 X 4			Joint 1 Joint 3 Joint 4 84.3 lbs. 84.3 lbs. 108.3 lbs. -15.0 lbs. -15.0 lbs. 14.3 lbs.
	1	12.00	0.00	VALLEY VC1	02-08-01 02-08-01	2 X 4	2 X 4			Joint 1 Joint 3 81.2 lbs. 81.2 lbs. -2.6 lbs. -2.6 lbs.

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
8	Hangers, USP	HUS 26			SIMPSON (HUS26)
3	Hangers, USP	JUS24			SIMPSON (LUS24)
4	Hangers	LSSH210	00-00-00		
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	09-00-00		BM1
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	08-00-00		BM2
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	22-00-00		GDH