Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 58 Tarleton ISSUED TO: KB Home Raleigh SUBDIVISION Birchwood Grove EXPANSION Site Improvements required prior to Construction Authorization Issuance: REPAIR Type of Structure: SFD (52'x50') Proposed Wastewater System Type: 25% Reduction System Projected Daily Flow: 360 GPD Number of Occupants: 6 Number of bedrooms: 3_ Basement Yes ⊠ No Pump Required: Yes No May be required based on final location and elevations of facilities X Five years Type of Water Supply: Community Public Well Distance from well _____feet Permit valid for: No expiration Permit conditions: Date: 4/14/23 Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: KB Home Raleigh PROPERTY LOCATION: 58 Tarleton SUBDIVISION Birchwood Grove LOT # 117 Facility Type: SFD (52'x50') Expansion Repair Basement Fixtures? Yes Basement? Yes Type of Wastewater System** Pump 25% Reduction System (Initial) Wastewater Flow: 360 (See note below, if applicable) Pump 25% Red Sys Number of trenches 4 Installation Requirements/Conditions Exact length of each trench 85 Septic Tank Size 1000 gallons Trench Spacing: 9 Feet on Center Soil Cover: 6 Pump Tank Size 1000 __gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18 _inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) inches below pipe Pump Requirements: ft. TDH vs. ____ Aggregate Depth: ______ inches above pipe Conditions: System sized for 4 bedrooms per applicants request. inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: 4/14/23 Authorized State Agent: _ Construction Authorization Expiration Date: 4/14/28

Harnett County Department of Public Health Site Sketch

Property Location: 58 Tarleton

Issued To: KB Home Raleigh

Subdivision Birchwood Grove

Lot # 117

Authorized State Agent:

Date: 4/14/23

