	ROOF & FLOOR
ComTech	TRUSSES & BEAMS
Reilly Road Industrial	Park P.O. Box 40408
Fayetteville, N.C. 28	3309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0323-1261
ORDER DATE	03/21/23	QUOTE #	
DELIVERY DATE	//	CUSTOMER ACCT#	0000006409
DATE OF INVOICE	//	CUSTOMER PO#	
ORDERED BY		INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Mike Sans	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 237-7798	SALES AREA	Marshall Naylor

Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503

JOB NAME: Lot 159 Anderson Creek

MODEL: 32000

TAG: CC 2695 "C" LF2,12X10

JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Caviness & Cates Building & 377 Timber Skip Drive Cameron, NC

T

SPECIAL INSTRUCTIONS:

PLAN SEAL DATE: 9/16/20
BY DATE

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 REQ. LAYOUTS REQ. ENGINEERING QUOTE LAYOUT WM END CUT RETURN 03/21/23 Roof Order 1 CUTTING WM 03/21/23 PLUMB **GABLE STUDS** 16 IN. OC JOBSITE JOBSITE NO **LOADING** TCLL-TCDL-BCLL-BCDL STRESS INCR.

ROOF T	RUS	SES		DADING FORMATION	TCLL-TCDL-B0		_	RESS INCR.	I ROUF IRUSS SPACING: 24.0 IN. O.C. (114.)					
	QTY	DIT	CH	TYPE	20.0,10.0,0 BASE	_		1.15	L L					
PROFILE	PLY	TOP	ВОТ	ID	O/A		BER BOT	LEFT	HANG RIGHT	REACTION	NS			
	1	10.00	0.00	ROOF A1	32-08-08 32-08-08				00-10-08	Joint 1 119.2 lbs. -292.1 lbs.	Joint 19 115.3 lbs. -60.6 lbs.	Joint 21 166.5 lbs. -71.3 lbs.	Joint 22 158.5 lbs. -67.6 lbs.	Joint 23 160.4 lbs. -69.4 lbs.
	4	10.00	0.00	ROOF A2	32-08-08 32-08-08	2 X 6	2 X 6		00-10-08	Joint 7 1385.0 lbs. -105.4 lbs.	Joint 13 1526.4 lbs. -55.2 lbs.			
	4	10.00	0.00	ROOF A2-P	32-08-08 32-08-08	2 X 6	2 X 6		00-10-08	Joint 7 1459.6 lbs. -8.0 lbs.	Joint 15 1609.4 lbs. 47.4 lbs.			
	2	10.00	0.00	ROOF A3	32-08-08 32-08-08	2 X 6	2 X 6			Joint 7 1418.3 lbs. 4.2 lbs.	Joint 14 1609.9 lbs. 47.2 lbs.			
	8	10.00	0.00	ROOF A4	26-04-08 26-04-08	2 X 6	2 X 6			Joint 6 1075.4 lbs. -55.6 lbs.	Joint 10 1295.3 lbs. -115.2 lbs.			
	1	10.00	0.00	ROOF A5	26-04-08 26-04-08	2 X 6	2 X 6			Joint 15 230.7 lbs. 5.7 lbs.	Joint 16 178.6 lbs. -123.8 lbs.	Joint 17 155.7 lbs. -68.4 lbs.	Joint 18 160.9 lbs. -69.0 lbs.	Joint 19 159.8 lbs. -69.0 lbs.
	1	12.00	0.00	ATTIC B1	22-00-00 22-00-00	2 X 6	2 X 10	00-10-08	00-10-08	Joint 2 1466.6 lbs. 2.3 lbs.	Joint 10 1466.6 lbs. 2.3 lbs.			
Â	3	12.00	0.00	ATTIC B2	22-00-00 22-00-00	2 X 6	2 X 10	00-10-08		Joint 2 1472.9 lbs. 122.4 lbs.	Joint 10 1431.6 lbs. 129.3 lbs.			
	1	12.00	0.00	ATTIC B3	22-00-00 22-00-00	2 X 6	2 X 10	00-10-08		Joint 2 1410.4 lbs. 122.9 lbs.	Joint 11 1234.9 lbs. 132.2 lbs.			
	1	12.00	0.00	KINGPOST C1	16-03-08 16-03-08	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 634.0 lbs. -168.2 lbs.	Joint 11 142.6 lbs. -82.2 lbs.	Joint 12 211.2 lbs. -391.3 lbs.	Joint 13 656.5 lbs. -49.4 lbs.	Joint 14 241.9 lbs. 84.6 lbs.
	1 2 Ply	12.00	0.00	COMMON C2	16-03-08 16-03-08	2 X 6	2 X 8			Joint 1 4343.2 lbs. -267.9 lbs.	Joint 5 5211.3 lbs. -319.0 lbs.			

## **Reaction Summary of Order**

**ROOF & FLOOR** 

**LOADING** 

ComTech| TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

			0,2,720 1,7102 2
REQ. QUOTE DATE	/ /	ORDER #	J0323-1261
ORDER DATE	03/21/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT#	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO#	
ORDERED BY		INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Mike Sans	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 237-7798	SALES AREA	Marshall Naylor

Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503

20 10 10

T O

T O

Roof Order

JOB NAME: Lot 159 Anderson Creek **LOT #** 159 SUBDIV: Anderson Creek MODEL:32000 TAG: CC 2695 "C" LF2,12X10 JOB CATEGORY: Residential - Roof

**DELIVERY INSTRUCTIONS:** 

Caviness & Cates Building & 377 Timber Skip Drive Cameron, NC

**SPECIAL INSTRUCTIONS:** 

TCLL-TCDL-BCLL-BCDL

STRESS INCR.

PLAN SEAL DATE: 9/16/20 DATE

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 REQ. LAYOUTS QUOTE **REQ. ENGINEERING** LAYOUT WM END CUT RETURN 03/21/23 **CUTTING** WM 03/21/23 PLUMB **GABLE STUDS** 16 IN. OC JOBSITE JOBSITE NO

ROOF T	TCLL-TCDL-BCLL-BCDL STRESS INCR.			ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)										
	2=1/			FORMATION	2010,1010,010,1010			1.15	<u> </u>					
PROFILE	QTY		СН	TYPE ID	O/A				HANG	REACTIONS				
	<b>PLY</b> 1	12.00	0.00	GABLE	11-07-08		2 X 6	00-10-08	00-10-08	Joint 2 214.7 lbs. -30.5 lbs.	Joint 10 205.0 lbs. -11.6 lbs.	Joint 12 253.3 lbs. -267.0 lbs.	Joint 13 213.5 lbs. -4.9 lbs.	Joint 14 226.9 lbs. -17.0 lbs.
	1 2 Ply	0.00	0.00	FLAT GIRDER H1	17-03-08 17-03-08	2 X 6	2 X 10	)		Joint 2 601.5 lbs. -28.9 lbs.	Joint 6 8604.3 lbs. -1951.9 lbs.	Joint 7 601.5 lbs. -28.9 lbs.	Joint 10 8121.2 lbs. -1829.3 lbs.	
	1	10.00	6.00	GABLE M1	19-04-08 19-04-08	2 X 6	2 X 6	00-10-08		Joint 2 981.3 lbs. -308.8 lbs.	Joint 14 72.0 lbs. -48.3 lbs.	Joint 15 186.9 lbs. -106.1 lbs.	Joint 16 185.0 lbs. -114.4 lbs.	Joint 17 182.6 lbs. -110.1 lbs.
A	8	10.00	6.00	MONOPITCH M2	19-04-08 19-04-08	2 X 6	2 X 6	00-10-08		Joint 2 818.4 lbs. 139.0 lbs.	Joint 8 847.4 lbs. -315.3 lbs.			
4	2	10.00	0.00	MONOPITCH M3	13-03-08 13-03-08	2 X 6	2 X 6	00-10-08	00-03-08	Joint 2 699.0 lbs. 95.1 lbs.	Joint 7 924.4 lbs. -218.2 lbs.			
4	2	10.00	0.00	MONOPITCH M3A	13-03-08 13-03-08	2 X 6	2 X 6	00-10-08	00-03-08	Joint 2 786.4 lbs. 107.0 lbs.	Joint 7 1040.0 lbs. -245.5 lbs.			
A	6	10.00	0.00	MONOPITCH M4	13-03-08 13-03-08	2 X 6	2 X 8	00-10-08	00-03-08	Joint 2 612.1 lbs. 103.2 lbs.	Joint 8 896.7 lbs. -233.5 lbs.			
4	1	10.00	0.00	MONOPITCH M5	13-03-08 13-03-08	2 X 6	2 X 6	00-10-08		Joint 2 572.4 lbs. -165.4 lbs.	Joint 11 39.3 lbs. -37.8 lbs.	Joint 12 44.0 lbs. -21.0 lbs.	Joint 13 179.6 lbs. -104.3 lbs.	Joint 14 189.0 lbs. -117.2 lbs.
	2	4.00	0.00	MONOPITCH M6	07-00-00 07-00-00	2 X 4	2 X 4	00-10-08		Joint 2 334.2 lbs. -128.2 lbs.	Joint 4 262.2 lbs. -115.3 lbs.			
	5	4.00	0.00	GABLE M7	06-00-00 06-00-00	2 X 4	2 X 4	00-10-08		Joint 2 295.1 lbs. -115.1 lbs.	Joint 4 221.3 lbs. -97.6 lbs.			
	1	4.00	0.00	ROOF M8	06-00-00 06-00-00	2 X 4	2 X 6	00-10-08	00-03-08	Joint 2 305.8 lbs. -173.6 lbs.	Joint 5 715.8 lbs. -423.6 lbs.			

			DATEC	03/21/23 PAGE 3
Reaction Summary of Order	REQ. QUOTE DATE	//	ORDER #	J0323-1261
	ORDER DATE	03/21/23	QUOTE #	
	DELIVERY DATE	//	CUSTOMER ACCT#	0000006409
ROOF & FLOOR	DATE OF INVOICE	//	CUSTOMER PO#	
ComTech TRUSSES & BEAMS	ORDERED BY		INVOICE #	
Reilly Road Industrial Park P.O. Box 40408	COUNTY	Harnett	TERMS	

1	Caviness & Cates Building &
	Caviness & Cates Building & 639 Executive Place Suite 400
	Fayetteville, NC 28305 (910) 481-0503
	(910) 481-0503

SOLD HO

Fayetteville, N.C. 28309 (910) 864-TRUS

JOB NAME: Lot 159 Anderson Creek **LOT #** 159 SUBDIV: Anderson Creek TAG: CC 2695 "C" LF2,12X10 MODEL:32000 JOB CATEGORY: Residential - Roof

Mike Sans

(910) 237-7798

DELIVERY INSTRUCTIONS:

SUPERINTENDANT

JOBSITE PHONE #

Caviness & Cates Building & 377 Timber Skip Drive Cameron, NC

**SPECIAL INSTRUCTIONS:** 

PLAN SEAL DATE: 9/16/20

Scot Duncan

Marshall Naylor

**SALES REP** 

**SALES AREA** 

<b>BUILDING DEPARTMENT</b>	OVERHA	ANG INFO	HEEL HEIGHT	00-04-05	RE	Q.	LAYOUTS		REQ.	ENGINEE	RING		QUOTE		11
Roof Order	END CUT	RETURN											LAYOUT	WM	03/21/23
	PLUMB	NO	GABLE STUDS	16 IN. OC			JOBSITE	1		JOB	SITE	1	CUTTING	WM	03/21/23
POOE TRUSSES	LOA	DING	TCLL-TCDL-BCLL-BCDL	STRESS INC	R.		OOE TRU	ee 6	SDACI	NC-24 0	INI O	<u> </u>	TVD \	•	

ROOF T	RHS	RUSSES LOADING TCLL-TCDL-BCDL STRESS INCR. ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)												
KOOI II			IN	FORMATION	20.0,10.0,0			1.15	, KO		ACING.24.0	114. 0.0. (111	.,	
PROFILE	QTY	PIT	CH	TYPE	BASE	LUN	IBER	OVER	HANG	NG REACTIONS				
	PLY	TOP	BOT	ID	O/A	TOP	вот	LEFT	RIGHT	REACTION	<b>NO</b>			
	1	4.00	0.00	GABLE P1	12-00-00 12-00-00	2 X 4	2 X 4	00-10-08	00-10-08	Joint 2 529.6 lbs. -292.3 lbs.	Joint 4 529.6 lbs. -292.3 lbs.			
	4	4.00	0.00	COMMON P2	12-00-00 12-00-00	2 X 4	2 X 4	00-10-08	00-10-08	Joint 2 529.6 lbs. -205.2 lbs.	Joint 4 529.6 lbs. -205.2 lbs.			
$\triangle$	1	12.00	0.00	VALLEY VC-1	15-05-08 15-05-08	2 X 4	2 X 4			Joint 1 166.3 lbs. -29.8 lbs.	Joint 5 144.4 lbs. -0.7 lbs.	Joint 6 487.7 lbs. -184.6 lbs.	Joint 7 482.3 lbs. 60.6 lbs.	Joint 8 488.1 lbs. -184.7 lbs.
$\triangle$	1	12.00	0.00	VALLEY VC-2	13-05-08 13-05-08	2 X 4	2 X 4			Joint 1 128.9 lbs. -38.5 lbs.	Joint 5 109.9 lbs. -13.3 lbs.	Joint 6 397.2 lbs. -165.2 lbs.	Joint 7 451.2 lbs. 57.8 lbs.	Joint 8 397.6 lbs. -165.3 lbs.
$\triangle$	1	12.00	0.00	VALLEY VC-3	11-05-08 11-05-08	2 X 4	2 X 4			Joint 1 114.6 lbs. -80.9 lbs.	Joint 5 95.6 lbs. -59.7 lbs.	Joint 6 340.4 lbs. -162.3 lbs.	Joint 7 222.6 lbs. 53.8 lbs.	Joint 8 340.6 lbs. -162.3 lbs.
$\triangle$	1	12.00	0.00	VALLEY VC-4	09-05-08 09-05-08	2 X 4	2 X 4			Joint 1 198.5 lbs. -26.1 lbs.	Joint 3 198.5 lbs. -26.1 lbs.	Joint 4 303.3 lbs. 12.2 lbs.		
	1	12.00	0.00	VALLEY VC-5	07-05-08 07-05-08	2 X 4	2 X 4			Joint 1 164.5 lbs. -29.3 lbs.	Joint 3 164.5 lbs. -29.3 lbs.	Joint 4 211.3 lbs. 27.9 lbs.		
	1	12.00	0.00	VALLEY VC-6	05-05-08 05-05-08	2 X 4	2 X 4			Joint 1 115.8 lbs. -20.6 lbs.	Joint 3 115.8 lbs. -20.6 lbs.	Joint 4 148.7 lbs. 19.6 lbs.		
	1	12.00	0.00	VALLEY VC-7	03-05-08 03-05-08	2 X 4	2 X 4			Joint 1 67.1 lbs. -11.9 lbs.	Joint 3 67.1 lbs. -12.0 lbs.	Joint 4 86.2 lbs. 11.4 lbs.		
	1	4.00	0.00	VALLEY VP-1	08-08-09 08-08-09	2 X 4	2 X 4			Joint 1 133.6 lbs. -22.0 lbs.	Joint 3 133.6 lbs. -23.4 lbs.	Joint 4 286.2 lbs. 0.6 lbs.		

## **ITEMS**

QTY	ITEM TYPE	SIZE	<b>LENGTH</b> FT-IN-16	PART NUMBER	NOTES
-----	-----------	------	---------------------------	-------------	-------

ROOF & FLOOR TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

			70/21/20 17102 1
REQ. QUOTE DATE	/ /	ORDER #	J0323-1261
ORDER DATE	03/21/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT#	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO#	
ORDERED BY		INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Mike Sans	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 237-7798	SALES AREA	Marshall Naylor

Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503

JOB NAME: Lot 159 Anderson Creek

MODEL: 32000

TAG: CC 2695 "C" LF2,12X10

JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Caviness & Cates Building & 377 Timber Skip Drive Cameron, NC

SPECIAL INSTRUCTIONS:

PLAN SEAL DATE: 9/16/20
BY DATE

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 REQ. LAYOUTS REQ. ENGINEERING QUOTE LAYOUT WM END CUT RETURN 03/21/23 Roof Order **CUTTING** WM 03/21/23 PLUMB **GABLE STUDS** 16 IN. OC JOBSITE JOBSITE NO

## **ITEMS**

S O L D

T O

T

QTY	ITEM TYPE	SIZE	<b>LENGTH</b> FT-IN-16	PART NUMBER	NOTES
10	Hardware	CS16 16Ga Coil Strap			USP (RS150) Sold Per Foot
24	Hangers, USP	HUS 26			SIMPSON (HUS26)
4	Wholesale	W-LVL, 1-3/4" x 9-1/4"	11-00-00		Rear Porch LVL's \ PB1