

General Notes:
 - Per ANSI/TPI 1-2002 all "Truss to Wall" connections are the responsibility of the Building Designer, not the Truss Manufacturer.

- Dimensions are Feet-Inches- Sixteenths.
- Trusses are to be 24" o.c. unless noted otherwise (U.N.O.)
- Trusses are not designed to support brick U.N.O.
- Do not cut or modify trusses without first contacting Builders FirstSource.
- Immediately contact Builders FirstSource if trusses are damaged.

Connection Notes:
 - All hangers are to be Simpson or equivalent U.N.O.
 - Use Manufacturer's specifications for all hanger connections U.N.O.
 - Use 10d x 1 1/2" Nails in hanger connections to single ply roof girder trusses.


Floor Notes:
 - Shift truss as required to avoid plumbing traps.
 - Installation Contractor and/or Field Supervisor are to verify all dimensions, trap locations, and options prior to installation

Dimension Notes:
 - Drawing not to scale. Do not scale dimensions

NOTE: LEFT END OF TRUSS AS SHOWN ON TRUSS DETAIL DRAWINGS ARE INDICATED ON LAYOUT BY TRIANGLE ICONS

TRUSSES SPACED AT 24" o.c. UNLESS NOTED OTHERWISE. FOLLOW DIMENSION STRING FOR ODD DIMENSIONS.

CHESAPEAKE BEAM SCHEDULE				
ID	Length	Product	Plies	Qty
BM1	14'0"	1.75x14 LVL	2	2
BM3	4'0"	1.75x14 LVL	2	2
BM11	8'0"	1.75x9.25 LVL	2	2
BM12	16'0"	1.75x14LVL	3	3



3D View 1st Level

Hanger List		All Tie Downs H2.5T Unless noted
0	HHUS410	HJ 00
1	THA218-2	TJ 08
1	HUC410	LJ
0	HGUS414	GJ 00
0	LUS410	HJ 00

Special Items List

Misc Material

Chesapeake			
6260	Elev:	D	
Farm @ Neill's Creek Creek			
Wake	NC	Lot:	169
Garage Right		Appwright #	
		Permit (3458321)	
		Code: IRC 2015	
		Loading:	
		T.C.L.L.	40
Designed By: CFC		T.C.D.L	10
Layout: D.FL-R		B.C.L.L.	0
L/O Date: 03/20/2023		B.C.D.L.	5

Revision History		Wind:	
Rev1:	xx/xx/xx	M.P.H.	115
Rev2:	xx/xx/xx	Exposure Category	
Rev3:	xx/xx/xx	B (Wooded areas/other)	
Pick Ticket:	---	Job No.:	---
Sales No.:	---	Acct No.:	---

Hatch Legend	
	Attic Room
	Volume Ceiling
	Stick Framing