														DATE	04/06/2	3 PAGE 1
Reaction	Sur	nma	ry of	Order	[REQ.	QUOT	E DATE	11			ORDE	R #		J042	3-1580
					[ORDE	R DA	TE	04/06	6/23		QUOT	E #			
					I	DELIV			11					R ACCT #	0000	30
Comte			& FLO					IVOICE	11					R PO #	-	
ComTec	n'	TRUSSE	:S & BE	AMS	ORDERED BY					Brady Rufenacht					<u> </u>	
Reilly Road Indu					COUNTY				Harn			TERM			_	0 Days
Fayetteville, N.C	. 283	09 (91	0) 864-	TRUS		SUPE	RINTE	ENDANT	Brad	y Rufenacht		SALES	S REF	P		ony Williams
						JOBS	ITE PI	HONE #	(910)	483-2229		SALE	s are	EA	Anth	ony Williams
Waterma	rk Ho	omes,	Inc.	JOB	NAME:L	ot 100	South	Creek			LC)T # 100	SUE	BDIV: South	Creek	
196 Ann	196 Annettte Drive							TAG:	RG22-A0	5F	JO	B CATEGO	ORY:	B & S - Buil	d and S	Ship
	NC :	27504		DELIN	ERY INS	RUCTI	ONS:									· ·
Benson, (919) 938																
SH Waterma	rk Ho	omes		SPEC			NS									
	South	n Cree	k	0.10												
الالت التعام	n, NC	;														TC.
														PLAN SE	BY	DATE
BUILDING DE	PART	MENT	OVER	HANG INFO	HEEL HEI	GHT	00-0	06-08	REQ. LA	YOUTS	REQ. ENG	SINEERING		QUOTE		11
Roof Order			END CU											LAYOUT		11
			PLUMB	NO	GABLE S	TUDS	24	IN. OC	J	OBSITE 1		JOBSITE	1 0	CUTTING		11
ROOF T	RUS	SES		ADING	TCLL-TCDL		_	RESS INCR.		OF TRUSS	SPACING	24 0 IN O	с (т	YP)		
			IN	FORMATION	20.0,10.	<u> </u>		1.15			or Acinto.	24.0 IN. 0.	0. (1			
PROFILE	QTY PLY		CH	TYPE ID	BASE O/A				RHANG	REACTIO	ONS					
	FLĬ	TOP	BOT	GABLE	45-11-0	ТОР 0	BOT	LEFT	RIGHT	Joint 10	Joint 11	Joint	12	Joint 18		
	1	6.75	0.00	A1GE			6 2 X 6	01-02-08		1128.0 lbs.			5.1 lbs			
<u> </u>										-257.0 lbs.	-99.4 I	bs45	.7 lbs.	-436.4	lbs.	
		o		PIGGYBACK				01 00 00		Joint 11	Joint 16					
	4	6.75	0.00	A2	45-11-0	0 2 X 6	2 X 6	01-02-08		1604.4 lbs.						
					1		1			-94.5 lbs.	-120.5	IDS.				
				PIGGYBACK	45-11-0	0				Joint 2	Joint 12	Joint	17			
	6	6.75	0.00	A3			2 X 6	01-02-08	01-02-08	207.3 lbs.	1679.4		0.4 lbs	S.		
										-60.3 lbs.	-111.9		0.1 lbs			
				GABLE	40-11-0	-		04.00.00	04.00.00	Joint 2	Joint 26			Joint 29		Joint 37
	1	6.75	0.00	B1GE	40-11-0	0 2 X 6	2 X 6	01-02-08	01-02-08	127.3 lbs.	268.8		7.0 lbs			282.5 lbs.
										-71.0 lbs.	-16.2	bs23	3.3 lbs	430.2	lbs.	-53.0 lbs.
				PIGGYBACK	40-11-0	0				Joint 9	Joint 16					
	5	6.75	0.00	B2			2 X 6	01-02-08	01-02-08	1267.2 lbs.	2184.5					
	-									-97.4 lbs.	-119.3					
					İ	İ	ĺ									
A				GABLE	24-11-0	-				Joint 2	Joint 11	Joint	13	Joint 14		Joint 15
	1	12.00	0.00	C1GE	24-11-0	0 2 X 6	5 2 X 10	01-02-08	01-02-08	1077.0 lbs.	832.4		4.2 lbs			508.4 lbs.
										-11.5 lbs.	-92.6	ps19	9.6 lbs	s61.7	IDS.	-341.7 lbs.
				ATTIC	24 11 0					loint 2	loint 12					
	5	12.00	0.00	ATTIC C2	24-11-0		2 X 10	01-02-08	01-02-08	Joint 2 1729.7 lbs.	Joint 12 1729.7					
	-									172.2 lbs.	172.2					
					Í		1									
æ				ATTIC	24-11-0					Joint 1	Joint 10					
	19	12.00	0.00	C3	24-11-0	0 2 X 6	6 2 X 10	þ	01-02-08	1660.1 lbs.	1730.8					
					1					190.0 lbs.	172.0	lbs.				
				ATTIO	04.44.0					loint 1	laist 40					
	1 2 Ply	12.00	0.00	ATTIC C4	24-11-0		32 X 10		01-02-08	Joint 1 2887.6 lbs.	Joint 10 3002.2					
	~ · ·y	12.00	0.00	. .						329.6 lbs.	3002.2					
					1											
	1			ATTIC	24-11-0					Joint 1	Joint 10					
	2 Ply	12.00	0.00	C5	24-11-0	0 2 X 8	3 2 X 10	D	01-02-08	2887.6 lbs.	3002.2	lbs.				
										329.6 lbs.	300.8	lbs.				
	1	10.00	0.00	GABLE C6GE	24-11-0		2 ¥ 10	01-02-08	01-02-08	Joint 2	Joint 11	lha				
	I	12.00	0.00	CUGE	24-11-0			01-02-00	01-02-00	1723.6 lbs. 33.6 lbs.	1723.6 33.6 I					
					1		1				00.0 I					

														DATE	04/06/23	B PAGE 2
Re	action	Sun	nma	ry of	Order		REQ.	QUOT	E DATE	11			ORDER #		J0423	3-1580
				-]	ORDE	R DA	TE	04/06	6/23		QUOTE #			
							DELIV	ERY I	DATE	11				ER ACCT #	0000	30
i_	omTer			& FLO			DATE OF INVOICE						CUSTOM			
	omTec			S & BE			ORDERED BY				y Rufenacht		INVOICE TERMS	#	Net 10 David	
	y Road Indu						COUNTY				Harnett				Net 10 Days	
Faye	etteville, N.C	. 283	09 (91	0) 864-	IRUS		SUPERINTENDANT Brady Rufenacht					SALES R			ony Williams	
						JOBSITE PHONE # (910) 483-2229						SALES A			ony Williams	
s	Waterma	rk Ho	omes,	Inc.	JOB	JOB NAME: Lot 100 South Creek LOT # 100								JBDIV: South		
2010	196 Annettte Drive					EL:Roof			TAG:	RG22-A0	5F	JOB	CATEGORY	: B & S - Buil	d and S	hip
TO	Benson,				DELI	ERY INS	TRUCTI	ONS:								
Ľ	(919) 938	8-819	4													
s	Waterma	rk Ho	omes													
S H I P	Lot 100 \$			k	SPEC	IAL INST	RUCTIO	NS:								
Ŧ	Lillingto			ĸ												
Ľ	Liningto	i, ito												PLAN SE		
				01/50				00.0							BY	DATE
	LDING DE	PART	WENT	OVER END CU		HEEL HEI	GHI	00-0	06-08	REQ. LA		REQ. ENGIN	EERING	QUOTE LAYOUT		//
K00	order			PLUMB		GABLE S	TUDS	24	IN. OC		OBSITE 1		OBSITE 1	CUTTING		11
						TCLL-TCDI		-	RESS INCR.	7	1					
R	OOF TI	RUS	SES		FORMATION	20.0,10.	0,0.0,10	.0	1.15	RO	OF TRUSS	SPACING: 24	1.0 IN. O.C. (TYP.)		
Р	ROFILE	QTY	PIT	СН	TYPE	BASE		IBER		RHANG	REACTI					
		PLY	TOP	BOT	ID	O/A	TOP	BOT	LEFT	RIGHT						
		1	12.00	0.00	GABLE D1GE	12-05-0		2 2 6	01-02-08	01-02-08	Joint 10	Joint 11	Joint 12	Joint 13		Joint 14
0		1	12.00	0.00	DIGE	12-00-0	~ 2 ~ 0	2.00	01-02-00	01-02-00	205.6 lbs. -65.1 lbs.	209.7 lbs -225.0 lbs				191.7 lbs. -99.6 lbs.
											-00.1103.	-225.0 103	530.0 lk		03.	-55.0 153.
	•				GABLE	11-11-0					Joint 2	Joint 8	Joint 10	Joint 11		Joint 12
1		1	6.75	0.00	E1GE	11-11-0	00 2 X 6	2 X 6	01-02-08	01-02-08	159.2 lbs.	159.2 lbs	. 161.2	os. 173.6	lbs.	127.7 lbs.
								<u> </u>	-28.2 lbs.		-28.2 lbs.	-39.0 lbs.	71.7 lb	os74.91	bs.	30.1 lbs.
					0010100							1				
		1	6.75	0.00	COMMON E2	11-11-0		2 X 6	01-02-08	01-02-08	Joint 2 537.6 lbs.	Joint 4 537.6 lbs				
(and		.	0.10	5.00							-44.2 lbs.	-44.2 lbs.				
						1					1					
					GABLE	09-11-0					Joint 10	Joint 11	Joint 12	Joint 13		Joint 14
		1	12.00	0.00	H1GE	09-11-0	00 2 X 6	2 X 6	01-02-08	01-02-08	186.6 lbs.	161.5 lbs				202.8 lbs.
								<u> </u>			-102.9 lbs.	-186.5 lbs	s122.2 l	bs. 57.8 l	bs.	-123.5 lbs.
					COMMON	09-11-0					Joint 1	Joint 5				
		1	12.00	0.00	H2		0 2 X 6	2 X 6			396.7 lbs.	396.7 lbs	i.			
											-52.8 lbs.	-52.8 lbs.				
	ĺ	ĺ	ĺ													
			~	0.00	GABLE	10-07-0		224			Joint 1	Joint 2	Joint 8	Joint 9		Joint 10
		1	6.75	0.00	PB1	10-07-0	03 2 X 4	2 ~ 4			48.9 lbs. -38.4 lbs.	88.9 lbs. -17.8 lbs.	. 81.1 lb . 0.5 lb			144.9 lbs. -66.1 lbs.
ļ	 					1					-30.4 IDS.	- 17.0 IDS.	. 0.5 D	JJ.Z II		-00.1 105.
					PIGGYBACK	10-07-0					Joint 2	Joint 4	Joint 6			
A		10	6.75	0.00	PB2		3 2 X 4	2 X 4			136.1 lbs.	136.1 lbs		os.		
						<u> </u>		ļ			-23.5 lbs.	-28.5 lbs.	. 18.9 lb	S.		
					<u> </u>											
		1	6.75	0.00	GABLE PB3	05-07-0)3)3 2 X 4	2 X 4			Joint 1	Joint 2 255.2 lbs	Joint 4 . 243.9 II	Joint 5		Joint 6
		1	0.73	0.00	1 00						81.3 lbs. -86.0 lbs.	255.2 lbs -145.9 lbs				187.3 lbs. 6.8 lbs.
						1						. 10.0 100				
	æ				PIGGYBACK	05-07-0					Joint 2	Joint 4	Joint 6			
A		5	6.75	0.00	PB4	05-07-0	03 2 X 4	2 X 4			154.4 lbs.	154.4 lbs				
								<u> </u>			-28.4 lbs.	-32.8 lbs.	. 14.3 lb	S.		
						00.10.5					laist 4	later O	1-1-1-4	1-1 1 5		laint G
		2	12.00	0.00	GABLE PB5	03-10-0)6)6 2 X 4	2 X 4			Joint 1 120.9 lbs.	Joint 2 226.8 lbs	Joint 4 . 195.3 I	Joint 5 os. 85.2 l		Joint 6 116.9 lbs.
		-	.2.00	0.00	. 25						-107.2 lbs.	-164.7 lbs				17.4 lbs.
						1								. 01.01		
					PIGGYBACK	03-10-0					Joint 2	Joint 4	Joint 6			
1		24	12.00	0.00	PB6	03-10-0	6 2 X 4	2 X 4			117.6 lbs.	117.6 lbs				
											-19.3 lbs.	-23.3 lbs.	. 18.2 lb	IS.		

Re															DA	TE 04/06/2	3 PAGE 3
	eaction	Sun	nmar	ry of	Order	F	REQ. (<u>τους</u>	E DATE		11			ORDER	#	J042	3-1580
	\wedge					ORDER DATE				(04/06	/23		QUOTE			
			POOL				DELIVERY DATE				11				MER ACCT #	¢ 0000	030
Í.	comTec	chil :		& FLO(DATE OF INVOICE				//	Dufoncali			MER PO #		
							ORDERED BY COUNTY				Brady Harne	Rufenacht			-#	Not 1	10 Days
	ly Road Indu etteville, N.C								NDANT	-		Rufenacht		SALES	REP		ony Williams
-/		200		,		-			IONE #			483-2229		SALES			ony Williams
Watermark Homes, Inc.					IOB	NAME: Loi			-		(***)		10		SUBDIV: Sou	th Creek	,
S O L D	196 Ann			inc.		EL:Roof	100 .	Journ		362	2_405	F			-		Shin
D	Benson,					MODEL:Roof TAG: RG22-A05F JOB DELIVERY INSTRUCTIONS:								DUALEUUN	1.5 4 6 5		sinp
т	(919) 938																
	. ,																
S H I P	Waterma				SPEC	IAL INSTRU	ото	NS:									
P T O	Lot 100 \$			ĸ													
٥	Lillingto	n, NC													PLAN	SEAL DA	TE:
			г												1	BY	DATE
	ILDING DE of Order	PART	VIENT	OVERH END CUI		HEEL HEIG	ні	00-0	6-08	REC	<u>2. LAY</u>	OUTS	REQ. ENG	BINEERING	QUOTE LAYOUT	<u> </u>	11
100	or Order		-	PLUMB	-	GABLE STU	JDS	24	N. OC		JC	DBSITE 1		JOBSITE			11
P	ROOF T	סוופ	SEC.	LO	ADING	TCLL-TCDL-B	CLL-BCD	L STR	ESS INCR.	1	PO		SDACING				
					ORMATION	20.0, 10.0,	- <u> </u>	0	1.15				SPACING	24.0 IN. O.C	(118.)		
F	PROFILE	QTY PLY	TOP	CH BOT	TYPE ID	BASE O/A		IBER BOT	OVER		IG GHT	REACTIO	ONS				
			TOP	БОТ	PIGGYBACK	02-11-12	TUP	БОТ	LEFI	RI	GEI	Joint 1	Joint 2	Joint 4	Joint	5	Joint 6
		2	12.00	0.00	PB7	02-11-12	2 X 8	2 X 4				39.5 lbs.	146.4			8 lbs.	85.1 lbs.
							<u> </u>					-29.8 lbs.	-51.9	bs43.3	lbs6.	2 lbs.	19.8 lbs.
					VALLEY	43-06-10						Joint 1	Joint 13	Joint 14	4 Joint	15	Joint 16
1		1	6.75	0.00	VALLE I V1	43-06-10	2 X 4	2 X 4				211.7 lbs.	185.8			13 8.2 lbs.	515.6 lbs.
2												-20.0 lbs.	30.8	bs104.7	′ lbs66	.4 lbs.	-76.9 lbs.
						20 40 00						India to d	In int 40	In the A	4 1-:4	45	Lating 40
		1	6.75	75 0.00 V2		36-10-09 36-10-09	2 X 4	2 X 4				Joint 1 108.2 lbs.	Joint 13 75.0 I			15 .4 lbs.	Joint 16 510.1 lbs.
1 Alexandre												-58.2 lbs.	-15.0	bs65.0	lbs78	.3 lbs.	-73.4 lbs.
		1	6.75	0.00	VALLEY V3	29-09-04 29-09-04	2 X 4	2 X 4				Joint 1 109.7 lbs.	Joint 11 83.8 I			13 .7 lbs.	Joint 14 536.6 lbs.
1		'	0.10	0.00				- · · ·				-30.5 lbs.	4.1 1		.4 lbs75.6 lbs		
						1				1				os68.4	lbs75	.6 lbs.	-83.7 lbs.
														os68.4	lbs75	.6 lbs.	-83.7 lbs.
	\wedge	4	6 75	0.00		22-07-15	2 ¥ 4	2 8 4				Joint 1	Joint 7	Joint 8	Joint	10	Joint 11
4		1	6.75	0.00	VALLEY V4	22-07-15 22-07-15	2 X 4	2 X 4				112.9 lbs.	Joint 7 95.1 I	Joint 8 bs. 297.5	Joint i Ibs. 439	10 9.6 lbs.	Joint 11 455.8 lbs.
4		1	6.75	0.00			2 X 4	2 X 4					Joint 7	Joint 8 bs. 297.5	Joint i Ibs. 439	10	Joint 11
4					V4 VALLEY	22-07-15	<u> </u>					112.9 lbs. -12.6 lbs. Joint 1	Joint 7 95.1 13.3 Joint 5	Joint 8 bs. 297.5 bs69.4 Joint 6	Joint i Ibs. 439 Ibs85 Joint	10 9.6 lbs. .8 lbs. 7	Joint 11 455.8 lbs. 59.5 lbs. Joint 8
4		1	6.75	0.00	V4	22-07-15	<u> </u>					112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs.	Joint 7 95.1 13.3 Joint 5 110.1	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1	Joint i lbs. 439 lbs85 Joint lbs. 264	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
4					V4 VALLEY	22-07-15	<u> </u>					112.9 lbs. -12.6 lbs. Joint 1	Joint 7 95.1 13.3 Joint 5	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1	Joint i lbs. 439 lbs85 Joint lbs. 264	10 9.6 lbs. .8 lbs. 7	Joint 11 455.8 lbs. 59.5 lbs. Joint 8
4		1	6.75	0.00	V4 VALLEY V5 VALLEY	22-07-15 15-06-09 15-06-09 08-05-04	2 X 4	2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs.	Joint 7 95.1 13.3 Joint 5 110.1	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1	Joint i lbs. 439 lbs85 Joint lbs. 264	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
					V4 VALLEY V5	22-07-15 15-06-09 15-06-09	2 X 4	2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs. -3.9 lbs. Joint 1 154.1 lbs.	Joint 7 95.1 I 13.3 I Joint 5 110.1 5.6 It Joint 3 154.1	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1 bs86.2 Joint 4 lbs. 282.4	Joint i lbs. 439 lbs85 Joint lbs. 264 lbs. 41	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
		1	6.75	0.00	V4 VALLEY V5 VALLEY	22-07-15 15-06-09 15-06-09 08-05-04	2 X 4	2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs. -3.9 lbs. Joint 1	Joint 7 95.1 13.3 Joint 5 110.1 5.6 Joint 3	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1 bs86.2 Joint 4 lbs. 282.4	Joint i lbs. 439 lbs85 Joint lbs. 264 lbs. 41	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
		1	6.75	0.00	V4 VALLEY V5 VALLEY	22-07-15 15-06-09 15-06-09 08-05-04	2 X 4	2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs. -3.9 lbs. Joint 1 154.1 lbs.	Joint 7 95.1 I 13.3 I Joint 5 110.1 5.6 It Joint 3 154.1	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1 bs86.2 Joint 4 lbs. 282.4	Joint i lbs. 439 lbs85 Joint lbs. 264 lbs. 41	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
		1	6.75	0.00	V4 VALLEY V5 VALLEY V6	22-07-15 15-06-09 15-06-09 08-05-04 08-05-04	2 X 4	2 X 4 2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs. -3.9 lbs. Joint 1 154.1 lbs. -24.6 lbs.	Joint 7 95.11 13.31 Joint 5 110.1 5.6 lt Joint 3 154.1 -29.5 Joint 3 196.0	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1 ps86.2 Joint 4 lbs. 282.4 bs. 15.0 Joint 4 lbs. 251.7	Joint i lbs. 439 lbs85 Joint lbs. 264 lbs. 41 lbs. 41	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
		1	6.75	0.00	V4 VALLEY V5 VALLEY V6 VALLEY	22-07-15 15-06-09 15-06-09 08-05-04 08-05-04 08-08-04	2 X 4	2 X 4 2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs. -3.9 lbs. Joint 1 154.1 lbs. -24.6 lbs. Joint 1	Joint 7 95.11 13.31 Joint 5 110.1 5.6 lt Joint 3 154.1 -29.5	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1 ps86.2 Joint 4 lbs. 282.4 bs. 15.0 Joint 4 lbs. 251.7	Joint i lbs. 439 lbs85 Joint lbs. 264 lbs. 41 lbs. 41	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
		1	6.75	0.00	V4 VALLEY V5 VALLEY V6 VALLEY VB1	22-07-15 15-06-09 15-06-09 08-05-04 08-05-04 08-08-04 08-08-04	2 X 4	2 X 4 2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs. -3.9 lbs. Joint 1 154.1 lbs. -24.6 lbs. Joint 1 196.0 lbs. -34.9 lbs.	Joint 7 95.11 13.31 Joint 5 110.1 5.6 lt Joint 3 154.1 -29.5 Joint 3 196.0 -34.9	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1 os86.2 Joint 4 lbs. 282.4 bs. 15.0 Joint 4 lbs. 251.7 bs. 33.2	Joint i lbs. 439 lbs85 Joint lbs. 264 lbs. 41 lbs. 41	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
		1	6.75	0.00	V4 VALLEY V5 VALLEY V6 VALLEY	22-07-15 15-06-09 15-06-09 08-05-04 08-05-04 08-08-04	2 X 4 2 X 4 2 X 4	2 X 4 2 X 4 2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs. -3.9 lbs. Joint 1 154.1 lbs. -24.6 lbs. Joint 1 196.0 lbs.	Joint 7 95.11 13.31 Joint 5 110.1 5.6 lt Joint 3 154.1 -29.5 Joint 3 196.0	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1 ps86.2 Joint 4 lbs. 282.4 bs. 15.0 Joint 4 lbs. 251.7 bs. 33.2 Joint 4	Joint i lbs. 439 lbs85 Joint lbs. 264 lbs. 41 lbs. lbs. lbs. lbs.	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
		1 1 1 1	6.75 6.75 12.00	0.00	V4 VALLEY V5 VALLEY V6 VALLEY VB1 VALLEY	22-07-15 15-06-09 15-06-09 08-05-04 08-05-04 08-08-04 08-08-04 08-08-04	2 X 4 2 X 4 2 X 4	2 X 4 2 X 4 2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs. -3.9 lbs. Joint 1 154.1 lbs. -24.6 lbs. Joint 1 196.0 lbs. -34.9 lbs. Joint 1	Joint 7 95.11 13.31 Joint 5 110.1 5.6 lt Joint 3 154.1 -29.5 Joint 3 196.0 -34.9	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1 ps86.2 Joint 4 lbs. 282.4 bs. 15.0 Joint 4 lbs. 251.7 bs. 33.2 Joint 4 lbs. 181.3	Joint i lbs. 439 lbs85 Joint lbs. 264 lbs. 41 lbs. lbs. lbs. lbs.	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
		1 1 1 1	6.75 6.75 12.00	0.00	V4 VALLEY V5 VALLEY V6 VALLEY VB1 VALLEY VB2	22-07-15 15-06-09 15-06-09 08-05-04 08-05-04 08-08-04 08-08-04 06-05-04	2 X 4 2 X 4 2 X 4	2 X 4 2 X 4 2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs. -3.9 lbs. Joint 1 154.1 lbs. -24.6 lbs. Joint 1 196.0 lbs. -34.9 lbs. Joint 1 141.2 lbs. -25.2 lbs.	Joint 7 95.11 13.31 Joint 5 110.1 5.6 lt Joint 3 154.1 -29.5 Joint 3 196.0 -34.9 Joint 3 141.2 -25.2	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1 ps86.2 Joint 4 lbs. 282.4 bs. 15.0 Joint 4 lbs. 251.7 bs. 33.2 Joint 4 lbs. 181.3 bs. 23.9	Joint i lbs. 439 lbs85 Joint lbs. 264 lbs. 41 lbs. lbs. lbs. lbs.	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
		1 1 1 1 1 1	6.75 6.75 12.00 12.00	0.00	V4 VALLEY V5 VALLEY V6 VALLEY VB1 VALLEY VB2 VALLEY	22-07-15 15-06-09 15-06-09 08-05-04 08-05-04 08-08-04 08-08-04 06-05-04 06-05-04 06-05-04	2 X 4 2 X 4 2 X 4 2 X 4	2 X 4 2 X 4 2 X 4 2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs. -3.9 lbs. Joint 1 154.1 lbs. -24.6 lbs. Joint 1 196.0 lbs. -34.9 lbs. Joint 1 141.2 lbs. -25.2 lbs. Joint 1	Joint 7 95.11 13.31 Joint 5 110.1 5.6 lt Joint 3 154.1 -29.5 Joint 3 196.0 -34.9 Joint 3 141.2 -25.2 Joint 3	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1 ps86.2 Joint 4 lbs. 282.4 bs. 15.0 Joint 4 lbs. 251.7 bs. 33.2 Joint 4 lbs. 181.3 bs. 23.9 Joint 4	Joint i lbs. 439 lbs85 Joint lbs. 264 lbs. 41 lbs. lbs. lbs. lbs. lbs. lbs.	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.
		1 1 1 1	6.75 6.75 12.00	0.00	V4 VALLEY V5 VALLEY V6 VALLEY VB1 VALLEY VB2	22-07-15 15-06-09 15-06-09 08-05-04 08-05-04 08-08-04 08-08-04 06-05-04	2 X 4 2 X 4 2 X 4 2 X 4	2 X 4 2 X 4 2 X 4 2 X 4				112.9 lbs. -12.6 lbs. Joint 1 110.5 lbs. -3.9 lbs. Joint 1 154.1 lbs. -24.6 lbs. Joint 1 196.0 lbs. -34.9 lbs. Joint 1 141.2 lbs. -25.2 lbs.	Joint 7 95.11 13.31 Joint 5 110.1 5.6 lt Joint 3 154.1 -29.5 Joint 3 196.0 -34.9 Joint 3 141.2 -25.2	Joint 8 bs. 297.5 bs69.4 Joint 6 lbs. 350.1 ps86.2 Joint 4 lbs. 282.4 bs. 15.0 Joint 4 lbs. 23.9 Joint 4 lbs. 23.9 Joint 4 bs. 210.5	Joint i lbs. 439 lbs85 Joint lbs. 264 lbs. 41 i lbs. lbs. i lbs. i lbs. lbs. lbs. lbs. lbs. lbs.	10 0.6 lbs. .8 lbs. 7 6 lbs.	Joint 11 455.8 lbs. 59.5 lbs. Joint 8 350.3 lbs.

ITEMS

	QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
--	-----	-----------	------	--------------------	-------------	-------

			_											DATI	E04/06/23	PAGE 4
Reaction Summary of Order				REQ. Q	UOTE DAT	E	11				ORDE	ORDER #			1580	
ROOF & FLOOR				ORDER DATE DELIVERY DATE DATE OF INVOICE ORDERED BY			04/06/23		QUOT	QUOTE #						
							/ / / / Brady Rufenacht				CUST	CUSTOMER ACCT #			0	
											CUST	омі	ER PO #			
ComTech TRUSSES & BEAMS											INVOI	INVOICE #				
Reill	Reilly Road Industrial Park P.O. Box 40408					Υ		Harnett				TERM	s		Net 10	Days
Fayetteville, N.C. 28309 (910) 864-TRUS					SUPERINTENDANT			Brady Rufenacht				SALE	S RI	ΞP	Anthor	ny Williams
					JOBSITE PHONE #			(910) 483-2229			SALE	SALES AREA			ny Williams	
	Watermark Homes,	Inc.	JOE	B NAME: L	ot 100 S	outh Creek					LOT	F # 100	SU	BDIV: South	n Creek	
S O L D	196 Annettte Drive	мо	MODEL: Roof TAG: RG22-A05F JOB CATEGORY: B & S - B						: B & S - Bui	ild and Sh	ip					
D HO	Benson, NC 27504 (919) 938-8194		DEL	IVERY INS	TRUCTIO	NS:										
s	Watermark Homes															
Lot 100 South Creek				SPECIAL INSTRUCTIONS:												
то	Lillington, NC											PLAN S	EAL DAT	E:		
	-														BY	DATE
BUI	ILDING DEPARTMENT			HEEL HE	IGHT	00-06-08	REC	LAYOUTS		REQ.	ENG	NEERING		QUOTE		11
Roc	of Order	END CUT	RETURN						<u> </u>					LAYOUT		11
	L	PLUMB	NO	GABLE S	TUDS	24 IN. OC		JOBSITE	1			JOBSITE	1	CUTTING		//

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	12-00-00		GDH
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	13-00-00		GDH-2