## Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 169 Love Grove Church Rd ISSUED TO: Luis Fuentes LOT # SUBDIVISION EXPANSION Site Improvements required prior to Construction Authorization Issuance: REPAIR | Type of Structure: 26'x30' SFD Proposed Wastewater System Type: Pump to 25% reduction Projected Daily Flow: 360 Number of Occupants: 6 Number of bedrooms: 3 Basement Yes Pump Required: XYes □ No May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well feet Permit valid for: No expiration Permit conditions: SEE ATTACHED SITE SKETCH Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules . 1950, . 1954, . 1955, . 1956, . 1957, . 1958, and . 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: 169 Love Grove Church Rd ISSUED TO: Luis Fuentes LOT # ☐ Repair Facility Type: 26'x30' SFD Expansion Basement? Yes Basement Fixtures? | Yes No. pump to 25% reduction (Initial) Wastewater Flow: 360 GPD Type of Wastewater System\*\* (See note below, if applicable ) pump to 25% reduction Number of trenches 1 Installation Requirements/Conditions Septic Tank Size 1000 Exact length of each trench 225 Trench Spacing: 9 Feet on Center gallons Soil Cover: 6 Pump Tank Size 1000 Trenches shall be installed on contour at a gallons Maximum Trench Depth of: 16-18 inches (Maximum soil cover shall not exceed 36" above the trench bottom) (Trench bottoms shall be level to +/-1/4" in all directions) inches below pipe Pump Requirements: ft. TDH vs. inches above pipe Aggregate Depth: inches total Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: 09-11-23 Authorized State Agent: Construction Authorization Expiration Date: 09-11-28

## Harnett County Department of Public Health Site Sketch

Property Location: 169 Lo		
Issued To: Luis Fuentes	Subdivision	Lot #
Authorized State Agent:	Pharens	Date: <u>09-11-23</u>
	well  (x)  FUTUE	Pair
	3Br House - 1 (225 70)	Tal)
	1 (1022)	
C 60		
Chu	ch Ad	

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.