

General Notes:
 - Per ANSI/TPI 1-2002 all "Truss to Wall" connections are the responsibility of the Building Designer, not the Truss Manufacturer.
 - Dimensions are Feet-Inches- Sixteenths.
 - Trusses are to be 24" o.c. unless noted otherwise (U.N.O.)
 - Trusses are not designed to support brick U.N.O.
 - Do not cut or modify trusses without first contacting Builders FirstSource.
 - Immediately contact Builders FirstSource if trusses are damaged.


Connection Notes:
 - All hangers are to be Simpson or equivalent U.N.O.
 - Use Manufacturer's specifications for all hanger connections U.N.O.
 - Use 10d x 1 1/2" Nails in hanger connections to single ply roof girder trusses.

Floor Notes:
 - Shift truss as required to avoid plumbing traps.
 - Installation Contractor and/or Field Supervisor are to verify all dimensions, trap locations, and options prior to installation

Dimension Notes:
 - Drawing not to scale. Do not scale dimensions

TRUSSES SPACED AT 24" o.c. UNLESS NOTED OTHERWISE. FOLLOW DIMENSION STRING FOR ODD DIMENSIONS.

CHESAPEAKE BEAM SCHEDULE				
ID	Length	Product	Piles	Qty
BM1	14'0"	1.75x14 LVL	2	2
BM3	4'0"	1.75x14 LVL	2	2
BM11	8'0"	1.75x9.25 LVL	2	2
BM12	16'0"	1.75x14LVL	3	3



NOTE: LEFT END OF TRUSS AS SHOWN ON TRUSS DETAIL DRAWINGS ARE INDICATED ON LAYOUT BY TRIANGLE ICONS

3D View 1st Level

Hanger List		All Tie Downs H2.5T Unless noted	
0	HHUS410	Hj	00
1	THA218-2	Lj	08
1	HUC410	Lj	
0	HGUS414	Gj	00
0	LUS410	Hj	00

Special Items List	

Misc Material	

Chesapeake			
6260	Elev:	A	
Farm @ Neill's Creek			
Wake	NC	Lot:	104
Garage Right		Appwright #	
		Permit (3458312)	
		Code: IRC 2015	
		Loading:	
		T.C.L.L.	40
		T.C.D.L.	10
		B.C.L.L.	0
		B.C.D.L.	5

Revision History		Wind:	
Rev1:	xx/xx/xx	M.P.H.	115
Rev2:	xx/xx/xx	Exposure Category	
Rev3:	xx/xx/xx	B (Wooded areas/other)	
Designed By:	CFC	Job No.:	---
Layout:	A.FL-R	Acct No.:	---
L/O Date:	04/04/2023		

Hatch Legend	
	Attic Room
	Volume Ceiling
	Stick Framing