Reaction Summary of Order

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

| | | DATE | 70/14/20 17(OL 1 |
|-----------------|-----------------|----------------|------------------|
| REQ. QUOTE DATE | 11 | ORDER# | J0623-3078 |
| ORDER DATE | 06/14/23 | QUOTE # | |
| DELIVERY DATE | 11 | CUSTOMER ACCT# | 0000007216 |
| DATE OF INVOICE | 11 | CUSTOMER PO# | |
| ORDERED BY | Shaun Garderner | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Shaun Garderner | SALES REP | Neil Baggett |
| JOBSITE PHONE # | (910) 988-8172 | SALES AREA | Neil Baggett |

Precision Custom Homes 206 Shoreline Drive Raeford, NC 28376 (910) 988-8172

100 Sears Dr.

Cameron, NC

Precision Custom Homes and

TO

JOB NAME: 23 Liberty Meadows **LOT #** 23 **SUBDIV:**Liberty Meadows

MODEL:Roof TAG: Hayek JOB CATEGORY:

DELIVERY INSTRUCTIONS:

52 miles round trip

SPECIAL INSTRUCTIONS:

Like 27 Liberty Meadows

PLAN SEAL DATE: DATE

| BUILDING DEPARTMENT | OVERHA | NG INFO | HEEL HEIGHT | 00-04-05 | RE | EQ. I | LAYOUTS | | REQ. | ENG | SINEERING | | QUOTE | | 11 |
|----------------------------|---------|---------|-------------|-----------|----|-------|---------|---|------|-----|-----------|---|---------|----|----------|
| Roof Order | END CUT | RETURN | | | | | | | | | | | LAYOUT | NB | 06/14/23 |
| | PLUMB | | GABLE STUDS | 24 IN. OC | | | JOBSITE | 1 | | | JOBSITE | 1 | CUTTING | NB | 06/14/23 |

| ROOF T | RUS | SES | | DADING FORMATION | TCLL-TCDL-B0 | | | RESS INCR. | ROO | OF TRUSS SI | PACING: 24.0 | IN. O.C. (TYP.) |
|-----------|------------|------|------|---------------------|--------------|----------|-------------|------------|----------|-------------|--------------|-----------------|
| | | | | | 20.0,10.0,0 | | _ | 1.15 | | | | _ |
| PROFILE | QTY | | CH | TYPE | BASE | | <u>IBER</u> | | HANG | REACTIO | NS | |
| | PLY | TOP | BOT | ID | O/A | TOP | BOT | LEFT | RIGHT | | | |
| | 1 | | | HIP GIRDER | 36-07-00 | | 0, 1, 0 | 04 00 00 | 04 00 00 | Joint 2 | Joint 8 | |
| | 2 Ply | 8.00 | 0.00 | A1 | 36-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | 2832.8 lbs. | 2832.8 lbs. | |
| | | | | | | | | | | -652.8 lbs. | -652.8 lbs. | |
| | | | | | | | | | | | | |
| N | | | | HIP | 36-07-00 | | | | | Joint 1 | Joint 2 | Joint 7 |
| | 1 | 8.00 | 0.00 | A2 | 36-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | 1364.0 lbs. | 1525.0 lbs. | 1364.0 lbs. |
| | | | | | | | | | | 155.8 lbs. | -54.6 lbs. | 155.8 lbs. |
| | | | | | | | | | | | | |
| | | | | HIP | 36-07-00 | | | | | Joint 2 | Joint 7 | |
| | 1 | 8.00 | 0.00 | A3 | 36-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | 1664.4 lbs. | 1664.4 lbs. | |
| | | | | | | | | | | -50.3 lbs. | -50.3 lbs. | |
| | | | | | | | | | | | | |
| | | | | ROOF | 36-07-00 | | | | | Joint 2 | Joint 11 | |
| | 1 | 8.00 | 0.00 | | | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | 1525.0 lbs. | 1591.2 lbs. | |
| | | | | | | | | | | -63.9 lbs. | -79.3 lbs. | |
| | | | | | <u> </u> | <u> </u> | | | <u> </u> | -00.0 103. | -70.0 103. | |
| | | | | ROOF | 36-07-00 | | | | | Joint 2 | laint 10 | |
| | 1 | 8.00 | 0.00 | | | 2 7 6 | 2 7 6 | 01-02-08 | 01 02 08 | | Joint 10 | |
| | ' | 6.00 | 0.00 | AJ | 30-07-00 | 2 ^ 0 | 2 ^ 0 | 01-02-00 | 01-02-00 | 1525.0 lbs. | 1525.0 lbs. | |
| | | | | | | | | | | -75.5 lbs. | -89.7 lbs. | |
| | | | | | | | | | | | | |
| ★ | | | | ROOF | 36-07-00 | | | | | Joint 2 | Joint 11 | |
| | 1 | 8.00 | 0.00 | A6 | 36-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | 1594.2 lbs. | 1552.4 lbs. | |
| | | | | | | | | | | -85.4 lbs. | -98.3 lbs. | |
| | | | | | | | | | | | | |
| | | | | ROOF | 36-07-00 | | | | | Joint 2 | Joint 11 | |
| | 1 | 8.00 | 0.00 | A7 | 36-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | 1611.0 lbs. | 1564.3 lbs. | |
| , , , , , | | | | | | | | | | -90.3 lbs. | -102.3 lbs. | |
| | i | i | | | | | | | | | | |
| | | | | ROOF | 36-07-00 | | | | | Joint 2 | Joint 13 | |
| | 1 | 8.00 | 0.00 | A8 | | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | 1595.1 lbs. | 1563.2 lbs. | |
| | | | | | | | | | | -86.0 lbs. | -100.6 lbs. | |
| | | | | | | <u> </u> | <u> </u> | <u> </u> | <u> </u> | 00.0 150. | 100.0 100. | |
| | | | | HIP GIRDER | 28-07-08 | | | | | Joint 2 | Joint 7 | |
| | 1 2 Ply | 8.00 | 0.00 | | 28-07-08 | 2 X 6 | 2 X 6 | 01-02-08 | | 2176.9 lbs. | 2100.4 lbs. | |
| | Z 1 1y | 0.00 | 0.00 | υ. | 20 07 00 | 2 / 0 | 2 / 0 | 01 02 00 | | | | |
| | | | | | <u> </u> | | | 1 | l . | -500.5 lbs. | -482.9 lbs. | |
| | | | | 5055 | | | | | | | | |
| | , | | | ROOF | 34-07-00 | 0 4 0 | 0 | 04 00 00 | 04 00 00 | Joint 2 | Joint 8 | |
| | 1 | 8.00 | 0.00 | B2 | 34-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | U1-U2-08 | 1445.0 lbs. | 1445.0 lbs. | |
| | | | | | | | | | | -38.6 lbs. | -93.5 lbs. | |
| | | | | | | | | | | | | |
| | | | | ROOF | 34-07-00 | | | | | Joint 2 | Joint 7 | |
| | 1 | 8.00 | 0.00 | B3 | 34-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | 1504.7 lbs. | 1445.0 lbs. | |
| | | | | | | | | | | -51.2 lbs. | -96.2 lbs. | |
| | | | | | | | | | | | | |

Reaction Summary of Order

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

11 **REQ. QUOTE DATE** ORDER# J0623-3078 **ORDER DATE** 06/14/23 **QUOTE # DELIVERY DATE** 11 0000007216 CUSTOMER ACCT# // DATE OF INVOICE CUSTOMER PO# **ORDERED BY** Shaun Garderner **INVOICE #** COUNTY Harnett **TERMS** Neil Baggett **SUPERINTENDANT** Shaun Garderner **SALES REP** (910) 988-8172 Neil Baggett JOBSITE PHONE # **SALES AREA**

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

Precision Custom Homes 206 Shoreline Drive Raeford, NC 28376 (910) 988-8172

100 Sears Dr.

Cameron, NC

ROOF TRUSSES

Precision Custom Homes and

SOLD

T O

S H I P

T O

JOB NAME: 23 Liberty Meadows **LOT #** 23 SUBDIV: Liberty Meadows

MODEL: Roof TAG: Hayek JOB CATEGORY:

DELIVERY INSTRUCTIONS:

52 miles round trip

SPECIAL INSTRUCTIONS:

Like 27 Liberty Meadows

PLAN SEAL DATE:

| BUILDING DEPARTMENT | OVERHA | ANG INFO | HEEL HEIGHT | 00-04-05 | RE | Q. I | LAYOUTS | | REQ. | ENG | SINEERING | | QUOTE | | 11 |
|----------------------------|---------|----------|---------------------|------------|----|------|----------|------|--------|-----|-----------|-----|---------|----|----------|
| Roof Order | END CUT | RETURN | | | | | | | | | | | LAYOUT | NB | 06/14/23 |
| | PLUMB | | GABLE STUDS | 24 IN. OC | | | JOBSITE | 1 | | | JOBSITE | 1 | CUTTING | NB | 06/14/23 |
| ROOF TRUSSES | LOA | DING | TCLL-TCDL-BCLL-BCDL | STRESS INC | R. | | OOE TRUE | 20 0 | SDACII | NG. | 24 0 IN O | c i | TVP) | | |

| | | | IN | FORMATION | 20.0,10.0,0 | 0.0,10. | 0 | 1.15 | | | AOINO.24.0 | 0.0. (| • 7 | |
|---------|-----|------|------|------------------|----------------------|---------|-------|----------|----------|--------------------------------------|--|------------------------------------|---------------------------------------|--|
| PROFILE | QTY | | СН | TYPE | BASE | | BER | OVER | HANG | REACTIO | NS | | | |
| | PLY | TOP | BOT | ID | O/A | TOP | вот | LEFT | RIGHT | | | | | |
| | 1 | 8.00 | 0.00 | ROOF B4 | 34-07-00 34-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | Joint 2 1445.0 lbs. -64.3 lbs. | Joint 8 1445.0 lbs. -105.2 lbs. | | | |
| | 1 | 8.00 | 0.00 | ROOF B5 | 34-07-00 34-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | Joint 2 1460.9 lbs. -75.5 lbs. | Joint 9 1445.0 lbs. -112.1 lbs. | | | |
| 4 | 1 | 8.00 | 0.00 | ROOF B6 | 34-07-00 34-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | Joint 2 1550.6 lbs. -77.6 lbs. | Joint 8 704.6 lbs. -170.8 lbs. | Joint 10 491.0 lbs. 8.9 lbs. | Joint 13 849.8 lbs. -165.8 lbs. | |
| | 1 | 8.00 | 0.00 | ROOF B7 | 34-07-00 34-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | 01-02-08 | Joint 2 1561.3 lbs. -77.6 lbs. | Joint 13 1581.2 lbs. -113.3 lbs. | | | |
| | 1 | 8.00 | 0.00 | ROOF B8 | 34-07-00 34-07-00 | 2 X 6 | 2 X 6 | 01-02-08 | | Joint 2 1672.5 lbs. -78.2 lbs. | Joint 11 1495.0 lbs. -59.1 lbs. | | | |
| | 7 | 4.00 | 0.00 | ROOF P1 | 06-05-00 06-05-00 | 2 X 4 | 2 X 6 | 01-02-08 | 00-03-08 | Joint 2 331.3 lbs. -134.4 lbs. | Joint 4 733.7 lbs. -294.0 lbs. | | | |
| | 10 | 4.00 | 0.00 | MONOPITCH P2 | 04-05-00 04-05-00 | 2 X 4 | 2 X 4 | 01-02-08 | | Joint 2 255.6 lbs. -108.6 lbs. | Joint 4 149.4 lbs. -65.0 lbs. | | | |
| | 3 | 4.00 | 0.00 | MONOPITCH P3 | 05-09-08 05-09-08 | 2 X 4 | 2 X 6 | 01-02-08 | 00-03-08 | Joint 2 307.3 lbs. -126.6 lbs. | Joint 4 207.7 lbs. -89.5 lbs. | | | |
| _ | 14 | 8.00 | 0.00 | JACK-OPEN XA1 | 06-00-00 06-00-00 | 2 X 4 | 2 X 6 | 01-02-08 | | Joint 2 322.4 lbs. 1.4 lbs. | Joint 3 183.7 lbs. -104.7 lbs. | Joint 4 115.8 lbs. 34.8 lbs. | | |
| _ | 10 | 8.00 | 0.00 | JACK-OPEN XB1 | 05-10-00 05-10-00 | 2 X 4 | 2 X 6 | 01-02-08 | | Joint 2 316.0 lbs. 0.9 lbs. | Joint 3 177.9 lbs. -101.7 lbs. | Joint 4 112.5 lbs. 33.8 lbs. | | |
| L | 2 | 8.00 | 0.00 | JACK-OPEN XB2 | 02-00-08 02-00-08 | 2 X 4 | 2 X 6 | 01-02-08 | | Joint 2 184.6 lbs. -16.4 lbs. | Joint 3 34.0 lbs. -29.1 lbs. | Joint 4 36.7 lbs. 11.0 lbs. | | |

Reaction Summary of Order

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

| | | D/(12) | 70/11/20 17(02 0 |
|-----------------|-----------------|----------------|------------------|
| REQ. QUOTE DATE | 1 1 | ORDER# | J0623-3078 |
| ORDER DATE | 06/14/23 | QUOTE # | |
| DELIVERY DATE | 11 | CUSTOMER ACCT# | 0000007216 |
| DATE OF INVOICE | 1 1 | CUSTOMER PO# | |
| ORDERED BY | Shaun Garderner | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Shaun Garderner | SALES REP | Neil Baggett |
| JOBSITE PHONE # | (910) 988-8172 | SALES AREA | Neil Baggett |

Precision Custom Homes 206 Shoreline Drive Raeford, NC 28376 (910) 988-8172

100 Sears Dr.

Cameron, NC

Precision Custom Homes and

JOB NAME: 23 Liberty Meadows **LOT #** 23 **SUBDIV:**Liberty Meadows

MODEL:Roof TAG: Hayek JOB CATEGORY:

DELIVERY INSTRUCTIONS:

52 miles round trip

SPECIAL INSTRUCTIONS:

Like 27 Liberty Meadows

PLAN SEAL DATE:

| BUILDING DEPARTMENT | OVERHA | NG INFO | HEEL HEIGHT | 00-04-05 | R | EQ. | LAYOUTS | | REQ. | ENG | GINEERING | | QUOTE | | 11 |
|----------------------------|---------|---------|-------------|-----------|---|-----|---------|---|------|-----|-----------|---|---------|----|----------|
| Roof Order | END CUT | RETURN | | | | | | | | | | | LAYOUT | NB | 06/14/23 |
| | PLUMB | | GABLE STUDS | 24 IN. OC | | | JOBSITE | 1 | | | JOBSITE | 1 | CUTTING | NB | 06/14/23 |

| ROOF T | RUS | SES | | DADING | TCLL-TCDL-B0 | | _ | RESS INCR. | RO | OF TRUSS S | PACING: 24.0 | IN. O.C. (TYP | ·.) | |
|---------|------------|------|------|---------------------|----------------------|-------|-------|------------|-------|--------------------------------------|--------------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|
| | | | | FORMATION | 20.0,10.0,0 | _ | _ | 1.15 | | | | | | |
| PROFILE | QTY PLY | | CH | TYPE ID | BASE O/A | | IBER | | HANG | REACTIO | NS | | | |
| L | 4 | 8.00 | 0.00 | JACK-OPEN | 01-10-15 01-10-15 | | 2 X 6 | 01-02-08 | RIGHT | Joint 2 173.6 lbs. -15.4 lbs. | Joint 3 39.6 lbs. -29.0 lbs. | Joint 4 37.4 lbs. 11.2 lbs. | | |
| | 4 | 8.00 | 0.00 | JACK-OPEN YA2 | 03-10-15 03-10-15 | 2 X 4 | 2 X 6 | 01-02-08 | | Joint 2 244.2 lbs. -6.3 lbs. | Joint 3 109.8 lbs. -66.4 lbs. | Joint 4 74.1 lbs. 22.2 lbs. | | |
| £ | 1 | 5.66 | 0.00 | HALF HIP YA3 | 02-11-04 02-11-04 | 2 X 4 | 2 X 6 | 01-08-08 | | Joint 2 261.7 lbs. -34.4 lbs. | Joint 3 40.3 lbs. -31.1 lbs. | Joint 4 53.7 lbs. 16.1 lbs. | | |
| 1 | 4 | 8.00 | 0.00 | JACK-OPEN YB1 | 01-08-15 01-08-15 | 2 X 4 | 2 X 6 | 01-02-08 | | Joint 1 261.9 lbs. -143.9 lbs. | Joint 2 169.4 lbs. -16.7 lbs. | Joint 3 31.8 lbs. -25.3 lbs. | Joint 4 34.1 lbs. 10.2 lbs. | Joint 9 240.4 lbs. -100.0 lbs. |
| | 4 | 8.00 | 0.00 | JACK-OPEN YB2 | 03-08-15 03-08-15 | 2 X 4 | 2 X 6 | 01-02-08 | | Joint 2 238.3 lbs. -7.0 lbs. | Joint 3 103.7 lbs. -63.3 lbs. | Joint 4 70.7 lbs. 21.2 lbs. | | |
| | 4 | 4.00 | 0.00 | JACK-OPEN YP1 | 02-03-15 02-03-15 | 2 X 4 | 2 X 4 | 01-02-08 | | Joint 2 516.8 lbs. -152.4 lbs. | Joint 3 37.6 lbs. -22.9 lbs. | Joint 4 516.8 lbs. -135.3 lbs. | | |
| | 2 | 4.00 | 0.00 | JACK-OPEN YP2 | 04-03-15 04-03-15 | 2 X 4 | 2 X 4 | 01-02-08 | | Joint 2 258.5 lbs. -63.4 lbs. | Joint 3 111.3 lbs. -50.1 lbs. | Joint 4 82.8 lbs. 24.8 lbs. | | |
| | 2 | 5.66 | 0.00 | DIAGONAL HIP ZA1 | 08-04-05 08-04-05 | 2 X 4 | 2 X 6 | 01-08-08 | | Joint 2 455.9 lbs. -49.9 lbs. | Joint 7 352.6 lbs. -109.9 lbs. | | | |
| | 2 | 5.66 | 0.00 | DIAGONAL HIP ZB1 | 08-01-08 08-01-08 | 2 X 4 | 2 X 6 | 01-08-08 | | Joint 2 442.6 lbs. -48.4 lbs. | Joint 7 335.6 lbs. -104.1 lbs. | | | |
| | 1 | 5.66 | 0.00 | JACK-OPEN ZB2 | 02-09-04 02-09-04 | 2 X 4 | 2 X 6 | 01-08-08 | | Joint 2 257.8 lbs. -35.1 lbs. | Joint 3 32.4 lbs. -27.9 lbs. | Joint 4 50.3 lbs. 15.1 lbs. | | |
| | 1 | 2.83 | 0.00 | DIAGONAL HIP ZP1 | 06-01-07 06-01-07 | 2 X 4 | 2 X 4 | 01-08-08 | | Joint 2 358.5 lbs. -96.1 lbs. | Joint 7 219.2 lbs. -28.3 lbs. | | | |

ROOF & FLOOR ComTech| TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

| | | 571.21 | 70/11/20 17(02 1 |
|-----------------|-----------------|----------------|------------------|
| REQ. QUOTE DATE | 11 | ORDER# | J0623-3078 |
| ORDER DATE | 06/14/23 | QUOTE # | |
| DELIVERY DATE | 11 | CUSTOMER ACCT# | 0000007216 |
| DATE OF INVOICE | 11 | CUSTOMER PO# | |
| ORDERED BY | Shaun Garderner | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Shaun Garderner | SALES REP | Neil Baggett |
| JOBSITE PHONE # | (910) 988-8172 | SALES AREA | Neil Baggett |

Precision Custom Homes 206 Shoreline Drive Raeford, NC 28376 (910) 988-8172

JOB NAME: 23 Liberty Meadows **LOT #** 23 **SUBDIV:**Liberty Meadows MODEL:Roof TAG: Hayek JOB CATEGORY:

DELIVERY INSTRUCTIONS:

52 miles round trip

Precision Custom Homes and 100 Sears Dr. Cameron, NC

SPECIAL INSTRUCTIONS: Like 27 Liberty Meadows

PLAN SEAL DATE:

DATE

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 REQ. LAYOUTS REQ. ENGINEERING QUOTE LAYOUT NB END CUT RETURN 06/14/23 CUTTING NB 06/14/23 PLUMB **GABLE STUDS** 24 IN. OC JOBSITE JOBSITE

| ROOF T | OOF TRUSSES LOADING INFORMATION | | | | | CLL-BCD).0,10. | | RESS INCR. | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) | | | | | |
|---------|---------------------------------|------------|-----------|---------------------|-------------|--------------------|-------------|------------|--|--|--|--|--|--|
| PROFILE | QTY PLY | PIT TOP | CH BOT | TYPE ID | BASE O/A | | IBER BOT | OVER | HANG RIGHT | REACTIONS | | | | |
| | FLI | TOP | БОТ | | | TOP | вот | LEFI | RIGHT | | | | | |
| | 1 | 2.83 | 0.00 | DIAGONAL HIP ZP2 | | 2 X 4 | 2 X 4 | 01-08-08 | | Joint 2 Joint 7 487.9 lbs. 395.6 lbs. -203.9 lbs153.3 lbs. | | | | |

ITEMS

Roof Order

T O

T O

| | | SIZE | LENGTH FT-IN-16 | PART NUMBER | NOTES |
|-------|--------------|-------|---------------------------|-------------|------------------|
| 7 H | Hangers, USP | HJC26 | | | SIMPSON (THJU26) |