

# Reaction Summary of Order



|                 |                 |                 |                  |
|-----------------|-----------------|-----------------|------------------|
| REQ. QUOTE DATE | / /             | ORDER #         | J0722-3743       |
| ORDER DATE      | 07/20/22        | QUOTE #         |                  |
| DELIVERY DATE   | / /             | CUSTOMER ACCT # | 0000007216       |
| DATE OF INVOICE | / /             | CUSTOMER PO #   |                  |
| ORDERED BY      | Shaun Garderner | INVOICE #       |                  |
| COUNTY          | Harnett         | TERMS           |                  |
| SUPERINTENDANT  | Shaun Garderner | SALES REP       | Neil Baggett     |
| JOBSITE PHONE # | (910) 988-8172  | SALES AREA      | Hampton Horrocks |

|         |   |   |   |
|---------|---|---|---|
| SOLD TO | <b>Precision Custom Homes</b><br>206 Shoreline Drive<br>Raeford, NC 28376<br>(910) 988-8172 | <b>JOB NAME:</b> 36 Liberty Meadows<br><b>MODEL:</b> Floor <b>TAG:</b> Ragnar<br><b>DELIVERY INSTRUCTIONS:</b><br>52 MILES ROUND TRIP | <b>LOT #</b> 36 <b>SUBDIV:</b> Liberty Meadows<br><b>JOB CATEGORY:</b> B & S - Build and Ship |
|         | <b>Precision Custom Homes and</b><br>36 Liberty Meadows<br>Cameron, NC                      | <b>SPECIAL INSTRUCTIONS:</b><br><br><div style="text-align: right;"><b>PLAN SEAL DATE:</b></div>                                      |   |

|                     |               |             |           |              |                  |         |    |          |    |          |
|---------------------|---------------|-------------|-----------|--------------|------------------|---------|----|----------|----|----------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08  | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE   | HH | 08/16/23 |    |          |
|                     | END CUT       | RETURN      |           |              |                  | LAYOUT  |    | / /      |    |          |
| Floor Order         |               | GABLE STUDS | 24 IN. OC | JOBSITE      | 1                | JOBSITE | 1  | CUTTING  | HH | 08/16/23 |

|                      |                     |                     |              |   |
|----------------------|---------------------|---------------------|--------------|---|
| <b>FLOOR TRUSSES</b> | LOADING INFORMATION | TCLL-TCDL-BCLL-BCDL | STRESS INCR. | FLOOR TRUSS SPACING: 24.0 IN. O.C. (TYP.) |
|                      |                     | 40.0,10.0,0.0,5.0   | 1.00         |   |

| FLOOR PROFILE | QTY PLY | DEPTH ID         | BASE SPAN | O/A SPAN | END TYPE |       | INT BEARING |          | REACTIONS                              |  |                                      |                                     |                                     |
|---------------|---------|------------------|-----------|----------|----------|-------|-------------|----------|--|--|--------------------------------------|-------------------------------------|-------------------------------------|
|               |         |                  |           |          | LEFT     | RIGHT | SIZE        | LOCATION |  |  |                                      |                                     |                                     |
|               | 9       | 01-02-00<br>F01  | 13-05-08  | 13-05-08 |          |       |             |          | Joint 9<br>720.2 lbs.<br>379.7 lbs.    | Joint 14<br>720.2 lbs.<br>379.7 lbs.   |                                      |                                     |                                     |
|               | 2       | 01-02-00<br>F02  | 12-10-08  | 12-10-08 |          |       |             |          | Joint 9<br>694.4 lbs.<br>364.6 lbs.    | Joint 14<br>694.4 lbs.<br>364.6 lbs.   |                                      |                                     |                                     |
|               | 1       | 01-02-00<br>F03  | 13-02-00  | 13-02-00 |          |       |             |          | Joint 9<br>710.4 lbs.<br>378.7 lbs.    | Joint 14<br>704.2 lbs.<br>365.7 lbs.   |                                      |                                     |                                     |
|               | 2       | 01-02-00<br>F04  | 20-08-08  | 20-08-08 |          |       |             |          | Joint 15<br>639.5 lbs.<br>162.8 lbs.   | Joint 20<br>1256.2 lbs.<br>685.4 lbs.  | Joint 24<br>403.0 lbs.<br>52.6 lbs.  |                                     |                                     |
|               | 3       | 01-02-00<br>F04A | 20-06-00  | 20-06-00 |          |       |             |          | Joint 15<br>630.9 lbs.<br>160.7 lbs.   | Joint 20<br>1235.5 lbs.<br>679.1 lbs.  | Joint 24<br>405.1 lbs.<br>58.2 lbs.  |                                     |                                     |
|               | 1       | 01-02-00<br>F05  | 20-08-08  | 20-08-08 |          |       |             |          | Joint 16<br>678.6 lbs.<br>185.3 lbs.   | Joint 22<br>813.7 lbs.<br>256.0 lbs.   | Joint 23<br>110.6 lbs.<br>-51.8 lbs. | Joint 24<br>170.0 lbs.<br>57.6 lbs. | Joint 25<br>150.6 lbs.<br>37.7 lbs. |
|               | 2       | 01-02-00<br>F06  | 18-01-08  | 18-01-08 |          |       |             |          | Joint 14<br>976.9 lbs.<br>493.5 lbs.   | Joint 22<br>983.1 lbs.<br>494.7 lbs.   |                                      |                                     |                                     |
|               | 1       | 01-02-00<br>F06A | 18-01-08  | 18-01-08 |          |       |             |          | Joint 17<br>1864.4 lbs.<br>1369.9 lbs. | Joint 33<br>1876.9 lbs.<br>1377.3 lbs. |                                      |                                     |                                     |
|               | 3       | 01-02-00<br>F07  | 03-10-08  | 03-10-08 |          |       |             |          | Joint 4<br>193.1 lbs.                  | Joint 5<br>193.1 lbs.                  |                                      |                                     |                                     |

# Reaction Summary of Order



|                 |                 |                 |                  |
|-----------------|-----------------|-----------------|------------------|
| REQ. QUOTE DATE | / /             | ORDER #         | J0722-3743       |
| ORDER DATE      | 07/20/22        | QUOTE #         |                  |
| DELIVERY DATE   | / /             | CUSTOMER ACCT # | 0000007216       |
| DATE OF INVOICE | / /             | CUSTOMER PO #   |                  |
| ORDERED BY      | Shaun Garderner | INVOICE #       |                  |
| COUNTY          | Harnett         | TERMS           |                  |
| SUPERINTENDANT  | Shaun Garderner | SALES REP       | Neil Baggett     |
| JOBSITE PHONE # | (910) 988-8172  | SALES AREA      | Hampton Horrocks |

|         |   |   |   |
|---------|---|---|---|
| SOLD TO | <b>Precision Custom Homes</b><br>206 Shoreline Drive<br>Raeford, NC 28376<br>(910) 988-8172 | <b>JOB NAME:</b> 36 Liberty Meadows<br><b>MODEL:</b> Floor <b>TAG:</b> Ragnar<br><b>DELIVERY INSTRUCTIONS:</b><br>52 MILES ROUND TRIP | <b>LOT #</b> 36 <b>SUBDIV:</b> Liberty Meadows<br><b>JOB CATEGORY:</b> B & S - Build and Ship |
|         | SHIPP TO  | <b>Precision Custom Homes and</b><br>36 Liberty Meadows<br>Cameron, NC  | <b>SPECIAL INSTRUCTIONS:</b><br><br><p style="text-align: right;"><b>PLAN SEAL DATE:</b></p>  |

|                                    |               |             |           |              |                  |           |         |          |
|------------------------------------|---------------|-------------|-----------|--------------|------------------|-----------|---------|----------|
| BUILDING DEPARTMENT<br>Floor Order | OVERHANG INFO | HEEL HEIGHT | 00-06-08  | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE     | HH      | 08/16/23 |
|                                    | END CUT       | RETURN      |           |              |                  | LAYOUT    |         | / /      |
|                                    | GABLE STUDS   |             | 24 IN. OC |              | JOBSITE 1        | JOBSITE 1 | CUTTING | HH       |

|                      |                     |                     |              |   |
|----------------------|---------------------|---------------------|--------------|---|
| <b>FLOOR TRUSSES</b> | LOADING INFORMATION | TCLL-TCDL-BCLL-BCDL | STRESS INCR. | FLOOR TRUSS SPACING: 24.0 IN. O.C. (TYP.) |
|                      |                     | 40.0,10.0,0.0,5.0   | 1.00         |   |

| FLOOR PROFILE | QTY PLY | DEPTH ID         | BASE SPAN | O/A SPAN | END TYPE |       | INT BEARING |          | REACTIONS   |
|---------------|---------|------------------|-----------|----------|----------|-------|-------------|----------|---|
|               |         |                  |           |          | LEFT     | RIGHT | SIZE        | LOCATION |   |
|               | 1       | 01-02-00<br>FKW1 | 13-05-08  | 13-05-08 |          |       |             |          | Joint 12: 63.2 lbs.<br>Joint 13: 151.4 lbs.<br>Joint 14: 145.6 lbs.<br>Joint 15: 146.9 lbs.<br>Joint 16: 146.6 lbs.   |
|               | 1       | 01-02-00<br>FKW3 | 12-10-00  | 12-10-00 |          |       |             |          | Joint 12: 26.8 lbs.<br>Joint 13: 113.3 lbs.<br>Joint 14: 152.8 lbs.<br>Joint 15: 145.1 lbs.<br>Joint 16: 147.1 lbs.   |
|               | 1       | 01-02-00<br>FKW6 | 18-01-08  | 18-01-08 |          |       |             |          | Joint 16: 30.9 lbs.<br>Joint 17: 154.7 lbs.<br>Joint 18: 141.3 lbs.<br>Joint 19: 881.7 lbs.<br>Joint 22: 877.5 lbs.<br>6.2 lbs.      47.7 lbs.      12.0 lbs.      521.7 lbs.      567.3 lbs. |

| <b>ITEMS</b> |                   |                       |                    |             |                  |
|--------------|-------------------|-----------------------|--------------------|-------------|------------------|
| QTY          | ITEM TYPE         | SIZE                  | LENGTH<br>FT-IN-16 | PART NUMBER | NOTES            |
| 8            | Hangers, USP      | HUS 410               |                    |             | SIMPSON (HUS410) |
| 2            | LVL Beams (Sized) | LVL, 1-3/4" x 14" (S) | 06-00-00           |             | BM3              |
| 2            | LVL Beams (Sized) | LVL, 1-3/4" x 14" (S) | 05-00-00           |             | BM4              |
| 2            | LVL Beams (Sized) | LVL, 1-3/4" x 18" (S) | 20-00-00           |             | GDH              |

# Reaction Summary of Order



|                 |                 |                 |                  |
|-----------------|-----------------|-----------------|------------------|
| REQ. QUOTE DATE | / /             | ORDER #         | J0722-3742       |
| ORDER DATE      | 07/20/22        | QUOTE #         |                  |
| DELIVERY DATE   | / /             | CUSTOMER ACCT # | 0000007216       |
| DATE OF INVOICE | / /             | CUSTOMER PO #   |                  |
| ORDERED BY      | Shaun Garderner | INVOICE #       |                  |
| COUNTY          | Harnett         | TERMS           |                  |
| SUPERINTENDANT  | Shaun Garderner | SALES REP       | Neil Baggett     |
| JOBSITE PHONE # | (910) 988-8172  | SALES AREA      | Hampton Horrocks |

|                              |   |  |   |
|------------------------------|---|--|---|
| SOLD TO                      | <b>Precision Custom Homes</b><br>206 Shoreline Drive<br>Raeford, NC 28376<br>(910) 988-8172 | <b>JOB NAME:</b> 36 Liberty Meadows<br><b>MODEL:</b> Roof <b>TAG:</b> Ragnar | <b>LOT #</b> 36 <b>SUBDIV:</b> Liberty Meadows<br><b>JOB CATEGORY:</b> B & S - Build and Ship |
|                              | SHIPP TO  | <b>Precision Custom Homes and</b><br>36 Liberty Meadows<br>Cameron, NC       | <b>DELIVERY INSTRUCTIONS:</b><br>52 MILES ROUND TRIP  |
| <b>SPECIAL INSTRUCTIONS:</b> |   | <b>PLAN SEAL DATE:</b><br>BY      DATE                                       |   |

|                     |               |             |          |              |                  |         |    |          |    |          |
|---------------------|---------------|-------------|----------|--------------|------------------|---------|----|----------|----|----------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE   | HH | 08/16/23 |    |          |
|                     | END CUT       | RETURN      |          |              |                  | LAYOUT  |    | / /      |    |          |
| Roof Order          | GABLE STUDS   | 24 IN. OC   |          | JOBSITE      | 1                | JOBSITE | 1  | CUTTING  | HH | 08/16/23 |

**ROOF TRUSSES**      **LOADING INFORMATION**      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

|                     |              |
|---------------------|--------------|
| TCLL-TCDL-BCLL-BCDL | STRESS INCR. |
| 20.0,10.0,0.0,10.0  | 1.15         |

| PROFILE | QTY | PITCH |      | TYPE ID        | BASE O/A             | LUMBER |        | OVERHANG |          | REACTIONS  |
|---------|-----|-------|------|----------------|----------------------|--------|--------|----------|----------|--|
|         |     | TOP   | BOT  |                |                      | TOP    | BOT    | LEFT     | RIGHT    |  |
|         | 3   | 8.00  | 0.00 | COMMON A1      | 29-11-00<br>29-11-00 | 2 X 6  | 2 X 6  | 01-03-00 | 01-03-00 | Joint 2      Joint 8<br>1409.1 lbs.      1409.1 lbs.<br>-80.3 lbs.      -80.3 lbs.   |
|         | 1   | 8.00  | 0.00 | GABLE A1GE     | 29-11-00<br>29-11-00 | 2 X 6  | 2 X 6  | 01-03-00 | 01-03-00 | Joint 2      Joint 14      Joint 16      Joint 17      Joint 18<br>1149.3 lbs.      479.1 lbs.      279.5 lbs.      57.7 lbs.      1067.3 lbs.<br>-234.6 lbs.      -33.1 lbs.      -127.5 lbs.      -378.1 lbs.      -168.1 lbs.   |
|         | 4   | 8.00  | 0.00 | COMMON A2      | 29-07-08<br>29-07-08 | 2 X 6  | 2 X 6  | 01-03-00 |          | Joint 2      Joint 8<br>1401.1 lbs.      1329.4 lbs.<br>-80.4 lbs.      -60.9 lbs.   |
|         | 6   | 8.00  | 0.00 | COMMON A2A     | 29-07-08<br>29-07-08 | 2 X 6  | 2 X 6  | 01-03-00 |          | Joint 2      Joint 8<br>1390.9 lbs.      1319.0 lbs.<br>-80.4 lbs.      -60.9 lbs.   |
|         | 1   | 8.00  | 0.00 | GABLE A2GE     | 29-07-08<br>29-07-08 | 2 X 6  | 2 X 6  | 01-03-00 |          | Joint 2      Joint 18      Joint 19      Joint 20      Joint 21<br>225.0 lbs.      147.7 lbs.      251.0 lbs.      156.5 lbs.      180.1 lbs.<br>-61.8 lbs.      -10.1 lbs.      -145.0 lbs.      -77.4 lbs.      -88.0 lbs.       |
|         | 1   | 8.00  | 0.00 | COMMON B1      | 23-06-00<br>23-06-00 | 2 X 6  | 2 X 6  | 01-03-00 | 01-03-00 | Joint 2      Joint 6<br>1015.0 lbs.      1015.0 lbs.<br>-66.8 lbs.      -66.8 lbs.   |
|         | 1   | 8.00  | 0.00 | GABLE B1GE     | 23-06-00<br>23-06-00 | 2 X 6  | 2 X 6  | 01-03-00 | 01-03-00 | Joint 2      Joint 14      Joint 16      Joint 17      Joint 18<br>181.9 lbs.      164.4 lbs.      155.1 lbs.      181.2 lbs.      175.3 lbs.<br>-62.2 lbs.      -14.9 lbs.      -76.7 lbs.      -90.6 lbs.      -86.0 lbs.        |
|         | 9   | 12.00 | 0.00 | GIRDER C1      | 23-08-00<br>23-08-00 | 2 X 6  | 2 X 10 | 01-03-00 | 01-03-00 | Joint 12      Joint 16<br>1605.3 lbs.      1605.3 lbs.<br>193.2 lbs.      193.2 lbs.   |
|         | 1   | 12.00 | 0.00 | GABLE C1GE     | 23-08-00<br>23-08-00 | 2 X 6  | 2 X 10 | 01-03-00 | 01-03-00 | Joint 9      Joint 16      Joint 20      Joint 21      Joint 22<br>2881.4 lbs.      6110.9 lbs.      610.0 lbs.      411.1 lbs.      -129.4 lbs.<br>-357.6 lbs.      86.1 lbs.      -328.7 lbs.      -362.7 lbs.      -1020.7 lbs. |
|         | 4   | 10.00 | 0.00 | PIGGYBACK D1   | 23-08-00<br>23-06-00 | 2 X 6  | 2 X 6  | 01-03-00 |          | Joint 2      Joint 9<br>1111.0 lbs.      1089.7 lbs.<br>-35.3 lbs.      -44.9 lbs.   |
|         | 1   | 10.00 | 0.00 | PIGGYBACK D1GE | 23-08-00<br>23-06-00 | 2 X 6  | 2 X 6  | 01-03-00 |          | Joint 2      Joint 18      Joint 19      Joint 20      Joint 21<br>365.8 lbs.      49.6 lbs.      160.2 lbs.      186.5 lbs.      154.5 lbs.<br>-188.7 lbs.      -25.0 lbs.      -105.0 lbs.      -95.6 lbs.      1.7 lbs.         |

# Reaction Summary of Order



|                 |                 |                 |                  |
|-----------------|-----------------|-----------------|------------------|
| REQ. QUOTE DATE | / /             | ORDER #         | J0722-3742       |
| ORDER DATE      | 07/20/22        | QUOTE #         |                  |
| DELIVERY DATE   | / /             | CUSTOMER ACCT # | 0000007216       |
| DATE OF INVOICE | / /             | CUSTOMER PO #   |                  |
| ORDERED BY      | Shaun Garderner | INVOICE #       |                  |
| COUNTY          | Harnett         | TERMS           |                  |
| SUPERINTENDANT  | Shaun Garderner | SALES REP       | Neil Baggett     |
| JOBSITE PHONE # | (910) 988-8172  | SALES AREA      | Hampton Horrocks |

|                              |   |  |   |
|------------------------------|---|--|---|
| SOLD TO                      | <b>Precision Custom Homes</b><br>206 Shoreline Drive<br>Raeford, NC 28376<br>(910) 988-8172 | <b>JOB NAME:</b> 36 Liberty Meadows<br><b>MODEL:</b> Roof <b>TAG:</b> Ragnar | <b>LOT #</b> 36 <b>SUBDIV:</b> Liberty Meadows<br><b>JOB CATEGORY:</b> B & S - Build and Ship |
|                              | SHIPP TO  | <b>Precision Custom Homes and</b><br>36 Liberty Meadows<br>Cameron, NC       | <b>DELIVERY INSTRUCTIONS:</b><br>52 MILES ROUND TRIP  |
| <b>SPECIAL INSTRUCTIONS:</b> |   | <b>PLAN SEAL DATE:</b><br>BY      DATE                                       |   |

|                                   |               |             |             |              |                  |        |         |          |         |    |
|-----------------------------------|---------------|-------------|-------------|--------------|------------------|--------|---------|----------|---------|----|
| BUILDING DEPARTMENT<br>Roof Order | OVERHANG INFO | HEEL HEIGHT | 00-06-08    | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE  | HH      | 08/16/23 |         |    |
|                                   | END CUT       | RETURN      |             |              |                  | LAYOUT |         | / /      |         |    |
|                                   |               |             | GABLE STUDS | 24 IN. OC    | JOBSITE          | 1      | JOBSITE | 1        | CUTTING | HH |

|                     |                     |                     |              |  |
|---------------------|---------------------|---------------------|--------------|--|
| <b>ROOF TRUSSES</b> | LOADING INFORMATION | TCLL-TCDL-BCLL-BCDL | STRESS INCR. | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) |
|                     |                     | 20.0,10.0,0.0,10.0  | 1.15         |  |

| PROFILE | QTY        | PITCH |      | TYPE ID       | BASE O/A             | LUMBER |        | OVERHANG |          | REACTIONS                             |                                       |                                       |                                       |                                      |
|---------|------------|-------|------|---------------|----------------------|--------|--------|----------|----------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|
|         |            | PLY   | TOP  |               |                      | BOT    | TOP    | BOT      | LEFT     |                                       | RIGHT                                 |                                       |                                       |                                      |
|         | 2          | 8.00  | 0.00 | COMMON G1     | 20-08-08<br>20-08-08 | 2 X 6  | 2 X 6  | 01-03-00 | 01-03-00 | Joint 2<br>892.5 lbs.<br>-60.9 lbs.   | Joint 6<br>892.5 lbs.<br>-60.9 lbs.   |                                       |                                       |                                      |
|         | 1          | 8.00  | 0.00 | GABLE G1GE    | 20-08-08<br>20-08-08 | 2 X 6  | 2 X 6  | 01-03-00 | 01-03-00 | Joint 2<br>582.4 lbs.<br>-116.4 lbs.  | Joint 12<br>827.9 lbs.<br>-215.8 lbs. | Joint 21<br>197.8 lbs.<br>-163.2 lbs. | Joint 22<br>191.4 lbs.<br>-110.4 lbs. | Joint 23<br>186.6 lbs.<br>-95.8 lbs. |
|         | 1<br>2 Ply | 8.00  | 0.00 | COMMON G1GRD  | 20-08-08<br>20-08-08 | 2 X 6  | 2 X 10 |          |          | Joint 1<br>6519.7 lbs.<br>-383.9 lbs. | Joint 5<br>7362.4 lbs.<br>-430.9 lbs. |                                       |                                       |                                      |
|         | 1          | 8.00  | 0.00 | GABLE H1GE    | 12-10-00<br>12-10-00 | 2 X 6  | 2 X 6  | 01-03-00 | 01-03-00 | Joint 2<br>181.7 lbs.<br>-29.1 lbs.   | Joint 8<br>181.7 lbs.<br>-28.8 lbs.   | Joint 10<br>202.1 lbs.<br>-100.9 lbs. | Joint 11<br>173.7 lbs.<br>-79.4 lbs.  | Joint 12<br>137.5 lbs.<br>30.7 lbs.  |
|         | 1          | 10.00 | 5.00 | SCISSORS K1   | 14-00-00<br>14-00-00 | 2 X 6  | 2 X 6  | 01-03-00 | 01-03-00 | Joint 2<br>624.2 lbs.<br>-37.2 lbs.   | Joint 6<br>624.2 lbs.<br>-37.2 lbs.   |                                       |                                       |                                      |
|         | 1          | 10.00 | 5.00 | GABLE K1GE    | 14-00-00<br>14-00-00 | 2 X 6  | 2 X 6  | 01-03-00 | 01-03-00 | Joint 2<br>272.1 lbs.<br>-135.6 lbs.  | Joint 10<br>221.5 lbs.<br>-58.6 lbs.  | Joint 12<br>249.9 lbs.<br>-206.5 lbs. | Joint 13<br>169.6 lbs.<br>-70.6 lbs.  | Joint 14<br>319.1 lbs.<br>-41.9 lbs. |
|         | 2          | 10.00 | 5.00 | SCISSORS K2   | 14-00-00<br>14-00-00 | 2 X 6  | 2 X 6  | 01-03-00 |          | Joint 2<br>628.0 lbs.<br>-37.3 lbs.   | Joint 6<br>542.1 lbs.<br>-18.3 lbs.   |                                       |                                       |                                      |
|         | 4          | 10.00 | 5.00 | SCISSORS K3   | 14-00-00<br>13-10-00 | 2 X 6  | 2 X 6  | 01-03-00 |          | Joint 2<br>609.8 lbs.<br>-36.7 lbs.   | Joint 6<br>523.7 lbs.<br>-18.4 lbs.   |                                       |                                       |                                      |
|         | 4          | 4.00  | 0.00 | COMMON P1     | 09-11-00<br>09-11-00 | 2 X 6  | 2 X 6  | 01-03-00 | 01-03-00 | Joint 2<br>455.3 lbs.<br>-258.4 lbs.  | Joint 4<br>455.3 lbs.<br>-258.4 lbs.  |                                       |                                       |                                      |
|         | 1          | 4.00  | 0.00 | COMMON P1GE   | 09-11-00<br>09-11-00 | 2 X 6  | 2 X 6  | 01-03-00 | 01-03-00 | Joint 2<br>455.3 lbs.<br>-258.4 lbs.  | Joint 6<br>455.3 lbs.<br>-258.4 lbs.  |                                       |                                       |                                      |
|         | 9          | 12.00 | 0.00 | PIGGYBACK PB1 | 05-08-08<br>05-08-08 | 2 X 4  | 2 X 4  |          |          | Joint 2<br>162.3 lbs.<br>-27.4 lbs.   | Joint 4<br>162.3 lbs.<br>-31.2 lbs.   | Joint 6<br>177.3 lbs.<br>25.7 lbs.    |                                       |                                      |

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

|                 |                 |                 |                  |
|-----------------|-----------------|-----------------|------------------|
| REQ. QUOTE DATE | / /             | ORDER #         | J0722-3742       |
| ORDER DATE      | 07/20/22        | QUOTE #         |                  |
| DELIVERY DATE   | / /             | CUSTOMER ACCT # | 0000007216       |
| DATE OF INVOICE | / /             | CUSTOMER PO #   |                  |
| ORDERED BY      | Shaun Garderner | INVOICE #       |                  |
| COUNTY          | Harnett         | TERMS           |                  |
| SUPERINTENDANT  | Shaun Garderner | SALES REP       | Neil Baggett     |
| JOBSITE PHONE # | (910) 988-8172  | SALES AREA      | Hampton Horrocks |

|         |   |  |   |
|---------|---|--|---|
| SOLD TO | <b>Precision Custom Homes</b><br>206 Shoreline Drive<br>Raeford, NC 28376<br>(910) 988-8172 | <b>JOB NAME:</b> 36 Liberty Meadows<br><b>MODEL:</b> Roof <b>TAG:</b> Ragnar<br><b>DELIVERY INSTRUCTIONS:</b><br>52 MILES ROUND TRIP | <b>LOT #</b> 36 <b>SUBDIV:</b> Liberty Meadows<br><b>JOB CATEGORY:</b> B & S - Build and Ship |
|         | <b>Precision Custom Homes and</b><br>36 Liberty Meadows<br>Cameron, NC                      | <b>SPECIAL INSTRUCTIONS:</b><br><br><p style="text-align: right;"><b>PLAN SEAL DATE:</b></p>   |   |

|                            |                      |                    |          |                     |                         |               |    |                            |
|----------------------------|----------------------|--------------------|----------|---------------------|-------------------------|---------------|----|----------------------------|
| <b>BUILDING DEPARTMENT</b> | <b>OVERHANG INFO</b> | <b>HEEL HEIGHT</b> | 00-06-08 | <b>REQ. LAYOUTS</b> | <b>REQ. ENGINEERING</b> | <b>QUOTE</b>  | HH | 08/16/23                   |
| Roof Order                 | END CUT              | RETURN             |          |                     |                         | <b>LAYOUT</b> |    | / /                        |
|                            | <b>GABLE STUDS</b>   | 24 IN. OC          |          | JOBSITE             | 1                       | JOBSITE       | 1  | <b>CUTTING</b> HH 08/16/23 |

**ROOF TRUSSES**      **LOADING INFORMATION**      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

|                     |              |
|---------------------|--------------|
| TCLL-TCDL-BCLL-BCDL | STRESS INCR. |
| 20.0,10.0,0.0,10.0  | 1.15         |

| PROFILE | QTY | PITCH |      | TYPE ID       | BASE O/A             | LUMBER |       | OVERHANG |       | REACTIONS                            |                                      |                                      |                                     |                                      |
|---------|-----|-------|------|---------------|----------------------|--------|-------|----------|-------|--------------------------------------|--------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|
|         |     | TOP   | BOT  |               |                      | TOP    | BOT   | LEFT     | RIGHT | Joint 1                              | Joint 2                              | Joint 6                              | Joint 7                             | Joint 8                              |
|         | 1   | 12.00 | 0.00 | GABLE PB1GE   | 05-08-08<br>05-08-08 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>78.9 lbs.<br>-66.6 lbs.   | Joint 2<br>60.5 lbs.<br>-4.4 lbs.    | Joint 6<br>72.3 lbs.<br>-21.9 lbs.   | Joint 7<br>21.1 lbs.<br>-8.9 lbs.   | Joint 8<br>188.2 lbs.<br>-150.1 lbs. |
|         | 4   | 10.00 | 0.00 | PIGGYBACK PB2 | 04-08-09<br>04-08-09 | 2 X 4  | 2 X 4 |          |       | Joint 2<br>136.1 lbs.<br>-23.5 lbs.  | Joint 4<br>136.1 lbs.<br>-28.5 lbs.  | Joint 6<br>154.8 lbs.<br>18.9 lbs.   |                                     |                                      |
|         | 1   | 10.00 | 0.00 | GABLE PB2GE   | 04-08-09<br>04-08-09 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>122.5 lbs.<br>-120.2 lbs. | Joint 2<br>263.6 lbs.<br>-176.7 lbs. | Joint 4<br>238.0 lbs.<br>-153.7 lbs. | Joint 5<br>91.0 lbs.<br>-85.2 lbs.  | Joint 6<br>145.5 lbs.<br>16.5 lbs.   |
|         | 1   | 6.00  | 0.00 | GABLE VC1     | 14-03-08<br>14-03-08 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>130.9 lbs.<br>0.0 lbs.    | Joint 7<br>130.9 lbs.<br>3.3 lbs.    | Joint 8<br>229.4 lbs.<br>-110.7 lbs. | Joint 9<br>163.8 lbs.<br>-32.7 lbs. | Joint 10<br>163.8 lbs.<br>-38.2 lbs. |
|         | 1   | 6.00  | 0.00 | VALLEY VC2    | 06-03-08<br>06-03-08 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>102.9 lbs.<br>-16.4 lbs.  | Joint 3<br>102.8 lbs.<br>-19.3 lbs.  | Joint 4<br>198.7 lbs.<br>8.4 lbs.    |                                     |                                      |
|         | 1   | 8.00  | 0.00 | GABLE VG1     | 16-02-15<br>16-02-15 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>136.7 lbs.<br>-2.1 lbs.   | Joint 5<br>140.1 lbs.<br>7.9 lbs.    | Joint 6<br>377.8 lbs.<br>-103.7 lbs. | Joint 7<br>245.1 lbs.<br>52.3 lbs.  | Joint 8<br>387.7 lbs.<br>-108.7 lbs. |
|         | 1   | 8.00  | 0.00 | GABLE VG2     | 12-02-15<br>12-02-15 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>57.3 lbs.<br>-28.0 lbs.   | Joint 5<br>43.9 lbs.<br>-10.2 lbs.   | Joint 6<br>313.5 lbs.<br>-92.8 lbs.  | Joint 7<br>264.3 lbs.<br>36.2 lbs.  | Joint 8<br>313.7 lbs.<br>-92.9 lbs.  |
|         | 1   | 8.00  | 0.00 | VALLEY VG3    | 08-02-15<br>08-02-15 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>158.2 lbs.<br>-25.0 lbs.  | Joint 3<br>158.2 lbs.<br>-30.7 lbs.  | Joint 4<br>266.1 lbs.<br>18.9 lbs.   |                                     |                                      |
|         | 1   | 8.00  | 0.00 | VALLEY VG4    | 04-02-15<br>04-02-15 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>71.3 lbs.<br>-11.3 lbs.   | Joint 3<br>71.3 lbs.<br>-13.8 lbs.   | Joint 4<br>119.9 lbs.<br>8.5 lbs.    |                                     |                                      |