	County:
IMPROVEMENT PERMIT FOR G.S. 130A-335(a2)/SL2022-	-11
PIN/Lot Identifier:	
Issued To:	
Property Location:	
Subdivision: Lot #: Block	<: Section:
LSS Report Provided: Yes No No	
If yes, name and license number of LSS:	
New Repair Expansion System Relocation	
Proposed Structure:	
Proposed Wastewater System Type:(Initial)	(Repair)
Fill System: Yes No If yes, specify: New Existing (when adding more than 6 inches of	of fill to system area please provide a fill plan)
Proposed Design Daily Flow: GPD Proposed LTAR (Initial): Pro	oposed LTAR (Repair):
Design Wastewater Strength: domestic high strength industria	ıl process
Number of bedrooms: Number of Occupants: Other:	
Pump Required: Yes No May be required based upon final location and elevations	of facilities
Artificial Drainage Required: Yes No If yes, please specify details:	
Type of Water Supply: Private well Public well Municipal Supply Spring Other	er:
Drainfield location meets requirements of Rule .1945: Yes No	
Drainfield location meets requirements of Rule .1950: Yes No	
Permit valid for: Tive years [site plan submitted pursuant to GS 130A-334(13a)]	ı [plat submitted pursuant to GS 130A-334(7a)]
Permit conditions:	

The LSS evaluation is being submitted pursuant to and meets the requirements of G.S. 130A-335(a2).

See attached site sketch

_____ Date: _____

Licensed Soil Scientist Print Name: _

Licensed Soil Scientist Signature: ____

	This Section for Local He	alth Department	: Use Only	
In	itial submittal received:		_ by	
Pe	rmit Number:			
G.S. 130A-335(a4) states the following submitted pursuant to subsection (a3) department shall issue the improveme	of the section within 10 bus	-		•
In accordance with G.S. 130A-335(a3)	the improvement permit ap	plication is:		
☐ Incomplete (If box is checked, info	rmation in this section is re	quired.)		
The following items are missing:				
Copies of this were sent to the LSS and				
	Date			
State Authorized Agent:			Date:	
☐ Denied (See attached report.)				
Copies of this were sent to the LSS and	I the Owner on			
State Authorized Agent:			Date:	
Complete				
State Authorized Agent:			Date of Issuance:	
This Improvement Permit is issued purattached here. The issuance of this permit holder is responsible for check revocation if the site plan, plat, or the inaccurate or misleading. The Improvisubject to compliance with the provisubject to compliance with the provisubject. The location and identification responsibility of the owner. The Department, the Department's an any liabilities, duties, and responsibility evaluations, submittals, or actions from	ermit by the Health Depart sing with appropriate gover e intended use changes, or rement Permit shall not be ions of the Laws and Rules on of all property lines, ease atthorized agents, and the le ties imposed by statute or	ment in no way grining bodies in mif information su affected by a chafor Sewage Treatements, water line	guarantees the issuance of oth neeting their requirements. The bmitted in the application was ange in ownership of the site. Itment and Disposal and to connes, and other appropriate util ertments shall be discharged ar from any claim arising out of o	ner permits. The sits site is subject to sefalsified, This permit is notitions of this ities shall be the aid released from a ttributed to
Improvement Permit Expiration Date:	·			

See attached site sketch

County: _____

County	/ :						

CONSTRUCTION AUTHORIZATION FOR G.S. 130A-335(a2)/SL2022-11

IN/Lot Identifier:
ssued To:
Property Location:
OWE/PE Plans/Evaluations Provided: Yes 🔲 No 🔲 If yes, name and license number of AOWE/PE:
acility Type:
New Expansion Repair System Relocation
Basement? Yes No Basement Fixtures? Yes No
Type of Wastewater System**(Initial)(Repa
Design Daily Flow: GPD Wastewater Strength: domestic high strength industrial process
ession Law 2014-120 Section 53, Engineering Design Utilizing Low-flow Fixtures and Low-flow Technologies? 🗌 Yes 👚 No
nstallation Requirements/Conditions
eptic Tank Size: gallons Total Trench/Bed Length: feet Trench/Bed Spacing: feet on center
Orainfield square footage: Trench/Bed Width: inches LTAR: gpd/ft ²
oil Cover: inches Slope Adjusted Maximum Trench/Bed Depth: inches
aggregate Depth:inches above pipeinches below pipeinches total
rump Tank Size (if applicable): gallons Requires more than 1 pump? ☐ Yes ☐ No
rump Requirements: ft. TDH vs GPM Grease Trap Size (if applicable): gallons
Distribution Method: Serial D-Box or Parallel Pressure Manifold(s) LPP Other:
Artificial Drainage Required: Yes 🗌 No 🔲 If yes, please specify details:
egal Agreements (If the answer is "Yes" to any type of legal agreements, please attach a copy of the agreement.)
Лulti-party Agreement Required [.1937(h)]:
asement, Right-of-Way, or Encroachment Agreement Required [.1938(j)]: 🔲 Yes 🔲 No
Declaration of Restrictive Covenants: Yes No
*If applicable:
understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
wner/Legal Representative Print Name:
wner/Legal Representative Signature: Date:
re-Construction Conference Required: Yes 🗌 No 🗌
Conditions:
he construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by reference
nto this permit and shall be met. Systems shall be installed in accordance with the attached system layout.
NOWE/PE Print Name: Alex Adams
NOWE/PE Signature: New Medium Date:
This AOWE/PE submittal is pursuant to and meets the requirements of G.S. 130A-335(a2) and (a5).

See attached site sketch

	•	•	tment Use Only	
Initial submiti	tal received:	 Date	by Initials	
Permit Number	r:			
				_
G.S. 130A-335(a6) states the following: 'If a loca submitted pursuant to subsection (a5) of the sect department shall issue the construction authorized	tion within 10	-		-
In accordance with G.S. 130A-335(a5) the constru	uction authori	zation applicat	tion is:	
☐ Incomplete (If box is checked, information in	this section is	required.)		
The following items are missing:				
Copies of this were sent to the AOWE/PE and the	e Owner on			
		Date		
State Authorized Agent:				Date:
☐ Denied (See attached report.)				
Copies of this were sent to the AOWE/PE and the	- Owner on			
copies of this were sent to the Aowey'r E and the		Date		
State Authorized Agent:				Date:
Complete				
State Authorized Agent:			Date	of Issuance:
This Construction Authorization is issued pursual evaluations attached here. This Construction Authorization submitted in the application shall not be affected by a change in ownership of provisions of the Laws and Rules for Sewage Treidentification of all property lines, easements, where the provision is in the constructed to divert the constructed the cons	ithorization is lication was fa of the site. Th eatment and E vater lines, an	subject to revalsified, inacculis Construction Disposal and to	rocation if the site prate or misleading. In Authorization is so the conditions of the priate utilities shall	plan, plat, or the intended use The Construction Authorization ubject to compliance with the this permit. The location and
The Department, the Department's authorized any liabilities, duties, and responsibilities imposplans, evaluations, preconstruction conference the General Statutes as a licensed engineer or a Authorized On-Site Wastewater Evaluator in GS agents, and the local health departments shall be obligations under State law or rule, including the	ed by statute findings, subn person certifi 130A-335(a2 pe responsible	or in common nittals, or action ied pursuant to), (a5), and (a7 e and bear liab	n law from any clain ons from a person li o Article 5 of Chapt). The Department, ility for their action	n arising out of or attributed to icensed pursuant to Chapter 89C of er 90A of the General Statutes as an the Department's authorized as and evaluations and other
Construction Authorization Expiration Date:			_	
	See atta	ched site sketo	ch	

County: _____

Adams Soil Consulting, PLLC 1676 Mitchell Road Angier, NC 27501 919-414-6761

alexadams@bcsoil.com

May 31, 2023 Project #1236

"The LSS/LG evaluation(s) attached to this application is to be used to issue an Improvement Permit in accordance with G.S. 130A-335(a2) and (a3)."

"The plans or evaluations attached to this application are to be used to issue a Construction Authorization in accordance with G.S. 130A-335 (a2), (a5), and (a6)"

"This AOWE/PE submittal is pursuant to and meets the requirements of G.S. 130A-335(a2) and (a5)."

RE: 96 Black Creek Drive, Lillington. NC (Harnett County) for DR Horton Homes

To whom it may concern:

Adams Soil Consulting (ASC) conducted a preliminary soil evaluation on the above referenced parcel to determine the areas of soils which are suitable for subsurface wastewater disposal systems (conventional & LPP). The soil/site evaluation was performed using hand auger borings during moist soil conditions based on the criteria found in the State Subsurface Rules, 15ANCAC 18A .1900 "Laws and Rules for Sewage Treatment and Disposal Systems". From this evaluation, ASC is providing the attached 4-bedroom septic design.

The suitable soils found on the subject property were relatively consistent in the initial and repair areas. The area designated for the initial/primary septic system (see attached septic plan) was found to contain soils with greater than 24 inches in depth before a restrictive horizon was encountered.

Please find the attached wastewater soil/site evaluation forms for specific soil properties found in the initial and repair areas as well as assigned soil long term acceptance rate (LTAR). Numerous soil borings were made throughout the property and representative soil profile descriptions for the primary septic field and repair area are provided. A location sketch for profile descriptions is also attached. The initial and primary septic fields were sized based on a flow rate of 480 gallons/day and utilizing Accepted Status. Any unauthorized site disturbance, filling, soil removal, or layout changes may result in the permit being revoked.

The septic installer contractor shall install the primary and repair (if needed) system on contour, see attached site plan for the primary system and repair locations. No underground utilities, water lines, or sprinkler systems shall be placed into the initial or repair septic areas. Installation must meet all state and local county regulations for septic system installation. The trenches must be installed in the same location as the site plan. If the installation is in question at the time of installation call me (Alex Adams) at 919-414-6761.

This report discusses the location of provisionally suitable soils identified on the property and does not guarantee the future function of any waste water disposal system installed.

If you have any questions regarding the findings on the attached map or in this report, please feel free to contact me anytime.

Sincerely,

Alex Adams

NC Licensed Soil Scientist #1247 AOWE Certification: 10021E





McKay Place- Lot #5 4-Bedroom - Septic Design 96 Black Creek Dr. - Lillington, NC DR Horton

Harnett County PIN: 0528-66-1450

*Not a Survey

Sketched from a plot plan supplied by owner

*Line may be flagged longer on the lot than required for installation.

System: Gravity to D-Box

Lines: 1-3 (345') 0.35 LTAR

20" Max Trench Bottom Accepted Status System Repair: Gravity to D-Box

Lines: 4-6 (345') 0.35 LTAR

20" Max Trench Bottom Accepted Status System


**1000 Gallon Septic and Pump Tank
Tank and trenches to be located minimum of 10'

from any property line and minimum of 5'

from any building foundation.
*Do Not Cut, Fill, or Alter Drainfield or Repair Area

*Comply with all setbacks


*Contact local health dept. and/or Alex Adams prior to or during installation with any questions or concerns.



S 87°30'08" E --- 100.00'


DRIVE

Adams Soil Consulting 919-414-6761 Job #1236



McKay Place- Lot #5 Soil Boring Location Map 96 Black Creek Dr. - Lillington, NC **DR** Horton Harnett County PIN: 0528-66-1450 *Not a Survey Sketched from a plot plan supplied by owner S 87'30'08" E --- 100.00' *Line may be flagged longer on the lot than required for installation. 00.59.27 Profile Description #1 See Soil/Site Evaluation Data Form Profile Description #2 See Soil/Site Evaluation Data Form Profile Description #3 See Soil/Site Evaluation 260.61 Data Form 25.9 0.616 AC. 34.7 WM, B L A C K C R E E K 50' PUBLIC R/W & UTILITY DRIVE

Adams
Soil Consulting
919-414-6761
Job #1236



, MICHAEL P. GRIFFIN , certify that under my direction and supervision this map was drawn from an actual field survey, that the error of closure of the survey as calculated by coordinates is 1: 10,000+; that the area shown hereon was calculated by coordinates.

Witness my hand and seed this ness my hand and seal this day of MONTH 2023. KELLY S. BAIN PIN #0528-65-5623.000 D.B. 3478 PG. 581 S 87'30'08" E - 100.00' 00°59'27" SEPTIC 00°59'27" 187.8 € 0.616 AC. PATIO 25.9 15' UTILITY EASEMENT 34.7 S 78°25'38 CRE 50' PUBLIC R/W & UTILITY D SETBACKS FRONT 35' REAR SIDE 25' 10' CORNER SIDE 20'

<u>EGEND</u>

PRELIMINAR NOT FOR RECORDATION, SALES OR CONVEYANCE

EIP EXISTING IRON PIPE FS FLARED END SECTION IPS IRON PIPE SET WM WATER METER CO CLEAN OUT N/F NOW OR FORMERLY FH FIRE HYDRANT EIS EXISTING IRON STAKE CB CATCH BASIN





GRIFFIN LAND SURVEYING, INC.

P. O. B O X 1 4 8 F U Q U A Y - V A R I N A , N C (9 1 9) - 5 6 7 - 1 9 6 3

DRAWN BY KDF	DATE 5/12/23
CHECKED <u>BY</u> MPG	SCAL <u>E 1" = 50'</u>

PLOT PLAN

D.R. HORTON

MCKAY PLACE LOT 5

BLACK CREEK DRIVE

LILLINGTON, N.C. HARNETT COUNTY UPPER LITTLE RIVER TOWNSHIP

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

(Complete all fields in full)

OWNER: DR Horton

APPLICATION DATE:

ADDRESS: 96 Black Creek Drive, Lillington

DATE EVALUATED: 5-15-23

PROPOSED FACILITY: Single Family, 4-bedroom PROPOSED DESIGN FLOW (.1949): 480gpd

PROPERTY SIZE: ~0.67 acres

LOCATION OF SITE: 96 Black Creek Drive – Lillington, NC

WATER SUPPLY: Public Water

EVALUATION METHOD: Auger Boring

TYPE OF WASTEWATER: Sewage

P R O F I L	.1940 LANDSCAPE	HORIZON		PRPHOLOGY (1941)					
#	POSITION/ DEPTH		.1941 STRUCTURE/ TEXTURE	.1941 CONSISTENCE/ MINERALOGY	.1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	PROFILE CLASS & LTAR
		0-18	GR/SL	FR/SEXP/NS	33"	N/A	N/A	N/A	PS/0.35-0.4
	Slope/3%	18-36	SBK/SCL	FI/SEXP/SS					
1					-				
	Linear	0-8	GR/SL	FR/SEXP/NS	33"	N/A	N/A	N/A	PS/0.35-0.4
	Slope/3%	8-36		FI/SEXP/SS					
2									
		0-21	GR/SL	FR/SEXP/NS	N/A	N/A	N/A	N/A	PS/0.35-0.4
	Slope/3%	21-36	SBK/CL	FI/SEXP/SS					
3									
4									
I									

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM	OTHER FACTORS (.1946):
Available Space (.1945)	>5,000 ft ²	>5,000 ft ²	SITE CLASSIFICATION (.1948): PS
System Type(s)	Type III (g)	Type III (g)	EVALUATED BY:A. Adams OTHER(S) PRESENT:
Site LTAR	0.35	0.35	

COMMENTS:_

Updated February 2014



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 4/7/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

the terms and conditions of the policy, or certificate holder in lieu of such endors	ertain _l	policies may require an endo							
PRODUCER			CONTAC NAME:	T Angela S	Sensenig				
Wade Associates, LLC				PHONE (A/C, No, Ext): (252)631-5269 FAX (A/C, No): (252)649-2443					-2443
250 Pollock St.				E-MAIL ADDRESS: asensenig@wadeict.com					
			ADDRES			DING COVERAGE			NAIC #
New Bern NC 285	INSLIDE	RA:Markel					38970		
INSURED		INSURE		1110 41 41100	company			30370	
Alex Adams, DBA: Adams Soil Con	sultii	ng	INSURE						
1676 Mitchell Rd.	INSURE								
			INSURE						
Angier NC 275	501		INSURE						
		TE NUMBER:23-24 Maste		NT.		REVISION NUM	IBER:		
THIS IS TO CERTIFY THAT THE POLICIES OF INDICATED. NOTWITHSTANDING ANY REQUESTIFICATE MAY BE ISSUED OR MAY PER EXCLUSIONS AND CONDITIONS OF SUCH PART.	JIREMEN TAIN, TH	NT, TERM OR CONDITION OF AN HE INSURANCE AFFORDED BY T S. LIMITS SHOWN MAY HAVE BEI	Y CONT HE POL	RACT OR OTH ICIES DESCRI UCED BY PAID	HER DOCUMEN BED HEREIN I	NT WITH RESPECT	T TO WHIC	H THIS	
INSR LTR TYPE OF INSURANCE	INSD W			POLICY EFF (MM/DD/YYYY)	(MM/DD/YYYY)		LIMITS	;	
COMMERCIAL GENERAL LIABILITY						EACH OCCURRENC DAMAGE TO RENTE		\$	
CLAIMS-MADE OCCUR						PREMISES (Ea occu		\$	
						MED EXP (Any one p	person)	\$	
						PERSONAL & ADV I	NJURY	\$	
GEN'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGA		\$	
POLICY PRO- JECT LOC			PRODUCTS - COMP/OP AG				\$		
OTHER:						COMBINED SINGLE LIMIT &			
AUTOMOBILE LIABILITY						(Ea accident)		\$	
ANY AUTO ALL OWNED SCHEDULED						BODILY INJURY (Pe		\$	
AUTOS AUTOS NON-OWNED						BODILY INJURY (Pe		\$ \$	
HIRED AUTOS AUTOS						(Per accident)		\$	
UMBRELLA LIAB OCCUB									
I I OCCUR						EACH OCCURRENC		\$	
OLAIIVIO-IVIADE	1					AGGREGATE		\$	
DED RETENTION \$ WORKERS COMPENSATION						PER STATUTE	OTH- ER	\$	
AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE						E.L. EACH ACCIDEN		Φ.	
OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	N/A					E.L. DISEASE - EA EI		\$ \$	
If yes, describe under						E.L. DISEASE - POLI		\$	
DÉSCRIPTION OF OPERATIONS below							CT LIMIT	Ψ	** ***
A Errors & Omissions		MEO11181		1/31/2023	1/31/2024	General Aggregate			\$1,000,000
						Each Occurrence			\$1,000,000
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLE	S (ACORI	D 101, Additional Remarks Schedule, m	ay be atta	ched if more spac	ce is required)				
CERTIFICATE HOLDER			CANO	ELLATION					
*FOR INFORMATIONAL PURPORTIONAL	xxxxx	XX	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE) BEFORE
			N Whi	tsett/RACI	HEL	N	Reel h		-