Reaction Summary of Order ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

SOLD

TO

| | | DATE | 00/20/20 TAGE T |
|-----------------|----------------|----------------|------------------|
| REQ. QUOTE DATE | 11 | ORDER# | J0623-3286 |
| ORDER DATE | 06/22/23 | QUOTE # | |
| DELIVERY DATE | 11 | CUSTOMER ACCT# | 0000006897 |
| DATE OF INVOICE | 11 | CUSTOMER PO# | |
| ORDERED BY | Chris Sherrod | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Chris Sherrod | SALES REP | Anthony Williams |
| JOBSITE PHONE # | (910) 985-1136 | SALES AREA | Hampton Horrocks |

Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546

JOB NAME: Lot 99 South Creek **LOT #** 99 SUBDIV: South Creek

MODEL:Roof TAG: Magnolia - G.L./ 3rd. Car JOB CATEGORY:

DELIVERY INSTRUCTIONS:

Signature Home Builders Lot 99 South Creek Lillington, NC

(910) 892-9299

SPECIAL INSTRUCTIONS:

Copied from Lot 107 South Creek (J0223-0627)

PLAN SEAL DATE:

| | | | | | | | , ., ., | <u> </u> | |
|----------------------------|-------------------------------|----------|-------------|-----------|--------------|------------------|---------|----------|----------|
| | | | | | | | | BY | DATE |
| BUILDING DEPARTMENT | OVERHA | ANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | HH | 06/25/23 |
| Roof Order | END CUT RETURN NO GABLE STUDS | | | | NONE | NONE | LAYOUT | | 11 |
| | | | GABLE STUDS | 16 IN. OC | NONE | NONE | CUTTING | HH | 06/25/23 |

| | | | | NO (| SABLE STU | IDS | 16 | IN. OC | | | | CL | JTTING HH | 06/25/23 | |
|-------------|------------|------------|------|---------------------|----------------------|-------|--------|--------------|---------------|---------------------------------------|--|---------------------------------------|---|---------------------------------------|--|
| ROOF T | RUS | SES | | DADING FORMATION | TCLL-TCDL-B0 | | _ | RESS INCR. | ROO | ROOF TRUSS SPACING: 24.0 IN. | | | O.C. (TYP.) | | |
| PROFILE | QTY PLY | PIT TOP | ВОТ | TYPE ID | BASE O/A | | BOT | OVER LEFT | HANG RIGHT | REACTION | ONS | | | | |
| | 3 | 10.00 | 0.00 | ATTIC A01 | 28-03-00 | | | 200-11-00 | RIGHT | Joint 2 1705.1 lbs. 214.6 lbs. | Joint 13 1300.5 lbs. 113.2 lbs. | Joint 14 944.4 lbs. -14.1 lbs. | | | |
| | 3 | 10.00 | 0.00 | ATTIC A01A | 28-03-00 27-11-08 | 2 X 6 | 2 X 12 | 200-11-00 | | Joint 2 1810.5 lbs. 248.0 lbs. | Joint 13 1863.4 lbs. 303.6 lbs. | | | | |
| | 1 | 10.00 | 0.00 | GABLE A01AG | 28-03-00 27-11-08 | 2 X 6 | 2 X 12 | 200-11-00 | | Joint 2 521.8 lbs. -89.5 lbs. | Joint 16 980.3 lbs. -88.2 lbs. | Joint 17 178.2 lbs. -559.4 lbs. | Joint 18 -174.0 lbs. -1354.7 lbs. | Joint 19 2135.9 lbs. 297.1 lbs. | |
| | 1 2 Ply | 10.00 | 0.00 | ATTIC A02 | 28-03-00 28-03-00 | 2 X | 2 X 12 | 200-11-00 | | Joint 2 7190.0 lbs. 1003.3 lbs. | | | | | |
| | 1 2 Ply | 10.00 | 0.00 | ATTIC A02A | 28-03-00 27-11-08 | 2 X | 2 X 12 | 200-11-00 | | Joint 2 7126.0 lbs. 992.8 lbs. | Joint 13 6042.9 lbs. 1003.9 lbs. | | | | |
| \triangle | 2 | 10.00 | 0.00 | COMMON B01 | 25-11-08 25-11-08 | 2 X 6 | 2 X 6 | 00-10-08 | | Joint 2 523.8 lbs. -20.7 lbs. | Joint 8 503.3 lbs. 7.7 lbs. | Joint 10 1244.2 lbs. -32.4 lbs. | | | |
| \triangle | 1 2 Ply | 10.00 | 0.00 | COMMON B01GR | 25-11-08 25-11-08 | 2 X 6 | 2 X 8 | 00-10-08 | | Joint 2 438.7 lbs. -101.6 lbs. | Joint 8 1066.5 lbs. 166.3 lbs. | Joint 10 2110.3 lbs. 234.4 lbs. | | | |
| | 1 | 10.00 | 0.00 | KINGPOST B01SG | 25-11-08 25-11-08 | 2 X 6 | 2 X 6 | 00-10-08 | | Joint 2 735.4 lbs. -43.6 lbs. | Joint 15 378.5 lbs. -131.0 lbs. | Joint 16 163.1 lbs. -182.4 lbs. | Joint 17 183.9 lbs. -94.2 lbs. | Joint 18 169.6 lbs. -88.0 lbs. | |
| | 6 | 4.00 | 0.00 | ROOF C01 | 23-11-00 23-11-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 996.2 lbs. -55.9 lbs. | Joint 10 1021.3 lbs. -3.7 lbs. | | | | |
| | 1 | 4.00 | 0.00 | GABLE C01GE | 23-11-00 23-11-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 162.6 lbs. -14.1 lbs. | Joint 14 104.7 lbs. 1.2 lbs. | Joint 15 244.6 lbs. -135.7 lbs. | Joint 16 161.7 lbs. -70.3 lbs. | Joint 17 141.5 lbs. 40.0 lbs. | |
| | 6 | 4.00 | 0.00 | ROOF C02 | 23-11-00 21-04-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 884.6 lbs. -51.2 lbs. | Joint 12 956.8 lbs. -16.8 lbs. | | | | |

Reaction Summary of Order

ROOF & FLOOR

ComTech TRUSSES & BEAMS
Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

| | | DAIL | DOIZDIZD TAGE Z |
|-----------------|----------------|----------------|------------------|
| REQ. QUOTE DATE | 11 | ORDER# | J0623-3286 |
| ORDER DATE | 06/22/23 | QUOTE # | |
| DELIVERY DATE | 11 | CUSTOMER ACCT# | 0000006897 |
| DATE OF INVOICE | 11 | CUSTOMER PO# | |
| ORDERED BY | Chris Sherrod | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Chris Sherrod | SALES REP | Anthony Williams |
| JOBSITE PHONE # | (910) 985-1136 | SALES AREA | Hampton Horrocks |

Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299

SOLD

TO

SHIP

JOB NAME: Lot 99 South Creek

MODEL: Roof

TAG: Magnolia - G.L./ 3rd. Car

JOB CATEGORY: _

DELIVERY INSTRUCTIONS:

Signature Home Builders Lot 99 South Creek Lillington, NC

SPECIAL INSTRUCTIONS:

Copied from Lot 107 South Creek (J0223-0627)

PLAN SEAL DATE:

| | | | | | | | | BY | DATE |
|----------------------------|---------|---------|-------------|-----------|--------------|------------------|-------|----|----------|
| BUILDING DEPARTMENT | OVERHA | NG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | HH | 06/25/23 |
| Roof Order | END CUT | RETURN | | | NONE | NONE NONE | | | / / |
| | | NO | GABLE STUDS | 16 IN. OC | NONE | | | HH | 06/25/23 |

| ROOF T | RUS | SES | | DADING FORMATION | TCLL-TCDL-Be 20.0,10.0,0 | | _ | RESS INCR. | ROO | OF TRUSS S | PACING: 24.0 | IN. O.C. (TYP | ··.) | _ |
|-------------|------------|------------|------|---------------------|--------------------------|-------|-------------|------------|---------------|--------------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|---|
| PROFILE | QTY PLY | PIT TOP | ВОТ | TYPE ID | BASE O/A | | IBER BOT | OVER | HANG RIGHT | REACTIO | NS | | | |
| | 1 | 4.00 | 0.00 | GABLE C02GE | 23-11-00 21-04-00 | | | | | Joint 2 157.1 lbs. -4.4 lbs. | Joint 14 65.9 lbs. -27.8 lbs. | Joint 15 177.5 lbs. -84.8 lbs. | Joint 16 152.4 lbs. 16.0 lbs. | Joint 17 165.4 lbs. -33.9 lbs. |
| | 1 | 11.75 | 0.00 | ATTIC D01 | 22-03-08 22-03-08 | 2 X 6 | 2 X 10 | 00-11-00 | 00-11-00 | Joint 2 1424.8 lbs. 193.7 lbs. | Joint 10 1424.8 lbs. 193.7 lbs. | | | |
| | 1 | 11.75 | 0.00 | GABLE D01GE | 22-03-08 22-03-08 | 2 X 6 | 2 X 10 | 00-11-00 | 00-11-00 | Joint 2 541.9 lbs. -17.8 lbs. | Joint 16 538.6 lbs. -11.4 lbs. | Joint 18 109.4 lbs. -196.1 lbs. | Joint 19 235.0 lbs. -96.5 lbs. | Joint 20 -154.8 lbs. -1068.3 lbs. |
| | 6 | 11.75 | 0.00 | ATTIC D02 | 22-03-08 22-03-08 | 2 X 6 | 2 X 10 | 00-11-00 | | Joint 2 1425.6 lbs. 193.7 lbs. | Joint 10 1373.9 lbs. 201.9 lbs. | | | |
| | 1 | 11.75 | 0.00 | ATTIC D03 | 22-03-08 22-03-08 | 2 X 6 | 2 X 10 | | | Joint 1 1375.0 lbs. 201.6 lbs. | Joint 9 1375.0 lbs. 201.6 lbs. | | | |
| | 1 | 10.00 | 0.00 | COMMON E01 | 14-04-00 14-04-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 2 658.4 lbs. -38.9 lbs. | Joint 4 658.4 lbs. -38.9 lbs. | | | |
| | 1 | 10.00 | 0.00 | GABLE E01SG | 14-04-00 14-04-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 2 658.4 lbs. -77.5 lbs. | Joint 4 658.4 lbs. -77.5 lbs. | | | |
| \triangle | 5 | 10.00 | 0.00 | COMMON G01 | 21-11-00 21-11-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 2 919.0 lbs. -2.1 lbs. | Joint 6 919.0 lbs. -2.1 lbs. | | | |
| | 1 | 10.00 | 0.00 | GABLE G01GE | 21-11-00 21-11-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 2 190.5 lbs. -89.5 lbs. | Joint 14 159.4 lbs. -40.9 lbs. | Joint 16 135.6 lbs. -88.6 lbs. | Joint 17 183.0 lbs. -90.9 lbs. | Joint 18 174.9 lbs. -86.1 lbs. |
| ۵ | 6 | 10.00 | 0.00 | JACK-CLOSED J07 | 06-08-08 06-08-08 | 2 X 4 | 2 X 6 | | | Joint 3 301.5 lbs. -176.4 lbs. | Joint 4 257.3 lbs. 75.1 lbs. | | | |
| 1 | 1 | 10.00 | 0.00 | GABLE J07GE | 06-08-08 06-08-08 | 2 X 6 | 2 X 6 | | | Joint 6 113.9 lbs. -190.8 lbs. | Joint 7 218.1 lbs. 14.2 lbs. | Joint 8 361.3 lbs. -654.7 lbs. | Joint 9 532.1 lbs. -140.5 lbs. | |

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

| | | DATE | 00/23/23 FAGE 3 |
|-----------------|----------------|----------------|------------------|
| REQ. QUOTE DATE | / / | ORDER# | J0623-3286 |
| ORDER DATE | 06/22/23 | QUOTE # | |
| DELIVERY DATE | 11 | CUSTOMER ACCT# | 0000006897 |
| DATE OF INVOICE | 11 | CUSTOMER PO# | |
| ORDERED BY | Chris Sherrod | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Chris Sherrod | SALES REP | Anthony Williams |
| JOBSITE PHONE # | (910) 985-1136 | SALES AREA | Hampton Horrocks |

Signature Home Builders, Inc. 1209 N. Main Street

JOB NAME: Lot 99 South Creek **LOT #** 99 **SUBDIV:** South Creek MODEL: Roof TAG: Magnolia - G.L./ 3rd. Car JOB CATEGORY:

DELIVERY INSTRUCTIONS:

Fayetteville, NC 27546 (910) 892-9299

T O

T O

Signature Home Builders Lot 99 South Creek Lillington, NC

SPECIAL INSTRUCTIONS:

Copied from Lot 107 South Creek (J0223-0627)

PLAN SEAL DATE:

DATE

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-06-08 REQ. LAYOUTS REQ. ENGINEERING QUOTE 06/25/23 END CUT RETURN LAYOUT 11 Roof Order NONE NONE CUTTING HH 06/25/23 **GABLE STUDS** 16 IN. OC NO

| ROOF T | RUS | SES | | DADING FORMATION | TCLL-TCDL-B0 | | _ | RESS INCR. | RO | OF TRUSS S | PACING: 24.0 | IN. O.C. (TYP | C. (TYP.) | | | |
|---------|------------|-------|------|---------------------|----------------------|------------|-------|--------------|---------------|--------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|--------------------------------------|--|--|
| PROFILE | QTY PLY | | BOT | TYPE ID | BASE O/A | LUN TOP | | OVER LEFT | HANG RIGHT | T REACTIONS | | | | | | |
| | 8 | 2.50 | 0.00 | MONOPITCH M01 | 12-00-00 12-00-00 | 2 X 4 | 2 X 6 | 00-10-08 | | Joint 2 528.4 lbs. -156.0 lbs. | Joint 5 463.3 lbs. -138.1 lbs. | | | | | |
| | 1 | 2.50 | 0.00 | GABLE M01SG | 12-00-00 12-00-00 | 2 X 4 | 2 X 6 | 00-10-08 | | Joint 2 528.4 lbs. -236.3 lbs. | Joint 5 463.3 lbs. -211.2 lbs. | | | | | |
| | 8 | 10.00 | 0.00 | PIGGYBACK PB01 | 05-11-03 05-11-03 | 2 X 4 | 2 X 4 | | | Joint 2 164.0 lbs. -17.3 lbs. | Joint 4 164.1 lbs. -22.6 lbs. | Joint 6 196.4 lbs. 29.8 lbs. | | | | |
| | 1 | 10.00 | 0.00 | GABLE PB01GE | 05-11-03 05-11-03 | 2 X 4 | 2 X 4 | | | Joint 2 65.8 lbs. -20.5 lbs. | Joint 6 58.0 lbs. -7.3 lbs. | Joint 8 166.2 lbs. -90.8 lbs. | Joint 9 112.1 lbs. 28.6 lbs. | Joint 10 167.1 lbs. -91.8 lbs. | | |

ITEMS

| QTY | ITEM TYPE | SIZE | LENGTH FT-IN-16 | PART NUMBER | NOTES |
|-----|--------------|----------|---------------------------|-------------|--------------------|
| 9 | Hangers, USP | HUS 26 | | | SIMPSON (HUS26) |
| 6 | Hangers, USP | JUS26 | | | SIMPSON (LUS26) |
| 1 | Hangers, USP | THDH28-2 | | | SIMPSON (HGUS28-2) |