

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0823-4635
ORDER DATE	08/24/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006897
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Chris Sherrod	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Sherrod	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 985-1136	SALES AREA	Anthony Williams

SOLD TO	Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299	JOB NAME: Lot 105 South Creek	LOT # 105	SUBDIV: South Creek
	Signature Home Builders Lot 105 South Creek Erwin, NC	MODEL: Roof	TAG: Sinclair (191021B) / 2-Car	JOB CATEGORY: _
SHIP TO	DELIVERY INSTRUCTIONS:			
	SPECIAL INSTRUCTIONS: Copied from Lot 9 WF (J0523-2758)			
PLAN SEAL DATE: _____				

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	/ /
	NO		GABLE STUDS	16 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING

**ROOF TRUSSES**      **LOADING INFORMATION**      TOLL-TCDL-BCLL-BCDL      STRESS INCR.      **ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)**

20.0,10.0,0.0,10.0      1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	5.00	0.00	GABLE A1-GE	47-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2: 1854.4 lbs., -329.6 lbs. Joint 25: 379.3 lbs., 38.3 lbs. Joint 27: 23.9 lbs., -120.5 lbs. Joint 28: 1675.2 lbs., -665.3 lbs. Joint 29: 351.5 lbs., 21.1 lbs.
	6	8.00	0.00	PIGGYBACK A2	40-11-00	2 X 6	2 X 6		00-11-00	Joint 9: 56.0 lbs., -598.6 lbs. Joint 11: 2575.2 lbs., -97.2 lbs. Joint 17: 1473.4 lbs., -27.7 lbs.
	3	8.00	0.00	PIGGYBACK A3	40-11-00	2 X 6	2 X 6		00-11-00	Joint 9: 274.1 lbs., -118.0 lbs. Joint 12: 2274.8 lbs., -177.9 lbs. Joint 17: 1187.3 lbs., -20.6 lbs.
	1	5.00	0.00	PIGGYBACK B1-GE	43-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2: 191.5 lbs., -106.1 lbs. Joint 26: 157.6 lbs., -28.7 lbs. Joint 28: 194.1 lbs., -122.2 lbs. Joint 29: 174.8 lbs., -86.4 lbs. Joint 30: 177.0 lbs., -87.4 lbs.
	6	5.00	0.00	PIGGYBACK B2	43-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2: 1848.0 lbs., -92.3 lbs. Joint 10: 1951.2 lbs., -77.4 lbs.
	1	8.00	0.00	PIGGYBACK C1-GE	25-11-08	2 X 6	2 X 6	00-11-00		Joint 2: 344.0 lbs., -65.7 lbs. Joint 17: 63.9 lbs., -20.3 lbs. Joint 18: 210.3 lbs., -68.2 lbs. Joint 19: 162.9 lbs., -48.3 lbs. Joint 20: 160.7 lbs., -48.1 lbs.
	4	8.00	0.00	PIGGYBACK C2	25-11-08	2 X 6	2 X 6	00-11-00		Joint 2: 1252.2 lbs., -23.6 lbs. Joint 9: 1336.8 lbs., -124.1 lbs.
	4	8.00	0.00	PIGGYBACK C3	25-11-08	2 X 6	2 X 10	00-11-00		Joint 2: 1089.3 lbs., -25.9 lbs. Joint 9: 1258.1 lbs., -122.6 lbs.
	2	8.00	0.00	PIGGYBACK C4	25-11-08	2 X 6	2 X 10	00-11-00		Joint 2: 597.7 lbs., 48.4 lbs. Joint 9: 509.5 lbs., -69.1 lbs. Joint 10: 1333.1 lbs., -184.6 lbs.
	1	8.00	0.00	PIGGYBACK C5	25-11-08	2 X 6	2 X 6			Joint 1: 1199.2 lbs., -10.5 lbs. Joint 8: 1337.7 lbs., -124.2 lbs.
	1	8.00	0.00	MONOPITCH C6	15-03-00	2 X 6	2 X 10	00-11-00		Joint 2: 629.6 lbs., 44.3 lbs. Joint 8: 680.0 lbs., -184.6 lbs.

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0823-4635
ORDER DATE	08/24/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006897
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Chris Sherrod	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Sherrod	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 985-1136	SALES AREA	Anthony Williams

SOLD TO	Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299	<b>JOB NAME:</b> Lot 105 South Creek	<b>LOT #</b> 105	<b>SUBDIV:</b> South Creek
	SHIPP TO	Signature Home Builders Lot 105 South Creek Erwin, NC	<b>MODEL:</b> Roof	<b>TAG:</b> Sinclair (191021B) / 2-Car
<b>DELIVERY INSTRUCTIONS:</b>				
<b>SPECIAL INSTRUCTIONS:</b> Copied from Lot 9 WF (J0523-2758)				
<b>PLAN SEAL DATE:</b>				
<b>BY</b> <b>DATE</b>				

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /	
Roof Order	<b>END CUT</b>	<b>RETURN</b>				<b>LAYOUT</b>	/ /	
	NO		<b>GABLE STUDS</b>	16 IN. OC	JOBSITE 1	JOBSITE 1	<b>CUTTING</b>	/ /

<b>ROOF TRUSSES</b>	<b>LOADING INFORMATION</b>	TCLL-TCDL-BCLL-BCDL 20.0,10.0,0.0,10.0	STRESS INCR. 1.15	<b>ROOF TRUSS SPACING:</b> 24.0 IN. O.C. (TYP.)
---------------------	----------------------------	---	----------------------	---

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	12.00	0.00	GABLE D1-GE	23-11-00 23-11-00	2 X 6	2 X 10	00-11-00	00-11-00	Joint 12 1655.7 lbs. 73.4 lbs.	Joint 16 1655.7 lbs. 73.4 lbs.			
	10	12.00	0.00	PIGGYBACK D2	23-11-00 23-11-00	2 X 6	2 X 10			Joint 10 1604.2 lbs. 213.5 lbs.	Joint 14 1604.2 lbs. 213.5 lbs.			
	1	8.00	0.00	COMMON E1-GE	18-06-00 18-06-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 155.1 lbs. -66.6 lbs.	Joint 12 119.9 lbs. -20.9 lbs.	Joint 14 147.9 lbs. -98.8 lbs.	Joint 15 182.3 lbs. -89.7 lbs.	Joint 16 178.1 lbs. -95.3 lbs.
	2	8.00	0.00	COMMON E2	18-06-00 18-06-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 849.3 lbs. -114.7 lbs.	Joint 4 849.3 lbs. -114.7 lbs.			
	1	8.00	0.00	COMMON E3	18-06-00 18-06-00	2 X 6	2 X 6	00-11-00		Joint 2 849.6 lbs. -114.7 lbs.	Joint 4 802.2 lbs. -110.5 lbs.			
	2	8.00	0.00	COMMON E4	18-06-00 18-06-00	2 X 6	2 X 6			Joint 1 802.4 lbs. -110.5 lbs.	Joint 3 802.4 lbs. -110.5 lbs.			
	1	8.00	0.00	GABLE PB1	12-05-03 12-05-03	2 X 4	2 X 4			Joint 1 86.5 lbs. -95.1 lbs.	Joint 2 187.4 lbs. -58.9 lbs.	Joint 8 162.3 lbs. -27.1 lbs.	Joint 9 24.8 lbs. -29.9 lbs.	Joint 10 193.7 lbs. -95.4 lbs.
	9	8.00	0.00	PIGGYBACK PB2	12-05-03 12-05-03	2 X 4	2 X 4			Joint 1 254.7 lbs. -564.8 lbs.	Joint 2 159.3 lbs. -40.6 lbs.	Joint 4 850.4 lbs. -288.1 lbs.	Joint 5 224.5 lbs. -519.5 lbs.	Joint 6 419.9 lbs. 34.9 lbs.
	1	8.00	0.00	GABLE PB3	08-05-03 08-05-03	2 X 4	2 X 4			Joint 1 69.2 lbs. -67.1 lbs.	Joint 2 173.3 lbs. -75.2 lbs.	Joint 6 150.4 lbs. -52.7 lbs.	Joint 7 30.3 lbs. -24.2 lbs.	Joint 8 212.8 lbs. -104.0 lbs.
	6	8.00	0.00	PIGGYBACK PB4	08-05-03 08-05-03	2 X 4	2 X 4			Joint 1 159.8 lbs. -276.0 lbs.	Joint 2 508.9 lbs. -205.5 lbs.	Joint 4 488.0 lbs. -191.6 lbs.	Joint 5 138.5 lbs. -244.0 lbs.	Joint 6 270.2 lbs. 40.9 lbs.
	1	8.00	0.00	GABLE PB5	09-02-10 09-02-10	2 X 4	2 X 4			Joint 1 113.4 lbs. -76.7 lbs.	Joint 2 160.6 lbs. -73.7 lbs.	Joint 8 14.4 lbs. -6.7 lbs.	Joint 9 156.2 lbs. -79.6 lbs.	Joint 10 160.1 lbs. 10.0 lbs.

# Reaction Summary of Order






**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0823-4635
ORDER DATE	08/24/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006897
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Chris Sherrod	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Sherrod	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 985-1136	SALES AREA	Anthony Williams

SOLID TO SHIP TO	Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299	JOB NAME: Lot 105 South Creek		LOT # 105	SUBDIV: South Creek
	Signature Home Builders Lot 105 South Creek Erwin, NC	MODEL: Roof	TAG: Sinclair (191021B) / 2-Car	JOB CATEGORY: _	
DELIVERY INSTRUCTIONS:					
SPECIAL INSTRUCTIONS: Copied from Lot 9 WF (J0523-2758)					
PLAN SEAL DATE: BY DATE					

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /	
Roof Order	END CUT	RETURN				LAYOUT	/ /	
	NO		GABLE STUDS	16 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING	/ /

<b>ROOF TRUSSES</b>		LOADING INFORMATION		TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)								
				20.0,10.0,0.0,10.0	1.15									
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	9	8.00	0.00	PIGGYBACK PB6	09-02-10 09-02-10	2 X 4	2 X 4			Joint 1	Joint 2	Joint 5	Joint 6	
										280.8 lbs.	864.9 lbs.	90.4 lbs.	399.1 lbs.	
										-574.3 lbs.	-308.4 lbs.	-42.0 lbs.	-13.0 lbs.	
	2	8.00	0.00	PIGGYBACK PB7	08-10-15 08-10-15	2 X 6	2 X 4			Joint 1	Joint 2	Joint 3	Joint 4	Joint 5
										394.9 lbs.	995.5 lbs.	57.7 lbs.	40.8 lbs.	149.0 lbs.
										-613.6 lbs.	-0.3 lbs.	-45.6 lbs.	10.2 lbs.	-70.1 lbs.
	11	12.00	0.00	PIGGYBACK PB8	03-10-12 03-10-12	2 X 4	2 X 4			Joint 1	Joint 2	Joint 4	Joint 5	Joint 6
										122.8 lbs.	229.3 lbs.	197.6 lbs.	86.8 lbs.	117.9 lbs.
										-108.9 lbs.	-166.9 lbs.	-138.4 lbs.	-69.0 lbs.	17.5 lbs.

ITEMS					
QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
6	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	06-00-00		HDR-1, HDR-2, HDR-3
2	LVL Beams (Sized)	LVL, 1-3/4" x 14" (S)	24-00-00		GDH-18