	County:						
IMPROVEM	IENT PERMIT FOR G.S. 130A-335(a2)/SL2022-11					
PIN/Lot Identifier:							
Issued To:							
Property Location:							
Subdivision:	Lot #:	Block:	Section:				
LSS Report Provided: Yes No No							
If yes, name and license number of LSS:							
New Repair Expansion	System Relocation						
Proposed Structure:							
Proposed Wastewater System Type:	(Initial)			(Repair)			
Fill System: Yes No If yes, specify: New	Existing (when adding more that	an 6 inches of fill to sy	ystem area please provid	le a fill plan)			
Proposed Design Daily Flow: GPD	Proposed LTAR (Initial):	Proposed L	ГАR (Repair):				
Design Wastewater Strength: domestic	high strength	industrial process					
Number of bedrooms: Number of Occupants: _	Other:						
Pump Required: Yes No May be requ	uired based upon final location an	d elevations of facilit	ies				
Artificial Drainage Required: Yes No If yes, plea	ase specify details:						
Type of Water Supply: Private well Public well	☐ Municipal Supply ☐ Sprir	ng 🗌 Other:					
Drainfield location meets requirements of Rule .1945: Y	res No No						
Drainfield location meets requirements of Rule .1950: Y	res No No						
Permit valid for: Five years [site plan submitted purs	suant to GS 130A-334(13a)] 🔲 N	lo expiration [plat su	omitted pursuant to GS 1	L30A-334(7a)			
Permit conditions:							

The LSS evaluation is being submitted pursuant to and meets the requirements of G.S. 130A-335(a2).

See attached site sketch

__ Date: _

Licensed Soil Scientist Print Name: Licensed Soil Scientist Signature: __

	This Section for Local H	ealth Departme	nt Use Only	
	Initial submittal received:		by	
		Date	Initials	
	Permit Number:			
G.S. 130A-335(a4) states the following submitted pursuant to subsection (a department shall issue the improver	3) of the section within 10 bu	-		
In accordance with G.S. 130A-335(a	3) the improvement permit a	pplication is:		
☐ Incomplete (If box is checked, in	nformation in this section is r	equired.)		
The following items are missing:				
Copies of this were sent to the LSS a				
	Da			
State Authorized Agent:			Date:	
☐ Denied (See attached report.)				
Copies of this were sent to the LSS a	and the Owner on			
State Authorized Agent:			Date:	
☐ Complete				
State Authorized Agent:			Date of Issuand	ce:
This Improvement Permit is issued attached here. The issuance of this permit holder is responsible for che revocation if the site plan, plat, or inaccurate or misleading. The Improsubject to compliance with the propermit. The location and identificates responsibility of the owner. The Department, the Department's any liabilities, duties, and responsible evaluations, submittals, or actions	s permit by the Health Depar ecking with appropriate gove the intended use changes, or rovement Permit shall not be visions of the Laws and Rule tion of all property lines, eas authorized agents, and the pilities imposed by statute of	tment in no wa erning bodies in if information is a affected by a consistency is for Sewage Tro- sements, water local health dep in common lay	y guarantees the issuar meeting their requirer submitted in the applic change in ownership of eatment and Disposal a lines, and other appro- partments shall be disc v from any claim arisin	nce of other permits. The ments. This site is subject to cation was falsified, the site. This permit is and to conditions of this priate utilities shall be the harged and released from g out of or attributed to
Improvement Permit Expiration Da	te:			

See attached site sketch

County: _____

County	/ :						

CONSTRUCTION AUTHORIZATION FOR G.S. 130A-335(a2)/SL2022-11

PIN/Lot Identifier:
Issued To:
Property Location:
AOWE/PE Plans/Evaluations Provided: Yes No If yes, name and license number of AOWE/PE:
Facility Type:
□ New □ Expansion □ Repair □ System Relocation
Basement? Yes No Basement Fixtures? Yes No
Type of Wastewater System**(Initial)(Repair)
Design Daily Flow: GPD Wastewater Strength: _ domestic _ high strength _ industrial process
Session Law 2014-120 Section 53, Engineering Design Utilizing Low-flow Fixtures and Low-flow Technologies?
Installation Requirements/Conditions
Septic Tank Size: gallons Total Trench/Bed Length: feet Trench/Bed Spacing: feet on center
Drainfield square footage: Trench/Bed Width: inches LTAR: gpd/ft²
Soil Cover: inches Slope Adjusted Maximum Trench/Bed Depth: inches
Aggregate Depth:inches above pipeinches below pipeinches total
Pump Tank Size (if applicable): gallons Requires more than 1 pump?
Pump Requirements: ft. TDH vs GPM Grease Trap Size (if applicable): gallons
Distribution Method: Serial D-Box or Parallel Pressure Manifold(s) LPP Other:
Artificial Drainage Required: Yes No If yes, please specify details:
<u>Legal Agreements</u> (If the answer is "Yes" to any type of legal agreements, please attach a copy of the agreement.)
Multi-party Agreement Required [.1937(h)]:
Easement, Right-of-Way, or Encroachment Agreement Required [.1938(j)]: Yes No
Declaration of Restrictive Covenants:
**If applicable:
I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Print Name:
Owner/Legal Representative Signature: Date:
Pre-Construction Conference Required: Yes No
Conditions:
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by reference
into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.
AOWE/PE Print Name: Alex Adams
AOWE/PE Signature: Date:
This AOWE/PE submittal is pursuant to and meets the requirements of G.S. 130A-335(a2) and (a5).

See attached site sketch

This Section for Loca	ม Health Depart	ment Use Only	
Initial submittal received: _	 Date	by <i>Initials</i>	
Down it Alivantary			
Permit Number:			
G.S. 130A-335(a6) states the following: 'If a local health deposite submitted pursuant to subsection (a5) of the section within 10 department shall issue the construction authorization.'	=		
In accordance with G.S. 130A-335(a5) the construction autho	rization applicat	ion is:	
☐ Incomplete (If box is checked, information in this section	is required.)		
The following items are missing:			
Copies of this were sent to the AOWE/PE and the Owner on _			
_	Date		
State Authorized Agent:		Date:	
☐ Denied (See attached report.)			
Copies of this were sent to the AOWE/PE and the Owner on _			
_	Date		
State Authorized Agent:		Date:	
Complete			
State Authorized Agent:		Date of Issuance	٠ <u>٠</u>
This Construction Authorization is issued pursuant to G.S. 13			
evaluations attached here. This Construction Authorization changes, or if information submitted in the application was shall not be affected by a change in ownership of the site. T provisions of the Laws and Rules for Sewage Treatment and identification of all property lines, easements, water lines, a Final landscaping shall be constructed to divert water and establishment.	is subject to reversely in accurate falsified, inaccurate fines construction in the co	ocation if the site plan, plat, o rate or misleading. The Constr n Authorization is subject to co the conditions of this permit. priate utilities shall be the resp	r the intended use ruction Authorization ompliance with the The location and
The Department, the Department's authorized agents, and tany liabilities, duties, and responsibilities imposed by statut plans, evaluations, preconstruction conference findings, subthe General Statutes as a licensed engineer or a person certi Authorized On-Site Wastewater Evaluator in GS 130A-335(a agents, and the local health departments shall be responsib obligations under State law or rule, including the issuance of	te or in common omittals, or actio ified pursuant to 12), (a5), and (a7 de and bear liabi	law from any claim arising ou ons from a person licensed pur o Article 5 of Chapter 90A of th). The Department, the Depart lity for their actions and evalu	t of or attributed to suant to Chapter 89C of ne General Statutes as an tment's authorized nations and other
Construction Authorization Expiration Date:		_	
See att	tached site sketo	:h	

County: _____

Adams Soil Consulting, PLLC 1676 Mitchell Road Angier, NC 27501 919-414-6761

alexadams@bcsoil.com

June 22, 2023 Project #1236

"The LSS/LG evaluation(s) attached to this application is to be used to issue an Improvement Permit in accordance with G.S. 130A-335(a2) and (a3)."

"The plans or evaluations attached to this application are to be used to issue a Construction Authorization in accordance with G.S. 130A-335 (a2), (a5), and (a6)"

"This AOWE/PE submittal is pursuant to and meets the requirements of G.S. 130A-335(a2) and (a5)."

RE: 152 Black Creek Drive, Lillington. NC (Harnett County) for DR Horton Homes

To whom it may concern:

Adams Soil Consulting (ASC) conducted a preliminary soil evaluation on the above referenced parcel to determine the areas of soils which are suitable for subsurface wastewater disposal systems (conventional & LPP). The soil/site evaluation was performed using hand auger borings during moist soil conditions based on the criteria found in the State Subsurface Rules, 15ANCAC 18A .1900 "Laws and Rules for Sewage Treatment and Disposal Systems". From this evaluation, ASC is providing the attached 4-bedroom septic design.

The suitable soils found on the subject property were relatively consistent in the initial and repair areas. The area designated for the initial/primary septic system (see attached septic plan) was found to contain soils with greater than 24 inches in depth before a restrictive horizon was encountered.

Please find the attached wastewater soil/site evaluation forms for specific soil properties found in the initial and repair areas as well as assigned soil long term acceptance rate (LTAR). Numerous soil borings were made throughout the property and representative soil profile descriptions for the primary septic field and repair area are provided. A location sketch for profile descriptions is also attached. The initial and primary septic fields were sized based on a flow rate of 480 gallons/day and utilizing Accepted Status. Any unauthorized site disturbance, filling, soil removal, or layout changes may result in the permit being revoked.

The septic installer contractor shall install the primary and repair (if needed) system on contour, see attached site plan for the primary system and repair locations. No underground utilities, water lines, or sprinkler systems shall be placed into the initial or repair septic areas. Installation must meet all state and local county regulations for septic system installation. The trenches must be installed in the same location as the site plan. If the installation is in question at the time of installation call me (Alex Adams) at 919-414-6761.

This report discusses the location of provisionally suitable soils identified on the property and does not guarantee the future function of any waste water disposal system installed.

If you have any questions regarding the findings on the attached map or in this report, please feel free to contact me anytime.

Sincerely,

Alex Adams

NC Licensed Soil Scientist #1247 AOWE Certification: 10021E






McKay Place- Lot #8 4-Bedroom - Septic Design 152 Black Creek Dr. - Lillington, NC DR Horton

Harnett County PIN: 0528-66-4379

*Not a Survey

Sketched from a plot plan supplied by owner

*Line may be flagged longer on the lot than required for installation.



System: Pump to D-Box

Lines: 6-8 (345')

0.35 LTAR

20" Max Trench Bottom Accepted Status System Repair: Pressure Manifold

Lines: 2-5 (440') 0.35 LTAR

20" Max Trench Bottom Accepted Status System


**1000 Gallon Septic and Pump Tank
Tank and trenches to be located minimum of 10'
from any property line and minimum of 5'
from any building foundation.

*Do Not Cut, Fill, or Alter Drainfield or Repair Area

*Comply with all setbacks

*Contact local health dept. and/or Alex Adams prior to or during installation with any questions or concerns.

Adams
Soil Consulting
919-414-6761
Job #1236




McKay Place- Lot #8 Soil Boring Map 152 Black Creek Dr. - Lillington, NC DR Horton

Harnett County PIN: 0528-66-4379

*Not a Survey Sketched from a plot plan supplied by owner

*Line may be flagged longer on the lot than required for installation.



RESIDENTIAL PRESSURE MANIFOLD DESIGN

Name: <u>DR Horton</u> 152 Black Creek Drive

of BDR: 4 Daily Flow: 480 gal/day L.T.A.R.: 0.3500 gal/day/sq.ft

Septic Tank: 1200 gals Pump Tank: 1200 gals Sq. Foot: 1035 System Type: Accepted

Number of Taps: 4 Length of Trenches: 345 ft(See Tap Chart for Details)

Depth of Trenches: 20" max in Manifold Length: 42 in

Manifold Diameter: 4in sch 80pvc Tap Configuration: 6 in spacing 1 side(s) of manifold

Supply Line: length: 60 ft Diameter: 2 in sch 40pvc

Friction Loss + Fitting Loss: 1.44 ft(supply line length + 70' for fittings in pump tank)

Design Head: $\underline{2}$ ft Elevation Head: $\underline{10.00}$ ft

Total Head: 13.44 ft Pump to Deliver: 21.33 gals/min at 13.44 ft head

Dosing Volume: <u>168</u> gals,

Drawdown: 168 gals divided by $\underline{19.65}$ gals/in = $\underline{8.6}$ inches

Simplex Control Panel required; elapsed time meter and cycle counter required; Floats to be determined by type of pump tank used. A septic tank filter is required.

TAP CHART

Benchmark is = 100.00set at Design Head: 2 Pump tank elev. 10 90.00 85.00 Manifold elev. 95.00 Pump elev. # of Panels Spacing of hole size LINE LTAR line color rod read Elevation length flow/tap gal/day trench area (PPBPS) Panels (in) 6 6.00 94.00 115 1/2in SCH 40 7.11 160.00 345 0.4638 7 6.30 93.70 115 1/2in SCH 40 7.11 160.00 345 0.4638 8 1/2in SCH 40 7.11 0.4638 6.60 93.40 115 160.00 345 Total Feet = 345 gal/min = LTAR = 0.3500 21.33 0.3675 343 Feet Required = Velocity = 2.04 (Itar + 5%) (Itar w/25% red) Total # of Panels (PPBPS) Des. Flow 480 0.4667 % of Dose Vol. Pump Run= 22.50 (ltar + 5%)0.4900 75 Tank Gal/IN **Dose Volume** 168 19.65 **Dose Pump Time** 7.89 Elev. Head 10.00 **Drawdown in Inches** 8.6 Comments:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

(Complete all fields in full)

OWNER: DR Horton

APPLICATION DATE:

DATE EVALUATED: 6-15-23

ADDRESS: 152 Black Creek Drive, Lillington

PROPOSED FACILITY: Single Family, 4-bedroom PROPOSED DESIGN FLOW (.1949): 480gpd

PROPERTY SIZE: ~.69 acres

LOCATION OF SITE: 152 Black Creek Drive – Lillington, NC

WATER SUPPLY: Public Water

EVALUATION METHOD: Auger Boring TYPE OF WASTEWATER: Sewage

	LUATION METE		iger borning TTPE OF WASTEWATER: Sewage						
P R O F I .1940 LANDSCAPE HOR		HORIZON					HER FACTO		
E #	POSITION/ SLOPE %	DEPTH (IN.)	.1941 STRUCTURE/ TEXTURE	.1941 CONSISTENCE/ MINERALOGY	.1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	PROFILE CLASS & LTAR
	Linear	0-16	GR/SL	FR/SEXP/NS	N/A	N/A	N/A	N/A	PS/0.0.4
1	Slope/3%	16-40	SBK/SCL	FI/SEXP/SS					
	Linear	0-22	GR/SL	FR/SEXP/NS	N/A	N/A	N/A	N/A	PS/0.35-0.4
	Slope/3%	22-40	+	FI/SEXP/SS	1 1/1 1	1 1/1 1	1,711		2 0 0 0 0 0 1
2		22-40	SDR/CL	FI/SLAT/SS					
	Linear	0-36	GR/SL	FR/SEXP/NS	N/A	N/A	N/A	N/A	PS/0.6
	Slope/3%								
3									
1									
4									

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM	OTHER FACTORS (.1946):
Available Space (.1945)	>5,000 ft ²	>5,000 ft ²	SITE CLASSIFICATION (.1948): PS
System Type(s)	Type III (g)	Type III (g)	EVALUATED BY:A. Adams OTHER(S) PRESENT:
Site LTAR	0.35	0.35	

COMMENTS:



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 4/7/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

the terms and conditions of the policy, certificate holder in lieu of such endors			rseme	nt. A stateme	ent on this ce	ertificate does no	ot confer r	ights to the	
PRODUCER			CONTAC NAME:	T Angela :	Sensenig				
Wade Associates, LLC			PHONE (A/C, No	(252)	631-5269		FAX	252)649-2443	
250 Pollock St.			E-MAIL	SS: asensen:	ig@wadeict	.com	_(A/C, NO).		
			ADDRES			DING COVERAGE		NAIC :	#
New Bern NC 28	560		INSLIDE	RA:Markel				38970	<u>"</u>
INSURED			INSURE		11104141100	company		30370	
Alex Adams, DBA: Adams Soil Con	sultii	ng							
1676 Mitchell Rd.			INSURER C : INSURER D :						
			INSURE						
Angier NC 27	501		INSURE						
		TE NUMBER:23-24 Maste		Nr.		REVISION NUM	IBER:		
THIS IS TO CERTIFY THAT THE POLICIES OF INDICATED. NOTWITHSTANDING ANY REQUESTIFICATE MAY BE ISSUED OR MAY PER EXCLUSIONS AND CONDITIONS OF SUCH F	JIREMEN TAIN, TH	NT, TERM OR CONDITION OF AN HE INSURANCE AFFORDED BY T S. LIMITS SHOWN MAY HAVE BEI	Y CONT HE POL	TRACT OR OTH ICIES DESCRI UCED BY PAID	HER DOCUMEN BED HEREIN I	NT WITH RESPEC	T TO WHIC	H THIS	
INSR LTR TYPE OF INSURANCE	INSD W			POLICY EFF (MM/DD/YYYY)	(MM/DD/YYYY)		LIMITS		
COMMERCIAL GENERAL LIABILITY						EACH OCCURRENCE DAMAGE TO RENTE		\$	
CLAIMS-MADE OCCUR						PREMISES (Ea occu		\$	
						MED EXP (Any one	person)	\$	
						PERSONAL & ADV I	INJURY	\$	
GEN'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGA	ATE	\$	
POLICY PRO- JECT LOC						PRODUCTS - COMP.		\$	
OTHER:						COMBINED SINGLE		\$	
AUTOMOBILE LIABILITY						(Ea accident)		\$	
ANY AUTO ALL OWNED SCHEDULED						BODILY INJURY (Pe	. /	\$	
AUTOS AUTOS NON-OWNED						BODILY INJURY (Pe		\$	
HIRED AUTOS AUTOS						(Per accident)		\$ \$	
UMBRELLA LIAB OCCUB									
I I CCCOR						EACH OCCURRENC		\$	
GEANNO-INIABE	1					AGGREGATE		\$	
DED RETENTION \$ WORKERS COMPENSATION						PER STATUTE	OTH- ER	\$	
AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE						E.L. EACH ACCIDEN		Φ.	
OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	N/A					E.L. DISEASE - EA E		\$ \$	
If yes, describe under						E.L. DISEASE - POLI		\$ \$	
DÉSCRIPTION OF OPERATIONS below							CTLIMIT		
A Errors & Omissions		MEO11181		1/31/2023	1/31/2024	General Aggregate		\$1,000	
						Each Occurrence		\$1,000	,000
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLE	S (ACORI	D 101, Additional Remarks Schedule, m.	ay be atta	ched if more spac	ce is required)				
CERTIFICATE HOLDER			CANC	ELLATION					
FOR INFORMATIONAL PURPOSES ONLY *XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			SHO THE ACC	ULD ANY OF T	PATE THEREOF	SCRIBED POLICIE F, NOTICE WILL BE Y PROVISIONS.			
1									