| | Coun | County: | | |
|---|-------------------------------------|-------------------------|--------------------------|-----------------|
| IMPROVEN | MENT PERMIT FOR G.S. 130A-335(a | a2)/SL2022-11 | | |
| PIN/Lot Identifier: | | | | |
| Issued To: | | | | |
| Property Location: | | | | |
| Subdivision: | Lot #: | Block: | Section: | |
| LSS Report Provided: Yes No No | | | | |
| If yes, name and license number of LSS: | | | | |
| New Repair Expansion | System Relocation | | | |
| Proposed Structure: | | | | |
| Proposed Wastewater System Type: | (Initial) | | | (Repair) |
| Fill System: Yes No If yes, specify: New | Existing (when adding more tha | n 6 inches of fill to s | ystem area please provid | de a fill plan) |
| Proposed Design Daily Flow: GPD | Proposed LTAR (Initial): | Proposed L | ГАR (Repair): | |
| Design Wastewater Strength: domestic | high strength | industrial process | | |
| Number of bedrooms: Number of Occupants: | Other: | | | |
| Pump Required: Yes No May be req | uired based upon final location and | d elevations of facilit | ies | |
| Artificial Drainage Required: Yes No If yes, ple | ase specify details: | | | |
| Type of Water Supply: Private well Public well | Municipal Supply Sprin | g 🗌 Other: | | |
| Drainfield location meets requirements of Rule .1945: ` | Yes No No | | | |
| Drainfield location meets requirements of Rule .1950: Y | Yes No No | | | |
| Permit valid for: Tive years [site plan submitted pure | suant to GS 130A-334(13a)] 🔲 N | o expiration [plat su | bmitted pursuant to GS | 130A-334(7a) |
| Permit conditions: | | | | |
| | | | | |
| | | | | |
| | | | | |

The LSS evaluation is being submitted pursuant to and meets the requirements of G.S. 130A-335(a2).

See attached site sketch

__ Date: __

Licensed Soil Scientist Print Name: _ Licensed Soil Scientist Signature: ___

| | This Section for Local H | ealth Departme | nt Use Only | |
|--|---|---|--|--|
| | Initial submittal received: | | by | |
| | | Date | Initials | |
| | Permit Number: | | | |
| G.S. 130A-335(a4) states the following submitted pursuant to subsection (a department shall issue the improver | 3) of the section within 10 bu | - | | |
| In accordance with G.S. 130A-335(a | 3) the improvement permit a | pplication is: | | |
| ☐ Incomplete (If box is checked, in | nformation in this section is r | equired.) | | |
| The following items are missing: | | | | |
| Copies of this were sent to the LSS a | | | | |
| | Da | | | |
| State Authorized Agent: | | | Date: | |
| ☐ Denied (See attached report.) | | | | |
| Copies of this were sent to the LSS a | and the Owner on | | | |
| State Authorized Agent: | | | Date: | |
| ☐ Complete | | | | |
| State Authorized Agent: | | | Date of Issuand | ce: |
| This Improvement Permit is issued attached here. The issuance of this permit holder is responsible for che revocation if the site plan, plat, or inaccurate or misleading. The Improsubject to compliance with the propermit. The location and identificates responsibility of the owner. The Department, the Department's any liabilities, duties, and responsible evaluations, submittals, or actions | s permit by the Health Depar ecking with appropriate gove the intended use changes, or rovement Permit shall not be visions of the Laws and Rule tion of all property lines, eas authorized agents, and the pilities imposed by statute of | tment in no wa erning bodies in if information is a affected by a consistency is for Sewage Tro- sements, water local health dep in common lay | y guarantees the issuar meeting their requirer submitted in the applic hange in ownership of eatment and Disposal a lines, and other appro- partments shall be disc v from any claim arisin | nce of other permits. The ments. This site is subject to cation was falsified, the site. This permit is and to conditions of this priate utilities shall be the harged and released from g out of or attributed to |
| Improvement Permit Expiration Da | te: | | | |

See attached site sketch

County: _____

| County: | | | |
|---------|--|--|--|
| | | | |

CONSTRUCTION AUTHORIZATION FOR G.S. 130A-335(a2)/SL2022-11

| PIN/Lot Identifier: | | | | | | | |
|---|--|--|--|--|--|--|--|
| Issued To: | | | | | | | |
| Property Location: | | | | | | | |
| AOWE/PE Plans/Evaluations Provided: Yes No If yes, name and license num | ber of AOWE/PE: | | | | | | |
| Facility Type: | | | | | | | |
| □ New □ Expansion □ Repair □ System Relocation | | | | | | | |
| Basement? Yes No Basement Fixtures? | Yes | | | | | | |
| Type of Wastewater System** (Initial) | (Repair) | | | | | | |
| Design Daily Flow: GPD Wastewater Strength: _ domes | tic high strength industrial process | | | | | | |
| Session Law 2014-120 Section 53, Engineering Design Utilizing Low-flow Fixtures and | Low-flow Technologies? | | | | | | |
| Installation Requirements/Conditions | | | | | | | |
| Septic Tank Size: gallons Total Trench/Bed Length: feet Tr | ench/Bed Spacing: feet on center | | | | | | |
| Drainfield square footage: inche | s LTAR: gpd/ft ² | | | | | | |
| Soil Cover: inches Slope Adjusted Maximum Trench/Bed Depth: | inches | | | | | | |
| Aggregate Depth:inches above pipeinches below pipe | | | | | | | |
| Pump Tank Size (if applicable): gallons Requires more than 1 pump? | | | | | | | |
| Pump Requirements: ft. TDH vs GPM Grease Trap Size (if applicable): gallons | | | | | | | |
| Distribution Method: Serial D-Box or Parallel Pressure Manifold(s) LPP Other: | | | | | | | |
| Artificial Drainage Required: Yes No If yes, please specify details: | | | | | | | |
| <u>Legal Agreements</u> (If the answer is "Yes" to any type of legal agreements, please atta | ch a copy of the agreement.) | | | | | | |
| Multi-party Agreement Required [.1937(h)]: Yes No | | | | | | | |
| Easement, Right-of-Way, or Encroachment Agreement Required [.1938(j)]: Yes | No | | | | | | |
| Declaration of Restrictive Covenants: | | | | | | | |
| **If applicable: | | | | | | | |
| I understand the system type specified is different from the type specified on the application. | | | | | | | |
| Owner/Legal Representative Print Name: Celinda Howell DAVIDSON HOMES RALEIGH PERMITTING COORDINATOR | | | | | | | |
| Owner/Legal Representative Signature: Cellanda Housell | Date: 07/07/23 | | | | | | |
| Pre-Construction Conference Required: Yes No | | | | | | | |
| Conditions: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1 | 956, .1957, .1958, and .1959 are incorporated by reference | | | | | | |
| into this permit and shall be met. Systems shall be installed in accordance with the a | ttached system layout. | | | | | | |
| AOWE/PE Print Name: Alex Adams | _ | | | | | | |
| AOWE/PE Signature: New Machine | Date:6-5-23 | | | | | | |
| This AOWE/PE submittal is pursuant to and meets the requi | rements of G.S. 130A-335(a2) and (a5). | | | | | | |

See attached site sketch

| This Section for Loca | ม Health Depart | ment Use Only | |
|--|--|---|--|
| Initial submittal received: _ | Date | by <i>Initials</i> | |
| Down it Alivantary | | | |
| Permit Number: | | | |
| G.S. 130A-335(a6) states the following: 'If a local health deposite submitted pursuant to subsection (a5) of the section within 10 department shall issue the construction authorization.' | = | | |
| In accordance with G.S. 130A-335(a5) the construction autho | rization applicat | ion is: | |
| ☐ Incomplete (If box is checked, information in this section | is required.) | | |
| The following items are missing: | | | |
| Copies of this were sent to the AOWE/PE and the Owner on _ | | | |
| _ | Date | | |
| State Authorized Agent: | | Date: | |
| ☐ Denied (See attached report.) | | | |
| Copies of this were sent to the AOWE/PE and the Owner on _ | | | |
| _ | Date | | |
| State Authorized Agent: | | Date: | |
| Complete | | | |
| State Authorized Agent: | | Date of Issuance | ٠ <u>٠</u> |
| This Construction Authorization is issued pursuant to G.S. 13 | | | |
| evaluations attached here. This Construction Authorization changes, or if information submitted in the application was shall not be affected by a change in ownership of the site. T provisions of the Laws and Rules for Sewage Treatment and identification of all property lines, easements, water lines, a Final landscaping shall be constructed to divert water and establishment. | is subject to reversely in accurate falsified, inaccurate fines construction in the co | ocation if the site plan, plat, o rate or misleading. The Constr n Authorization is subject to co the conditions of this permit. priate utilities shall be the resp | r the intended use ruction Authorization ompliance with the The location and |
| The Department, the Department's authorized agents, and tany liabilities, duties, and responsibilities imposed by statut plans, evaluations, preconstruction conference findings, subthe General Statutes as a licensed engineer or a person certi Authorized On-Site Wastewater Evaluator in GS 130A-335(a agents, and the local health departments shall be responsib obligations under State law or rule, including the issuance of | te or in common omittals, or actio ified pursuant to 12), (a5), and (a7 de and bear liabi | law from any claim arising ou ons from a person licensed pur o Article 5 of Chapter 90A of th). The Department, the Depart lity for their actions and evalu | t of or attributed to suant to Chapter 89C of ne General Statutes as an tment's authorized nations and other |
| Construction Authorization Expiration Date: | | _ | |
| | | | |
| *See att | tached site sketo | :h* | |

County: _____

Adams Soil Consulting, PLLC 1676 Mitchell Road Angier, NC 27501 919-414-6761

alexadams@bcsoil.com

July 6, 2023 Project #479

"The LSS/LG evaluation(s) attached to this application is to be used to issue an Improvement Permit in accordance with G.S. 130A-335(a2) and (a3)."

"The plans or evaluations attached to this application are to be used to issue a Construction Authorization in accordance with G.S. 130A-335 (a2), (a5), and (a6)"

"This AOWE/PE submittal is pursuant to and meets the requirements of G.S. 130A-335(a2) and (a5)."

RE: Lot 44 - 365 Castle Pond Way – Fuquay-Varina. NC (Harnett County) - Prince Place Subdivision for Davidson Homes

To whom it may concern:

Adams Soil Consulting (ASC) conducted a preliminary soil evaluation on the above referenced parcel to determine the areas of soils which are suitable for subsurface wastewater disposal systems (conventional & LPP). The soil/site evaluation was performed using hand auger borings during moist soil conditions based on the criteria found in the State Subsurface Rules, 15ANCAC 18A .1900 "Laws and Rules for Sewage Treatment and Disposal Systems". From this evaluation, ASC is providing the attached 4-bedroom septic design.

The suitable soils found on the subject property were relatively consistent in the initial and repair areas. The area designated for the initial/primary septic system (see attached septic plan) was found to contain soils with greater than 24 inches in depth before a restrictive horizon was encountered.

Please find the attached wastewater soil/site evaluation forms for specific soil properties found in the initial and repair areas as well as assigned soil long term acceptance rate (LTAR). Numerous soil borings were made throughout the property and representative soil profile descriptions for the primary septic field and repair area are provided. A location sketch for profile descriptions is also attached. The initial and primary septic fields were sized based on a flow rate of 480 gallons/day and utilizing Accepted Status. Any unauthorized site disturbance, filling, soil removal, or layout changes may result in the permit being revoked.

The septic installer contractor shall install the primary and repair (if needed) system on contour, see attached site plan for the primary system and repair locations. No underground utilities, water lines, or sprinkler systems shall be placed into the initial or repair septic areas. Installation must meet all state and local county regulations for septic system installation. The trenches must be installed in the same location as the site plan. If the installation is in question at the time of installation call me (Alex Adams) at 919-414-6761.

This report discusses the location of provisionally suitable soils identified on the property and does not guarantee the future function of any waste water disposal system installed.

If you have any questions regarding the findings on the attached map or in this report, please feel free to contact me anytime.

Sincerely,


Alex Adams

NC Licensed Soil Scientist #1247 AOWE Certification: 10021E





Prince Place - Phase II 4-Bedroom Septic Design Lot # 44 Harnett County



INITIAL: Lines 1-4 (380') Accepted Status Gravity Parallel REPAIR: Lines 5-8 (380') Accepted Status Pressure Manitee

Adams
Soil Consulting
919-414-6761
Job #479

CASTLE POND WAY

50' PUBLIC R/W & UTILITY EASEMENT


- *House footprint to be field staked by surveyor and system verified prior to any construction
- **Septic area must not be altered by construction activities.
- ***No cuts of 2' or greater within within 15' of septic area
- **** Recommend protective barrier around septic field during construction.



GRAPHIC SCALE

1" = 50'

Prince Place - Phase II 4-Bedroom Septic Design Lot # 44 Harnett County




INITIAL: Lines 1-4 (380') Accepted Status Gravity Parallel REPAIR: Lines 5-8 (380') Accepted Status Pressure Manitee

Adams
Soil Consulting
919-414-6761
Job #479

CASTLE POND WAY

50' PUBLIC R/W & UTILITY EASEMENT

- *House footprint to be field staked by surveyor and system verified prior to any construction
- **Septic area must not be altered by construction activities.
- ***No cuts of 2' or greater within within 15' of septic area
- **** Recommend protective barrier around septic field during construction.



GRAPHIC SCALE

1" = 50'

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

(Complete all fields in full)

OWNER: Davidson Homes

ADDRESS:

PROPOSED FACILITY: Single Family, 4-bedroom PROPOSED DESIGN FLOW (.1949): 480gpd

LOCATION OF SITE: 365 Castle Pond Way, Fuquay Varina 27526

WATER SUPPLY: Public Water

EVALUATION METHOD: Auger Boring

APPLICATION DATE: DATE EVALUATED: 7-05-23 PROPERTY SIZE: 1.03 Acres


TYPE OF WASTEWATER: Sewage

| P R O F I L | .1940 LANDSCAPE | HORIZON | SOIL MORPHOLOGY (.1941) | | OTHER PROFILE FACTORS | | | | |
|----------------------------|----------------------|----------------|--------------------------------|-------------------------------------|------------------------------------|------------------------|-------------------------|-------------------------|----------------------------|
| # | POSITION/ SLOPE % | DEPTH (IN.) | .1941 STRUCTURE/ TEXTURE | .1941 CONSISTENCE/ MINERALOGY | .1942 SOIL WETNESS/ COLOR | .1943 SOIL DEPTH | .1956 SAPRO CLASS | .1944 RESTR HORIZ | PROFILE CLASS & LTAR |
| | Linear | 0-12 | GR/SL | FR/SEXP/NS | | 30" | N/A | N/A | U/PS/.325 |
| | Slope/6% | 12-30 | SBK/SCL | FI/SEXP/SS | @ 27" | | | | |
| 1 | | | | | | | | | |
| | | | | | | | | | |
| | Linear | 0-10 | GR/SL | FR/SEXP/NS | 7.5 YR 7/2 | 30" | N/A | N/A | U/PS/.325 |
| | Slope/6% | 10-30 | | FI/SEXP/SS | @ 30" | | 1,711 | 1 11 1 | 0.12 2.16 26 |
| 2 | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | Linear Slope/5% | 0-12 | GR/SL | FR/SEXP/NS | 7.5 YR 7/2 @ 32" | 36" | N/A | N/A | U/PS/.325 |
| 2 | Бюре/ 5 / 0 | 12-32 | SBK/SCL | FI/SEXP/SS | W 32 | | | | |
| 3 | | | | | | | | | |
| | | | | | | | | | |
| 4 | Linear | 0-18 | GR/SL | FR/SEXP/NS | | 36" | N/A | N/A | U/PS/.325 |
| | Slope/5% | 18-36 | SBK/SCL | FI/SEXP/SS | @ 34" | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| DESCRIPTION | INITIAL SYSTEM | REPAIR SYSTEM | OTHER FACTORS (.1946): |
|-------------------------|----------------|---------------|---|
| Available Space (.1945) | S | S | SITE CLASSIFICATION (.1948): U/PS |
| System Type(s) | Type III G | Type III (b) | EVALUATED BY:A. Adams OTHER(S) PRESENT: |
| Site LTAR | 0.325 | 0.325 | |


COMMENTS:

Updated February 2014



THIS PROPERTY MAY BE SUBJECT TO ANY AND ALL APPLICABLE DEED RESTRICTIONS, EASEMENTS, RIGHT-OF-WAY, UTILITIES AND RESTRICTIVE COVENANTS WHICH MAY BE OF RECORD OR IMPLIED

PRELIMINARY PLAT NOT FOR RECORDATION, CONVEYANCES, OR SALES.



RESIDENTIAL LAND SERVICES, PLLC.

1917 Evans Road Cary, North Carolina 27513 Phone (919) 378-9316 Firm License # P-0873

HOUSE LOCATION PLOT PLAN

FOR

#365 CASTLE POND WAY

LOT 44, PRINCE PLACE, PHASE 2

Hectors Creek Township, Harnett County, North Carolina

PROPERTY OF: ______ DAVIDSON HOMES

PLAT BOOK 2023 PAGE 240-241 DEED REFERENCE

DRAWN: JLA SURVEYED: N/A CHECKED: DMR DATE: JUNE 22, 2023