## Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

	PROPERTY LOCATION: ZZI FULL	iaiii	
ISSUED TO: KB Home	SUBDIVISION Birchwood G	rove	4
NEW REPAIR EXPANSIO		required prior to Construction Authorization Issuance:	
Type of Structure: SFD (50'x51')	on Inportantia	and provide contraction restorms	
Type of Structure: Of D (30 X51)	tion Custom		
Proposed Wastewater System Type: 25% Reduc	tion System		
Projected Daily Flow: 360 GPD			-
Number of bedrooms: 3 Number of Occu	pants: 6max		
Basement Yes No			
Pump Required: Yes No May be requ	uired based on final location and elevations of facilities		
Type of Water Supply:  Community Public		Permit valid for: A Five years	
Permit conditions:		■ No expiration	
Termit conditions.			
West III			
	Date: 8/21/23	CCC ATTACHED CITE CVETCH	
Authorized State Agent::		SEE ATTACHED SITE SKETCH	TL:
The issuance of this permit by the Health Department in no way guard	antees the issuance of other permits. The permit holder is responsible for changes. The Improvement Permit shall not be affected by a change in o	checking with appropriate governing bodies in meeting their requirements	ions of
the Laws and Rules for Sewage Treatment and Disposal and to condition		whership of the site. This permit is subject to compilance with the provisi	ons or
the cars and rules for serage freathers and osposal and to condition	ns of this period.		
	Construction Authorization		
T	(Required for Building Permit)		
	.1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by referen	ces into this permit and shall be met. Systems shall be installed in accord	Jance
with the attached system layout.			
ISSUED TO: KB Home	PROPERTY LOCATION: 221	Putnam	
1330ED 10: ICD HOME			1
		d Grove LOT # 174	4
Facility Type: SFD (50'x40')	New Expansion Repa	ir	
	xtures? Yes No		
	ction System	(Initial) Wastewater Flow: 360 GF	PD
	Allori Oysterii	(IIIItiai) Wastewater Flow. 300	U
(See note below, if applicable )			
_25% Redu	iction System (Repair)		
Installation Requirements/Conditions	Number of trenches 1		
Septic Tank Size 1000 gallons	Exact length of each trench 355 feet	Trench Spacing: 9 Feet on Center	
,			
Pump Tank Sizegallons	Trenches shall be installed on contour at a	Soil Cover: 12inches	
	Maximum Trench Depth of: 24inche	s (Maximum soil cover shall not exceed	
	(Trench bottoms shall be level to +/-1/4"	36" above the trench bottom)	
	in all directions)	And the second s	
D D : 6 TDII		factor between	L.
Pump Requirements:ft. TDH vs	GPM	inches below	
		Aggregate Depth:inches above	e pipe
Conditions:		inches	total
WATER LINES (INCLUDING IRRIGATION) MUST	BE 10FT. FROM ANY PART OF SEPTIC SYSTEM O	R REPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR	DRAIN FIFI D ARFA		
NO UTETTES ALLOWED IN INTIME ON KETAIN	DRAIN FIELD AREA.		
**If applicable: I understand the system type specifie	ed is different from the type specified on the applicati	ion. I accept the specifications of this permit.	
O/II Bernarda in Simula		Datas	
Owner/Legal Representative Signature:		Date:	
	plat, or the intended use changes. The Construction Authorization shall i		
Construction Authorization is subject to compliance with the provisions	of the Laws and Rules for Sewage Treatment and Disposal and to the co	nditions of this permit. SEE ATTACHED SITE SKE	ICH
	1/1/1		
Australiand State Agents	OKH) Dat	e: 8/21/23	
Authorized State Agent:	-		
	Construction Authorization Expiration	Date: 8/21/28	

## Harnett County Department of Public Health Site Sketch

Property Location: 221 Putnam

Issued To: KB Home Subdivision Birchwood Grove Lot # 174

Authorized State Agent: Date: 8/21/23

