

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0823-4373
ORDER DATE	08/15/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	9999999999
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Kevin Martin	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Kevin Martin	SALES REP	Johnnie Baggett
JOBSITE PHONE #	(919) 255-8130	SALES AREA	Johnnie Baggett

SOLD TO	PBS	JOB NAME: Lot 9 Duncan's Creek	LOT # 9	SUBDIV: Duncan's Creek
		MODEL: Roof - Cafe/Office	TAG: Hanover	JOB CATEGORY: WCall - Will Call
SHIPP TO	New Home Inc. 67 Beacon Hill Road Lillington, NC	DELIVERY INSTRUCTIONS:		
		SPECIAL INSTRUCTIONS:		

PLAN SEAL DATE:
BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	JRB	08/15/23	
Roof Order	END CUT	RETURN		NONE		LAYOUT	JRB	08/15/23	
	PLUMB	NO	GABLE STUDS		24 IN. OC	JOBSITE	1	CUTTING	JRB

ROOF TRUSSES		LOADING INFORMATION		TCLL-TCDL-BCLL-BCDL		STRESS INCR.		ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)						
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	6.00	3.00	ROOF A01GE	40-07-08 40-07-08	2 X 6	2 X 6		00-11-00	Joint 1 155.4 lbs. -77.6 lbs.	Joint 22 143.9 lbs. 4.0 lbs.	Joint 24 196.0 lbs. -87.3 lbs.	Joint 25 149.7 lbs. -65.5 lbs.	Joint 26 162.2 lbs. -69.6 lbs.
	5	6.00	3.00	ROOF A02	40-07-08 40-07-08	2 X 6	2 X 6		00-11-00	Joint 1 1254.0 lbs. -104.4 lbs.	Joint 9 1324.6 lbs. -212.5 lbs.	Joint 14 1101.1 lbs. -53.8 lbs.		
	4	6.00	3.00	ROOF A03	40-11-00 40-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 1306.7 lbs. -104.3 lbs.	Joint 10 1319.4 lbs. -212.0 lbs.	Joint 15 1119.3 lbs. -55.7 lbs.		
	4	6.00	3.00	ROOF A04	40-07-08 40-07-08	2 X 6	2 X 6	00-11-00		Joint 2 1671.5 lbs. -110.6 lbs.	Joint 10 1616.1 lbs. -96.6 lbs.			
	6	6.00	3.00	ROOF A05	40-04-00 40-04-00	2 X 6	2 X 6			Joint 1 1608.3 lbs. -96.8 lbs.	Joint 9 1608.3 lbs. -96.8 lbs.			
	1	6.00	3.00	ROOF A06GE	40-04-00 40-04-00	2 X 6	2 X 6			Joint 1 157.1 lbs. -72.8 lbs.	Joint 22 106.1 lbs. 22.8 lbs.	Joint 23 189.0 lbs. -100.7 lbs.	Joint 24 152.3 lbs. -65.8 lbs.	Joint 25 161.6 lbs. -69.5 lbs.
	1	12.00	0.00	GABLE B01GE	19-11-00 19-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 8 675.3 lbs. -97.9 lbs.	Joint 12 1175.4 lbs. -193.5 lbs.			
	1	12.00	0.00	COMMON B02	19-11-00 19-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 6 585.3 lbs. -24.5 lbs.	Joint 10 1133.5 lbs. -45.7 lbs.			
	1	12.00	0.00	COMMON B03-GR	19-11-00 19-11-00	2 X 6	2 X 8			Joint 1 1127.9 lbs. -82.1 lbs.	Joint 5 5588.6 lbs. -349.0 lbs.	Joint 9 9171.7 lbs. -686.8 lbs.		
	1	8.00	0.00	COMMON C01GE	10-05-00 10-05-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 117.0 lbs. -32.1 lbs.	Joint 8 116.2 lbs. -8.0 lbs.	Joint 10 140.9 lbs. -82.9 lbs.	Joint 11 187.9 lbs. -87.2 lbs.	Joint 12 121.3 lbs. 27.2 lbs.
	5	8.00	0.00	COMMON C02	10-05-00 10-05-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 460.8 lbs. -33.7 lbs.	Joint 4 460.8 lbs. -33.7 lbs.			

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0823-4373
ORDER DATE	08/15/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	9999999999
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Kevin Martin	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Kevin Martin	SALES REP	Johnnie Baggett
JOBSITE PHONE #	(919) 255-8130	SALES AREA	Johnnie Baggett

SOLD TO	PBS	JOB NAME: Lot 9 Duncan's Creek	LOT # 9	SUBDIV: Duncan's Creek
		MODEL: Roof - Cafe/Office	TAG: Hanover	JOB CATEGORY: WCall - Will Call
SHIPP TO	New Home Inc. 67 Beacon Hill Road Lillington, NC	DELIVERY INSTRUCTIONS:		
		SPECIAL INSTRUCTIONS:		

PLAN SEAL DATE:
BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	JRB	08/15/23	
Roof Order	END CUT	RETURN		NONE		LAYOUT	JRB	08/15/23	
	PLUMB	NO	GABLE STUDS		24 IN. OC	JOBSITE	1	CUTTING	JRB

PROFILE		QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
			TOP	BOT			TOP	BOT	LEFT	RIGHT					
		1	8.00	0.00	COMMON C03-GR	10-05-00	2 X 6	2 X 6			Joint 1	Joint 3			
		2 Ply				10-05-00					3075.9 lbs.	3953.2 lbs.			
											-349.2 lbs.	-356.9 lbs.			
		1	12.00	0.00	GABLE D01GE	14-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2	Joint 12	Joint 14	Joint 15	Joint 16
						14-11-00					337.3 lbs.	302.2 lbs.	163.2 lbs.	199.8 lbs.	198.4 lbs.
											-165.9 lbs.	-113.9 lbs.	-227.0 lbs.	-153.8 lbs.	-151.2 lbs.
		1	8.00	0.00	COMMON G01GE	11-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2	Joint 8	Joint 10	Joint 11	Joint 12
						11-11-00					140.0 lbs.	140.0 lbs.	185.3 lbs.	178.9 lbs.	129.1 lbs.
											-22.8 lbs.	-2.4 lbs.	-103.2 lbs.	-80.9 lbs.	28.6 lbs.
		6	8.00	0.00	COMMON G02	11-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2	Joint 4			
						11-11-00					520.8 lbs.	520.8 lbs.			
											-36.9 lbs.	-36.9 lbs.			
		1	8.00	0.00	COMMON G03-GR	11-11-00	2 X 6	2 X 6			Joint 1	Joint 3			
		2 Ply				11-11-00					6315.4 lbs.	4534.6 lbs.			
											-450.4 lbs.	-325.5 lbs.			
		2	12.00	0.00	COMMON H01GE	03-00-00	2 X 6	2 X 6	00-05-08	00-05-08	Joint 2	Joint 4	Joint 6		
						03-00-00					101.4 lbs.	101.4 lbs.	88.6 lbs.		
											-32.4 lbs.	-36.8 lbs.	9.8 lbs.		
		6	12.00	0.00	COMMON H02	03-00-00	2 X 6	2 X 6	00-05-08	00-05-08	Joint 2	Joint 4			
						03-00-00					137.6 lbs.	137.6 lbs.			
											-8.8 lbs.	-8.8 lbs.			
		1	12.00	0.00	VALLEY VB1	18-09-12	2 X 4	2 X 4			Joint 1	Joint 7	Joint 8	Joint 9	Joint 11
						18-09-12					195.0 lbs.	177.2 lbs.	283.8 lbs.	489.2 lbs.	432.0 lbs.
											-148.8 lbs.	-113.3 lbs.	-134.5 lbs.	-184.3 lbs.	68.1 lbs.
		1	12.00	0.00	VALLEY VB2	16-09-12	2 X 4	2 X 4			Joint 1	Joint 5	Joint 6	Joint 8	Joint 9
						16-09-12					193.5 lbs.	169.5 lbs.	527.0 lbs.	416.1 lbs.	527.3 lbs.
											-25.2 lbs.	6.7 lbs.	-202.9 lbs.	61.9 lbs.	-203.0 lbs.
		1	12.00	0.00	VALLEY VB3	14-09-12	2 X 4	2 X 4			Joint 1	Joint 5	Joint 6	Joint 7	Joint 8
						14-09-12					158.5 lbs.	137.5 lbs.	439.7 lbs.	410.7 lbs.	439.9 lbs.
											-31.9 lbs.	-4.0 lbs.	-178.0 lbs.	59.9 lbs.	-178.1 lbs.
		1	12.00	0.00	VALLEY VB4	12-09-12	2 X 4	2 X 4			Joint 1	Joint 5	Joint 6	Joint 7	Joint 8
						12-09-12					118.9 lbs.	100.8 lbs.	369.8 lbs.	380.9 lbs.	370.0 lbs.
											-45.4 lbs.	-21.3 lbs.	-161.8 lbs.	56.7 lbs.	-161.9 lbs.

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0823-4373
ORDER DATE	08/15/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	9999999999
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Kevin Martin	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Kevin Martin	SALES REP	Johnnie Baggett
JOBSITE PHONE #	(919) 255-8130	SALES AREA	Johnnie Baggett

SOLD TO	PBS	JOB NAME: Lot 9 Duncan's Creek	LOT # 9	SUBDIV: Duncan's Creek
		MODEL: Roof - Cafe/Office	TAG: Hanover	JOB CATEGORY: WCall - Will Call
SHIPP TO	New Home Inc. 67 Beacon Hill Road Lillington, NC	DELIVERY INSTRUCTIONS:		
		SPECIAL INSTRUCTIONS:		
PLAN SEAL DATE:				

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	JRB	08/15/23	
Roof Order	END CUT	RETURN		NONE		LAYOUT	JRB	08/15/23	
	PLUMB	NO	GABLE STUDS		24 IN. OC	JOBSITE	1	CUTTING	JRB

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 1	Joint 2	Joint 3	Joint 4	Joint 5
	1	12.00	0.00	VALLEY VB5	10-09-12 10-09-12	2 X 4	2 X 4			Joint 1 120.1 lbs. -106.3 lbs.	Joint 5 108.4 lbs. -86.1 lbs.	Joint 6 353.9 lbs. -169.7 lbs.	Joint 7 220.8 lbs. 52.4 lbs.	Joint 8 354.2 lbs. -169.9 lbs.
	1	12.00	0.00	VALLEY VB6	08-09-12 08-09-12	2 X 4	2 X 4			Joint 1 199.1 lbs. -35.5 lbs.	Joint 2 315.9 lbs. -43.4 lbs.	Joint 3 183.8 lbs. -81.8 lbs.	Joint 4 204.5 lbs. -9.4 lbs.	Joint 5 182.9 lbs. 54.9 lbs.
	1	12.00	0.00	VALLEY VB7	06-09-12 06-09-12	2 X 4	2 X 4			Joint 1 150.4 lbs. -26.8 lbs.	Joint 3 150.4 lbs. -26.8 lbs.	Joint 4 193.1 lbs. 25.5 lbs.		
	1	12.00	0.00	VALLEY VB8	04-09-12 04-09-12	2 X 4	2 X 4			Joint 1 101.6 lbs. -18.1 lbs.	Joint 3 101.6 lbs. -18.1 lbs.	Joint 4 130.5 lbs. 17.2 lbs.		
	1	12.00	0.00	VALLEY VB9	02-09-12 02-09-12	2 X 4	2 X 4			Joint 1 52.9 lbs. -9.4 lbs.	Joint 3 52.9 lbs. -9.4 lbs.	Joint 4 68.0 lbs. 9.0 lbs.		
	1	8.00	0.00	VALLEY VC1	08-01-03 08-01-03	2 X 4	2 X 4			Joint 1 156.6 lbs. -24.7 lbs.	Joint 3 156.6 lbs. -30.4 lbs.	Joint 4 263.0 lbs. 18.8 lbs.		
	1	8.00	0.00	VALLEY VC2	05-01-03 05-01-03	2 X 4	2 X 4			Joint 1 91.4 lbs. -14.4 lbs.	Joint 2 606.1 lbs. -176.7 lbs.	Joint 3 91.4 lbs. -17.7 lbs.	Joint 4 153.3 lbs. 11.0 lbs.	Joint 13 307.5 lbs. -98.1 lbs.
	1	8.00	0.00	VALLEY VC3	02-01-03 02-01-03	2 X 4	2 X 4			Joint 1 48.1 lbs. -2.5 lbs.	Joint 3 48.1 lbs. -2.5 lbs.			
	1	8.00	0.00	VALLEY VG1	09-01-15 09-01-15	2 X 4	2 X 4			Joint 1 164.1 lbs. -20.4 lbs.	Joint 3 164.1 lbs. -26.9 lbs.	Joint 4 333.0 lbs. 5.7 lbs.		
	1	8.00	0.00	VALLEY VG2	06-01-15 06-01-15	2 X 4	2 X 4			Joint 1 114.5 lbs. -18.1 lbs.	Joint 3 114.5 lbs. -22.2 lbs.	Joint 4 192.1 lbs. 13.8 lbs.		
	1	8.00	0.00	VALLEY VG3	03-01-15 03-01-15	2 X 4	2 X 4			Joint 1 90.6 lbs. -4.8 lbs.	Joint 3 90.6 lbs. -4.8 lbs.			

Reaction Summary of Order





ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0823-4373
ORDER DATE	08/15/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	9999999999
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Kevin Martin	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Kevin Martin	SALES REP	Johnnie Baggett
JOBSITE PHONE #	(919) 255-8130	SALES AREA	Johnnie Baggett

SOLD TO	PBS	JOB NAME: Lot 9 Duncan's Creek	LOT # 9	SUBDIV: Duncan's Creek
		MODEL: Roof - Cafe/Office	TAG: Hanover	JOB CATEGORY: WCall - Will Call
SHIPP TO	New Home Inc. 67 Beacon Hill Road Lillington, NC	DELIVERY INSTRUCTIONS:		
		SPECIAL INSTRUCTIONS:		
PLAN SEAL DATE:				

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	JRB	08/15/23	
Roof Order	END CUT	RETURN		NONE		LAYOUT	JRB	08/15/23	
	PLUMB	NO	GABLE STUDS		24 IN. OC	JOBSITE	1	CUTTING	JRB

ROOF TRUSSES		LOADING INFORMATION		TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)			
				20.0,10.0,0.0,10.0	1.15				
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG	REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT
	2	12.00	0.00	VALLEY VH1	03-11-00 03-11-00	2 X 4	2 X 4		
									Joint 1 Joint 3 Joint 4
									88.7 lbs. 88.7 lbs. 113.1 lbs.
									-16.0 lbs. -15.7 lbs. 15.2 lbs.
	2	12.00	0.00	VALLEY VH2	02-03-14 02-03-14	2 X 4	2 X 4		
									Joint 1 Joint 3
									67.3 lbs. 67.3 lbs.
									-2.2 lbs. -2.2 lbs.

ITEMS						
QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES	
20	Hangers, USP	HUS 26			SIMPSON (HUS26)	