

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0823-4379
ORDER DATE	08/15/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	9999999999
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Kevin Martin	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Kevin Martin	SALES REP	Johnnie Baggett
JOBSITE PHONE #	(919) 255-8130	SALES AREA	Johnnie Baggett

SOLD TO	PBS	JOB NAME: Lot 112 Duncan's Creek	LOT # 112	SUBDIV: Duncan's Creek
		MODEL: Roof - No Covered	TAG: Hanover	JOB CATEGORY: WCall - Will Call
SHIPP TO	New Home Inc. 218 Beacon Hill Road Lillington, NC	DELIVERY INSTRUCTIONS:		
		SPECIAL INSTRUCTIONS:		

PLAN SEAL DATE:
BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /	
Roof Order	END CUT	RETURN		NONE		LAYOUT	/ /	
	PLUMB	NO	GABLE STUDS		24 IN. OC	JOBSITE	1	CUTTING

PROFILE		QTY	PITCH		TYPE ID	BASE O/A		LUMBER		OVERHANG		REACTIONS				
			TOP	BOT		TOP	BOT	LEFT	RIGHT	Joint 1	Joint 2	Joint 4	Joint 5	Joint 6		
		1	6.00	3.00	ROOF A01GE	40-07-08	40-07-08	2 X 6	2 X 6			Joint 1	Joint 22	Joint 24	Joint 25	Joint 26
												155.4 lbs.	143.9 lbs.	196.0 lbs.	149.7 lbs.	162.2 lbs.
												-77.6 lbs.	4.0 lbs.	-87.3 lbs.	-65.5 lbs.	-69.6 lbs.
		5	6.00	3.00	ROOF A02	40-07-08	40-07-08	2 X 6	2 X 6			Joint 1	Joint 9	Joint 14		
												1254.0 lbs.	1324.6 lbs.	1101.2 lbs.		
												-104.4 lbs.	-212.5 lbs.	-53.8 lbs.		
		4	6.00	3.00	ROOF A03	40-11-00	40-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2	Joint 10	Joint 15		
												1306.7 lbs.	1319.4 lbs.	1119.3 lbs.		
												-104.3 lbs.	-212.0 lbs.	-55.7 lbs.		
		10	6.00	3.00	ROOF A04	40-07-08	40-07-08	2 X 6	2 X 6	00-11-00		Joint 2	Joint 10			
												1671.5 lbs.	1616.1 lbs.			
												-110.6 lbs.	-96.6 lbs.			
		1	6.00	3.00	ROOF A05GE	40-08-00	40-08-00	2 X 6	2 X 6	00-11-00		Joint 2	Joint 21	Joint 22	Joint 23	Joint 24
												260.7 lbs.	106.6 lbs.	192.8 lbs.	141.5 lbs.	159.6 lbs.
												-85.7 lbs.	22.3 lbs.	-101.3 lbs.	-55.0 lbs.	-71.1 lbs.
		1	12.00	0.00	GABLE B01GE	19-11-00	19-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 8	Joint 12			
												675.3 lbs.	1175.4 lbs.			
												-97.9 lbs.	-193.5 lbs.			
		1	12.00	0.00	COMMON B02	19-11-00	19-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 6	Joint 10			
												585.3 lbs.	1133.5 lbs.			
												-24.5 lbs.	-45.7 lbs.			
		1	12.00	0.00	COMMON B03-GR	19-11-00	19-11-00	2 X 6	2 X 8			Joint 1	Joint 5	Joint 9		
												1127.0 lbs.	5612.9 lbs.	9194.7 lbs.		
												-48.6 lbs.	-348.5 lbs.	-686.3 lbs.		
		1	8.00	0.00	COMMON C01GE	10-05-00	10-05-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2	Joint 8	Joint 10	Joint 11	Joint 12
												117.0 lbs.	116.2 lbs.	140.9 lbs.	187.9 lbs.	121.3 lbs.
												-32.1 lbs.	-8.0 lbs.	-82.9 lbs.	-87.2 lbs.	27.2 lbs.
		5	8.00	0.00	COMMON C02	10-05-00	10-05-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2	Joint 4			
												460.8 lbs.	460.8 lbs.			
												-33.7 lbs.	-33.7 lbs.			
		1	8.00	0.00	COMMON C03-GR	10-05-00	10-05-00	2 X 6	2 X 6			Joint 1	Joint 3			
												3075.9 lbs.	3953.2 lbs.			
												-349.2 lbs.	-356.9 lbs.			

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0823-4379
ORDER DATE	08/15/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	9999999999
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Kevin Martin	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Kevin Martin	SALES REP	Johnnie Baggett
JOBSITE PHONE #	(919) 255-8130	SALES AREA	Johnnie Baggett

SOLD TO	PBS	JOB NAME: Lot 112 Duncan's Creek	LOT # 112	SUBDIV: Duncan's Creek
		MODEL: Roof - No Covered	TAG: Hanover	JOB CATEGORY: WCall - Will Call
SHIPP TO	New Home Inc. 218 Beacon Hill Road Lillington, NC	DELIVERY INSTRUCTIONS:		
		SPECIAL INSTRUCTIONS:		

PLAN SEAL DATE:
BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /	
Roof Order	END CUT	RETURN		NONE		LAYOUT	/ /	
	PLUMB	NO	GABLE STUDS		24 IN. OC	JOBSITE	1	CUTTING

PROFILE		QTY	PITCH		TYPE ID	BASE O/A		LUMBER		OVERHANG		REACTIONS				
			TOP	BOT		TOP	BOT	LEFT	RIGHT	Joint 2	Joint 10	Joint 12	Joint 13	Joint 14		
		1	12.00	0.00	COMMON D01GE	14-11-00 14-11-00	2 X 6 2 X 6	00-11-00	00-11-00	Joint 2 236.4 lbs. -96.7 lbs.	Joint 10 214.1 lbs. -52.5 lbs.	Joint 12 180.3 lbs. -192.5 lbs.	Joint 13 199.0 lbs. -154.7 lbs.	Joint 14 188.1 lbs. -114.2 lbs.		
		1	12.00	0.00	VALLEY VB1	18-09-12 18-09-12	2 X 4 2 X 4			Joint 1 195.0 lbs. -148.8 lbs.	Joint 7 177.2 lbs. -113.3 lbs.	Joint 8 283.8 lbs. -134.5 lbs.	Joint 9 489.2 lbs. -184.3 lbs.	Joint 11 432.0 lbs. 68.1 lbs.		
		1	12.00	0.00	VALLEY VB2	16-09-12 16-09-12	2 X 4 2 X 4			Joint 1 193.5 lbs. -25.2 lbs.	Joint 5 169.5 lbs. 6.7 lbs.	Joint 6 527.0 lbs. -202.9 lbs.	Joint 8 416.1 lbs. 61.9 lbs.	Joint 9 527.3 lbs. -203.0 lbs.		
		1	12.00	0.00	VALLEY VB3	14-09-12 14-09-12	2 X 4 2 X 4			Joint 1 158.5 lbs. -31.9 lbs.	Joint 5 137.5 lbs. -4.0 lbs.	Joint 6 439.7 lbs. -178.0 lbs.	Joint 7 410.7 lbs. 59.9 lbs.	Joint 8 439.9 lbs. -178.1 lbs.		
		1	12.00	0.00	VALLEY VB4	12-09-12 12-09-12	2 X 4 2 X 4			Joint 1 118.9 lbs. -45.4 lbs.	Joint 5 100.8 lbs. -21.3 lbs.	Joint 6 369.8 lbs. -161.8 lbs.	Joint 7 380.9 lbs. 56.7 lbs.	Joint 8 370.0 lbs. -161.9 lbs.		
		1	12.00	0.00	VALLEY VB5	10-09-12 10-09-12	2 X 4 2 X 4			Joint 1 120.1 lbs. -106.3 lbs.	Joint 5 108.4 lbs. -86.1 lbs.	Joint 6 353.9 lbs. -169.7 lbs.	Joint 7 220.8 lbs. 52.4 lbs.	Joint 8 354.2 lbs. -169.9 lbs.		
		1	12.00	0.00	VALLEY VB6	08-09-12 08-09-12	2 X 4 2 X 4			Joint 1 199.1 lbs. -35.5 lbs.	Joint 3 199.1 lbs. -35.5 lbs.	Joint 4 255.7 lbs. 33.7 lbs.				
		1	12.00	0.00	VALLEY VB7	06-09-12 06-09-12	2 X 4 2 X 4			Joint 1 150.4 lbs. -26.8 lbs.	Joint 3 150.4 lbs. -26.8 lbs.	Joint 4 193.1 lbs. 25.5 lbs.				
		1	12.00	0.00	VALLEY VB8	04-09-12 04-09-12	2 X 4 2 X 4			Joint 1 101.6 lbs. -18.1 lbs.	Joint 3 101.6 lbs. -18.1 lbs.	Joint 4 130.5 lbs. 17.2 lbs.				
		1	12.00	0.00	VALLEY VB9	02-09-12 02-09-12	2 X 4 2 X 4			Joint 1 52.9 lbs. -9.4 lbs.	Joint 3 52.9 lbs. -9.4 lbs.	Joint 4 68.0 lbs. 9.0 lbs.				
		1	8.00	0.00	VALLEY VC1	08-01-03 08-01-03	2 X 4 2 X 4			Joint 1 156.6 lbs. -24.7 lbs.	Joint 3 156.6 lbs. -30.4 lbs.	Joint 4 263.0 lbs. 18.8 lbs.				

LOADING INFORMATION TOLL-TCDL-BCLL-BCDL 20.0,10.0,0.0,10.0 **STRESS INCR.** 1.15 **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

Reaction Summary of Order





ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0823-4379
ORDER DATE	08/15/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	9999999999
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Kevin Martin	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Kevin Martin	SALES REP	Johnnie Baggett
JOBSITE PHONE #	(919) 255-8130	SALES AREA	Johnnie Baggett

SOLD TO	PBS	JOB NAME: Lot 112 Duncan's Creek	LOT # 112	SUBDIV: Duncan's Creek
		MODEL: Roof - No Covered	TAG: Hanover	JOB CATEGORY: WCall - Will Call
SHIPP TO	New Home Inc. 218 Beacon Hill Road Lillington, NC	DELIVERY INSTRUCTIONS:		
		SPECIAL INSTRUCTIONS:		
PLAN SEAL DATE:				

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /	
Roof Order	END CUT	RETURN		NONE		LAYOUT	/ /	
	PLUMB	NO	GABLE STUDS		24 IN. OC	JOBSITE	1	CUTTING

ROOF TRUSSES		LOADING INFORMATION		TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)							
				20.0,10.0,0.0,10.0	1.15								
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS			
	PLY	TOP	BOT			TOP	BOT	LEFT	RIGHT				
	1	8.00	0.00	VALLEY VC2	05-01-03 05-01-03	2 X 4	2 X 4			Joint 1	Joint 3	Joint 4	
										91.4 lbs.	91.4 lbs.	153.3 lbs.	
										-14.4 lbs.	-17.7 lbs.	11.0 lbs.	
	1	8.00	0.00	VALLEY VC3	02-01-03 02-01-03	2 X 4	2 X 4			Joint 1	Joint 2	Joint 3	Joint 4
										48.1 lbs.	3202.7 lbs.	48.1 lbs.	3246.1 lbs.
										-2.5 lbs.	-165.3 lbs.	-2.5 lbs.	-167.7 lbs.

ITEMS						
QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES	
14	Hangers, USP	HUS 26			SIMPSON (HUS26)	