

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0923-5312
ORDER DATE	09/20/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007228
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Bryant Lockamy	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bryant Lockamy	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 524-3354	SALES AREA	Curtis Quick

SOUTH TO SHIP TO	Southern Touch Homes PO Box 2135 Angier, NC 27501 (919) 524-3354	JOB NAME: Lot 34 West Preserve MODEL: TAG: Holly DELIVERY INSTRUCTIONS:	LOT # 34 SUBDIV: West Preserve JOB CATEGORY: WCall - Will Call
	Southern Touch Homes 50 Oleander Dr. Sanford, NC	SPECIAL INSTRUCTIONS:	PLAN SEAL DATE: N/A BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 09/20/23
	PLUMB			JOBSITE	1	CUTTING	CQ 09/20/23
	GABLE STUDS	24 IN. OC		JOBSITE	1		

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	2	10.00	6.00	ROOF A1	36-00-00 36-00-00	2 X 6	2 X 6		00-10-08	Joint 1 958.5 lbs. -49.3 lbs.	Joint 11 1957.6 lbs. -143.4 lbs.			
	5	10.00	6.00	ROOF A2	36-00-00 36-00-00	2 X 6	2 X 6		00-10-08	Joint 1 1150.4 lbs. -50.1 lbs.	Joint 12 1765.7 lbs. -119.8 lbs.			
	1	10.00	6.00	ROOF A2A	36-00-00 36-00-00	2 X 6	2 X 6		00-10-08	Joint 1 1150.4 lbs. -50.1 lbs.	Joint 12 1765.7 lbs. -119.8 lbs.			
	3	10.00	6.00	ROOF A3	29-00-00 29-00-00	2 X 6	2 X 6			Joint 1 1137.6 lbs. -45.9 lbs.	Joint 10 1193.1 lbs. -37.4 lbs.			
	1 2 Ply	10.00	6.00	ROOF A3A	29-00-00 29-00-00	2 X 6	2 X 6			Joint 1 2275.2 lbs. -91.8 lbs.	Joint 10 2386.3 lbs. -74.8 lbs.			
	6	10.00	0.00	FINK B1	30-00-00 30-00-00	2 X 6	2 X 6	00-10-08		Joint 2 1486.0 lbs. -60.4 lbs.	Joint 10 1442.9 lbs. -49.8 lbs.			
	1	10.00	0.00	GABLE B1GE	30-00-00 30-00-00	2 X 6	2 X 6	00-10-08		Joint 2 462.9 lbs. -137.7 lbs.	Joint 10 708.1 lbs. -226.2 lbs.	Joint 11 150.0 lbs. -46.4 lbs.	Joint 12 123.5 lbs. -166.1 lbs.	Joint 13 417.7 lbs. -94.6 lbs.
	3	10.00	0.00	ATTIC B2	29-00-00 29-00-00	2 X	2 X 10	00-10-08		Joint 2 1939.6 lbs. 183.9 lbs.	Joint 12 1959.1 lbs. 227.7 lbs.			
	2 2 Ply	10.00	0.00	ATTIC B2A	29-00-00 29-00-00	2 X	2 X 10	00-10-08		Joint 2 4891.7 lbs. 468.9 lbs.	Joint 11 4890.5 lbs. 547.3 lbs.			
	1	10.00	0.00	GABLE B2GE	29-00-00 29-00-00	2 X	2 X 10	00-10-08		Joint 2 618.0 lbs. -15.3 lbs.	Joint 11 760.9 lbs. -21.2 lbs.	Joint 12 81.3 lbs. -98.7 lbs.	Joint 13 941.8 lbs. -304.7 lbs.	Joint 14 748.2 lbs. 98.7 lbs.
	3	10.00	0.00	COMMON C1	25-08-00 25-08-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 573.2 lbs. -37.0 lbs.	Joint 10 777.2 lbs. -131.7 lbs.	Joint 14 991.8 lbs. -69.1 lbs.		

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0923-5312
ORDER DATE	09/20/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007228
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Bryant Lockamy	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bryant Lockamy	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 524-3354	SALES AREA	Curtis Quick

SOUTH TO SHIP TO	Southern Touch Homes PO Box 2135 Angier, NC 27501 (919) 524-3354	JOB NAME: Lot 34 West Preserve MODEL: TAG: Holly DELIVERY INSTRUCTIONS:	LOT # 34 SUBDIV: West Preserve JOB CATEGORY: WCall - Will Call
	Southern Touch Homes 50 Oleander Dr. Sanford, NC	SPECIAL INSTRUCTIONS:	PLAN SEAL DATE: N/A BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 09/20/23
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	CUTTING	CQ 09/20/23

ROOF TRUSSES **LOADING INFORMATION** TOLL-TCDL-BCLL-BCDL STRESS INCR. **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)
 20.0,10.0,0.0,10.0 1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 2	Joint 5	Joint 6	Joint 7	Joint 12
	1	3.00	0.00	GABLE M1GE	04-08-00 04-08-00	2 X 4	2 X 6	00-10-08		Joint 2	Joint 5	Joint 6	Joint 7	Joint 12
										140.9 lbs.	18.1 lbs.	979.1 lbs.	199.0 lbs.	1126.5 lbs.
										-62.6 lbs.	-26.9 lbs.	39.6 lbs.	-63.2 lbs.	-232.8 lbs.
	4	7.00	0.00	MONOPITCH M2	02-10-00 02-10-00	2 X 6	2 X 6	00-10-08		Joint 2	Joint 4			
										160.5 lbs.	97.7 lbs.			
										-2.2 lbs.	-30.8 lbs.			
	6	7.00	0.00	MONOPITCH M3	02-00-00 02-00-00	2 X 6	2 X 6	00-10-08		Joint 2	Joint 4			
										125.4 lbs.	66.3 lbs.			
										-3.0 lbs.	-22.3 lbs.			
	1	10.00	0.00	VALLEY VC1	23-05-12 23-05-12	2 X 4	2 X 4			Joint 1	Joint 7	Joint 8	Joint 9	Joint 11
										176.0 lbs.	144.6 lbs.	396.6 lbs.	556.4 lbs.	430.7 lbs.
										-39.5 lbs.	2.3 lbs.	-125.7 lbs.	-135.9 lbs.	69.2 lbs.
	1	10.00	0.00	VALLEY VC2	19-05-12 19-05-12	2 X 4	2 X 4			Joint 1	Joint 7	Joint 8	Joint 9	Joint 11
										128.4 lbs.	104.9 lbs.	269.4 lbs.	474.6 lbs.	436.9 lbs.
										-92.2 lbs.	-57.8 lbs.	-99.6 lbs.	-141.0 lbs.	62.3 lbs.
	1	10.00	0.00	VALLEY VC3	15-05-12 15-05-12	2 X 4	2 X 4			Joint 1	Joint 5	Joint 6	Joint 7	Joint 8
										147.6 lbs.	131.9 lbs.	421.7 lbs.	409.4 lbs.	421.9 lbs.
										-17.4 lbs.	9.8 lbs.	-140.9 lbs.	56.2 lbs.	-141.1 lbs.
	1	10.00	0.00	VALLEY VC4	11-05-12 11-05-12	2 X 4	2 X 4			Joint 1	Joint 5	Joint 6	Joint 7	Joint 8
										82.1 lbs.	62.1 lbs.	327.1 lbs.	241.5 lbs.	327.3 lbs.
										-60.4 lbs.	-40.5 lbs.	-124.9 lbs.	46.9 lbs.	-125.1 lbs.
	1	10.00	0.00	VALLEY VC5	07-05-12 07-05-12	2 X 4	2 X 4			Joint 1	Joint 3	Joint 4		
										156.1 lbs.	156.0 lbs.	227.6 lbs.		
										-23.5 lbs.	-29.7 lbs.	23.3 lbs.		
	1	10.00	0.00	VALLEY VC7	03-05-12 03-05-12	2 X 4	2 X 4			Joint 1	Joint 3			
										109.9 lbs.	109.9 lbs.			
										-4.8 lbs.	-4.8 lbs.			
	1	12.00	0.00	VALLEY VG1	09-11-02 09-11-02	2 X 4	2 X 4			Joint 1	Joint 3	Joint 4		
										210.5 lbs.	210.6 lbs.	321.7 lbs.		
										-27.7 lbs.	-27.7 lbs.	13.0 lbs.		
	1	12.00	0.00	VALLEY VG2	06-07-02 06-07-02	2 X 4	2 X 4			Joint 1	Joint 3	Joint 4		
										145.0 lbs.	145.0 lbs.	186.2 lbs.		
										-25.8 lbs.	-25.8 lbs.	24.6 lbs.		

Reaction Summary of Order




ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0923-5312
ORDER DATE	09/20/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007228
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Bryant Lockamy	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bryant Lockamy	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 524-3354	SALES AREA	Curtis Quick

SOUTH TO	Southern Touch Homes PO Box 2135 Angier, NC 27501 (919) 524-3354	JOB NAME: Lot 34 West Preserve MODEL: TAG: Holly DELIVERY INSTRUCTIONS:	LOT # 34 SUBDIV: West Preserve JOB CATEGORY: WCall - Will Call
	Southern Touch Homes 50 Oleander Dr. Sanford, NC	SPECIAL INSTRUCTIONS:	PLAN SEAL DATE: N/A

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT RETURN PLUMB	GABLE STUDS	24 IN. OC	JOBSITE 1 JOBSITE 1	JOBSITE 1 JOBSITE 1	LAYOUT	CQ 09/20/23
						CUTTING	CQ 09/20/23

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)						
		20.0,10.0,0.0,10.0	1.15							
PROFILE	QTY	PITCH		TYPE	BASE	LUMBER		OVERHANG	REACTIONS	
	PLY	TOP	BOT	ID	O/A	TOP	BOT	LEFT	RIGHT	
	1	12.00	0.00	VALLEY VG3	03-03-02 03-03-02	2 X 4	2 X 4			Joint 1 Joint 3 104.8 lbs. 104.8 lbs. -3.4 lbs. -3.4 lbs.

ITEMS										
QTY	ITEM TYPE	SIZE	LENGTH	PART NUMBER	NOTES					
			FT-IN-16							
10	Hangers, USP	HUS 26			SIMPSON (HUS26)					
1	Hangers, USP	THD28-2			SIMPSON (HHUS28-2)					