App#	SFD2309-0048
------	--------------

Harnett County Department of Public Health

Improvement Permit

Revised for Location

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION 19 Shiloh Dr (SR 1253) SUBDIVISION Shiloh ISSUED TO: Carroll Construction Homes Site Improvements required prior to Construction Authorization Issuance: EXPANSION REPAIR NEW X Type of Structure: 65'x60' SFD Proposed Wastewater System Type: Pump to 25% reduction Projected Daily Flow: 360 GPD Number of Occupants 6 max Number of bedrooms: 3 Basement Yes No May be required based on final location and elevations of facilities ☐ No Pump Required: Xifes X Five years Permit valid for: No expiration The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. This permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plan, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules 1950, 1952, 1954, 1955, 1956, 1957, 1958 and 1959 are incorporated by references into this permit and shall be met Systems shall be installed in accordance with the attached system layout PROPERTY LOCATION: 19 Shiloh Dr (SR 1253) ISSUED TO: Carroll Construction Homes SUBDIVISION Shiloh Repair Expansion Facility Type: 65'x60' SFD X New Basement fixtures? Yes X No Basement? Yes X No Pump to 25% reduction (Initial) Wastewater Flow: 360 Type of Wastewater System** (See note below, if applicable) Pump to 25% reduction Number of trenches 1 Installation Requirements/Conditions Trench Spacing: 9 Feet on Center Exact length of each trench 225 Septic Tank Size 1000 pallons Soil Cover: 6 Trenches shall be installed on contour at a Pump Tank Size 1000 gallons (Maximum soil cover shall not exceed Maximum Trench Depth of: 18-24 inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) inches below pipe Pump Requirements: _____ft. TDH vs. inches above pipe Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. "Il applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan plat or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provision, of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit 7-22-24 7-22-29 Construction Authorization Expiration Date:

SITE SKETCH

DIN 0539-44-5863

Permit Number SFD2309-0048

Carroll Construction Homes

Applicant's Name
Mark Osborne REHS

Authorized State Agent

Shiloh / Lot 1

Subdivision/Section/Lot Number

7-22-24

Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

