

# Reaction Summary of Order



|                 |                  |                 |              |
|-----------------|------------------|-----------------|--------------|
| REQ. QUOTE DATE | / /              | ORDER #         | J0923-5027   |
| ORDER DATE      | 09/11/23         | QUOTE #         |              |
| DELIVERY DATE   | / /              | CUSTOMER ACCT # | 0000006801   |
| DATE OF INVOICE | / /              | CUSTOMER PO #   |              |
| ORDERED BY      | Dustin Blackwell | INVOICE #       |              |
| COUNTY          | Harnett          | TERMS           |              |
| SUPERINTENDANT  | Ashley           | SALES REP       | Lenny Norris |
| JOBSITE PHONE # | (919) 353-1257   | SALES AREA      | Curtis Quick |

|            |  |   |   |
|------------|--|---|---|
| SPECIAL TO | <b>Weaver Development, Inc.</b><br>350 Wagoneer Drive<br>Fayetteville, NC 28303<br>(919) 606--4696 | <b>JOB NAME:</b> Lot 6 West Pointe<br><b>MODEL:</b> Roof<br><b>DELIVERY INSTRUCTIONS:</b> | <b>LOT # 6</b><br><b>TAG:</b> Lauren III / Elev. A / CP<br><b>SUBDIV:</b> West Pointe<br><b>JOB CATEGORY:</b> _ |
|            | <b>Weaver Development</b><br>Lot 6 West Pointe<br>Harnett Co., NC                                  | <b>SPECIAL INSTRUCTIONS:</b><br>Like Lot 25 Jackson Pond (J0623-3370)                     | <b>PLAN SEAL DATE:</b> 2/18/20<br>BY DATE   |

|                            |                      |                    |                    |                     |                         |              |                            |
|----------------------------|----------------------|--------------------|--------------------|---------------------|-------------------------|--------------|----------------------------|
| <b>BUILDING DEPARTMENT</b> | <b>OVERHANG INFO</b> | <b>HEEL HEIGHT</b> | 00-04-05           | <b>REQ. LAYOUTS</b> | <b>REQ. ENGINEERING</b> | <b>QUOTE</b> | / /                        |
| Roof Order                 | END CUT              | RETURN             |                    |                     |                         | LAYOUT       | CQ 09/11/23                |
|                            | PLUMB                |                    | <b>GABLE STUDS</b> | 24 IN. OC           | JOBSITE 1               | JOBSITE 1    | <b>CUTTING</b> CQ 09/11/23 |

|                     |                            |                     |              |   |
|---------------------|----------------------------|---------------------|--------------|---|
| <b>ROOF TRUSSES</b> | <b>LOADING INFORMATION</b> | TCLL-TCDL-BCLL-BCDL | STRESS INCR. | <b>ROOF TRUSS SPACING:</b> 24.0 IN. O.C. (TYP.) |
|                     |                            | 20.0,10.0,0.0,10.0  | 1.15         |   |

| PROFILE | QTY | PITCH |      | TYPE ID       | BASE O/A             | LUMBER |        | OVERHANG |          | REACTIONS                             |  |  |  |                                      |  |
|---------|-----|-------|------|---------------|----------------------|--------|--------|----------|----------|---------------------------------------|--|--|--|--------------------------------------|--|
|         |     | TOP   | BOT  |               |                      | TOP    | BOT    | LEFT     | RIGHT    |                                       |  |  |  |                                      |  |
|         | 5   | 6.00  | 3.00 | PIGGYBACK A1  | 61-06-00<br>61-06-00 | 2 X 6  | 2 X 6  | 00-10-08 | 00-10-08 | Joint 2<br>494.5 lbs.<br>-13.5 lbs.   | Joint 13<br>1866.6 lbs.<br>-203.0 lbs. | Joint 18<br>2864.4 lbs.<br>-237.2 lbs. |  |                                      |  |
|         | 1   | 6.00  | 3.00 | PIGGYBACK A1A | 61-06-00<br>61-06-00 | 2 X 6  | 2 X 6  |          | 00-10-08 | Joint 1<br>440.5 lbs.<br>-12.0 lbs.   | Joint 12<br>1866.2 lbs.<br>-203.1 lbs. | Joint 17<br>2867.7 lbs.<br>-237.7 lbs. |  |                                      |  |
|         | 1   | 6.00  | 3.00 | GABLE A1GE    | 61-06-00<br>61-06-00 | 2 X 6  | 2 X 6  | 00-10-08 | 00-10-08 | Joint 2<br>175.2 lbs.<br>-87.5 lbs.   | Joint 36<br>195.6 lbs.<br>-72.4 lbs.   | Joint 38<br>316.0 lbs.<br>-117.5 lbs.  | Joint 39<br>91.2 lbs.<br>-24.6 lbs.    | Joint 40<br>181.3 lbs.<br>-67.0 lbs. |  |
|         | 3   | 6.00  | 3.00 | PIGGYBACK A2  | 61-06-00<br>61-06-00 | 2 X 6  | 2 X 6  |          | 00-10-08 | Joint 1<br>366.1 lbs.<br>-36.6 lbs.   | Joint 10<br>446.1 lbs.<br>-69.7 lbs.   | Joint 13<br>1623.8 lbs.<br>-161.0 lbs. | Joint 17<br>2671.6 lbs.<br>-172.1 lbs. |                                      |  |
|         | 4   | 6.00  | 3.00 | PIGGYBACK A3  | 59-00-00<br>59-00-00 | 2 X 6  | 2 X 6  |          | 00-10-08 | Joint 1<br>388.9 lbs.<br>-33.5 lbs.   | Joint 9<br>691.4 lbs.<br>-101.6 lbs.   | Joint 13<br>1917.9 lbs.<br>-111.4 lbs. | Joint 15<br>2161.5 lbs.<br>-218.9 lbs. |                                      |  |
|         | 2   | 6.00  | 0.00 | PIGGYBACK A4  | 59-00-00<br>59-00-00 | 2 X 6  | 2 X 6  | 00-10-08 | 00-10-08 | Joint 2<br>1296.9 lbs.<br>-105.3 lbs. | Joint 10<br>550.9 lbs.<br>-102.7 lbs.  | Joint 14<br>3293.4 lbs.<br>-15.8 lbs.  |  |                                      |  |
|         | 5   | 6.00  | 0.00 | PIGGYBACK A4A | 59-00-00<br>59-00-00 | 2 X 6  | 2 X 10 | 00-10-08 | 00-10-08 | Joint 2<br>1131.0 lbs.<br>-90.3 lbs.  | Joint 10<br>402.3 lbs.<br>-226.2 lbs.  | Joint 14<br>3662.2 lbs.<br>-57.1 lbs.  |  |                                      |  |
|         | 1   | 6.00  | 0.00 | GABLE A4GE    | 59-00-00<br>59-00-00 | 2 X 6  | 2 X 6  | 00-10-08 | 00-10-08 | Joint 2<br>162.3 lbs.<br>-35.7 lbs.   | Joint 36<br>118.7 lbs.<br>5.9 lbs.     | Joint 38<br>138.9 lbs.<br>-86.1 lbs.   | Joint 39<br>163.8 lbs.<br>-71.3 lbs.   | Joint 40<br>159.3 lbs.<br>-68.7 lbs. |  |
|         | 4   | 6.00  | 0.00 | COMMON P1     | 16-00-00<br>16-00-00 | 2 X 6  | 2 X 6  | 00-10-08 | 00-10-08 | Joint 2<br>680.1 lbs.<br>-142.1 lbs.  | Joint 4<br>680.1 lbs.<br>-142.1 lbs.   |  |  |                                      |  |
|         | 1   | 6.00  | 0.00 | GABLE P1GE    | 16-00-00<br>16-00-00 | 2 X 6  | 2 X 6  | 00-10-08 | 00-10-08 | Joint 2<br>680.1 lbs.<br>-152.9 lbs.  | Joint 4<br>680.1 lbs.<br>-152.9 lbs.   |  |  |                                      |  |
|         | 20  | 6.00  | 0.00 | PIGGYBACK PB1 | 13-06-13<br>13-06-13 | 2 X 4  | 2 X 4  |          |          | Joint 2<br>290.6 lbs.<br>-42.4 lbs.   | Joint 4<br>290.6 lbs.<br>-50.7 lbs.    | Joint 6<br>586.2 lbs.<br>1.1 lbs.      |  |                                      |  |

# Reaction Summary of Order



|                 |                  |                 |              |
|-----------------|------------------|-----------------|--------------|
| REQ. QUOTE DATE | / /              | ORDER #         | J0923-5027   |
| ORDER DATE      | 09/11/23         | QUOTE #         |              |
| DELIVERY DATE   | / /              | CUSTOMER ACCT # | 0000006801   |
| DATE OF INVOICE | / /              | CUSTOMER PO #   |              |
| ORDERED BY      | Dustin Blackwell | INVOICE #       |              |
| COUNTY          | Harnett          | TERMS           |              |
| SUPERINTENDANT  | Ashley           | SALES REP       | Lenny Norris |
| JOBSITE PHONE # | (919) 353-1257   | SALES AREA      | Curtis Quick |

|                                |  |   |
|--------------------------------|--|---|
| SOLD TO                        | <b>Weaver Development, Inc.</b><br>350 Wagoneer Drive<br>Fayetteville, NC 28303<br>(919) 606--4696 | <b>JOB NAME:</b> Lot 6 West Pointe <b>LOT # 6</b> <b>SUBDIV:</b> West Pointe<br><b>MODEL:</b> Roof <b>TAG:</b> Lauren III / Elev. A / CP <b>JOB CATEGORY:</b> _ |
|                                | <b>Weaver Development</b><br>Lot 6 West Pointe<br>Harnett Co., NC                                  | <b>DELIVERY INSTRUCTIONS:</b><br><br><b>SPECIAL INSTRUCTIONS:</b><br>Like Lot 25 Jackson Pond (J0623-3370)  |
| <b>PLAN SEAL DATE:</b> 2/18/20 |  |   |

|                            |                      |                    |                    |                     |                         |              |             |
|----------------------------|----------------------|--------------------|--------------------|---------------------|-------------------------|--------------|-------------|
| <b>BUILDING DEPARTMENT</b> | <b>OVERHANG INFO</b> | <b>HEEL HEIGHT</b> | 00-04-05           | <b>REQ. LAYOUTS</b> | <b>REQ. ENGINEERING</b> | <b>QUOTE</b> | / /         |
| Roof Order                 | END CUT              | RETURN             |                    |                     |                         | LAYOUT       | CQ 09/11/23 |
|                            | PLUMB                |                    | <b>GABLE STUDS</b> | 24 IN. OC           | JOBSITE 1               | CUTTING      | CQ 09/11/23 |

**ROOF TRUSSES**      **LOADING INFORMATION**      TOLL-TCDL-BCLL-BCDL      STRESS INCR.      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)  
 20.0,10.0,0.0,10.0      1.15

| PROFILE | QTY | PITCH |      | TYPE ID     | BASE O/A             | LUMBER |       | OVERHANG |       | REACTIONS                            |                                       |                                       |                                       |                                       |
|---------|-----|-------|------|-------------|----------------------|--------|-------|----------|-------|--------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
|         |     | TOP   | BOT  |             |                      | TOP    | BOT   | LEFT     | RIGHT | Joint 2                              | Joint 8                               | Joint 10                              | Joint 11                              | Joint 12                              |
|         | 2   | 6.00  | 0.00 | GABLE PB1GE | 13-06-13<br>13-06-13 | 2 X 4  | 2 X 4 |          |       | Joint 2<br>141.1 lbs.<br>-23.4 lbs.  | Joint 8<br>141.1 lbs.<br>-32.1 lbs.   | Joint 10<br>221.8 lbs.<br>-95.4 lbs.  | Joint 11<br>147.8 lbs.<br>-65.2 lbs.  | Joint 12<br>146.0 lbs.<br>34.1 lbs.   |
|         | 1   | 12.00 | 0.00 | GABLE VA1   | 23-06-04<br>23-06-04 | 2 X 6  | 2 X 6 |          |       | Joint 1<br>335.1 lbs.<br>-164.4 lbs. | Joint 13<br>301.3 lbs.<br>-114.4 lbs. | Joint 14<br>171.0 lbs.<br>-124.7 lbs. | Joint 15<br>192.9 lbs.<br>-139.7 lbs. | Joint 16<br>189.2 lbs.<br>-138.4 lbs. |
|         | 1   | 12.00 | 0.00 | VALLEY VA10 | 05-06-04<br>05-06-04 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>118.9 lbs.<br>-21.2 lbs.  | Joint 3<br>118.8 lbs.<br>-21.2 lbs.   | Joint 4<br>152.6 lbs.<br>20.1 lbs.    |                                       |                                       |
|         | 1   | 12.00 | 0.00 | VALLEY VA11 | 03-06-04<br>03-06-04 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>115.2 lbs.<br>-3.7 lbs.   | Joint 3<br>115.2 lbs.<br>-3.7 lbs.    |                                       |                                       |                                       |
|         | 1   | 12.00 | 0.00 | VALLEY VA2  | 21-06-04<br>21-06-04 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>189.6 lbs.<br>-90.0 lbs.  | Joint 7<br>158.9 lbs.<br>-49.0 lbs.   | Joint 8<br>347.0 lbs.<br>-144.2 lbs.  | Joint 9<br>517.9 lbs.<br>-182.8 lbs.  | Joint 11<br>362.1 lbs.<br>72.6 lbs.   |
|         | 1   | 12.00 | 0.00 | VALLEY VA3  | 19-06-04<br>19-06-04 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>186.4 lbs.<br>-125.5 lbs. | Joint 7<br>167.9 lbs.<br>-88.6 lbs.   | Joint 8<br>286.2 lbs.<br>-131.9 lbs.  | Joint 9<br>460.5 lbs.<br>-184.6 lbs.  | Joint 11<br>367.5 lbs.<br>69.6 lbs.   |
|         | 1   | 12.00 | 0.00 | VALLEY VA4  | 17-06-04<br>17-06-04 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>206.8 lbs.<br>-23.1 lbs.  | Joint 5<br>181.8 lbs.<br>10.1 lbs.    | Joint 6<br>522.4 lbs.<br>-213.0 lbs.  | Joint 8<br>345.1 lbs.<br>62.3 lbs.    | Joint 9<br>522.7 lbs.<br>-213.2 lbs.  |
|         | 1   | 12.00 | 0.00 | VALLEY VA5  | 15-06-04<br>15-06-04 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>173.7 lbs.<br>-29.3 lbs.  | Joint 5<br>151.6 lbs.<br>0.0 lbs.     | Joint 6<br>449.0 lbs.<br>-186.1 lbs.  | Joint 7<br>348.3 lbs.<br>60.7 lbs.    | Joint 8<br>449.4 lbs.<br>-186.2 lbs.  |
|         | 1   | 12.00 | 0.00 | VALLEY VA6  | 13-06-04<br>13-06-04 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>136.4 lbs.<br>-37.8 lbs.  | Joint 5<br>117.3 lbs.<br>-12.4 lbs.   | Joint 6<br>378.5 lbs.<br>-166.1 lbs.  | Joint 7<br>335.3 lbs.<br>58.0 lbs.    | Joint 8<br>378.8 lbs.<br>-166.2 lbs.  |
|         | 1   | 12.00 | 0.00 | VALLEY VA7  | 11-06-04<br>11-06-04 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>113.9 lbs.<br>-76.6 lbs.  | Joint 5<br>93.6 lbs.<br>-55.2 lbs.    | Joint 6<br>339.1 lbs.<br>-161.4 lbs.  | Joint 7<br>222.8 lbs.<br>54.1 lbs.    | Joint 8<br>339.3 lbs.<br>-161.5 lbs.  |
|         | 1   | 12.00 | 0.00 | VALLEY VA8  | 09-06-04<br>09-06-04 | 2 X 4  | 2 X 4 |          |       | Joint 1<br>194.2 lbs.<br>-52.0 lbs.  | Joint 3<br>201.3 lbs.<br>-26.4 lbs.   | Joint 4<br>307.6 lbs.<br>12.4 lbs.    | Joint 11<br>153.6 lbs.<br>2.2 lbs.    | Joint 12<br>407.2 lbs.<br>-116.1 lbs. |

# Reaction Summary of Order



|                 |                  |                 |              |
|-----------------|------------------|-----------------|--------------|
| REQ. QUOTE DATE | / /              | ORDER #         | J0923-5027   |
| ORDER DATE      | 09/11/23         | QUOTE #         |              |
| DELIVERY DATE   | / /              | CUSTOMER ACCT # | 0000006801   |
| DATE OF INVOICE | / /              | CUSTOMER PO #   |              |
| ORDERED BY      | Dustin Blackwell | INVOICE #       |              |
| COUNTY          | Harnett          | TERMS           |              |
| SUPERINTENDANT  | Ashley           | SALES REP       | Lenny Norris |
| JOBSITE PHONE # | (919) 353-1257   | SALES AREA      | Curtis Quick |

|       |  |   |   |
|-------|--|---|---|
| SHEET | <b>Weaver Development, Inc.</b><br>350 Wagoneer Drive<br>Fayetteville, NC 28303<br>(919) 606--4696 | <b>JOB NAME:</b> Lot 6 West Pointe<br><b>MODEL:</b> Roof<br><b>DELIVERY INSTRUCTIONS:</b> | <b>LOT # 6</b><br><b>TAG:</b> Lauren III / Elev. A / CP<br><b>SUBDIV:</b> West Pointe<br><b>JOB CATEGORY:</b> _ |
|       | <b>Weaver Development</b><br>Lot 6 West Pointe<br>Harnett Co., NC                                  | <b>SPECIAL INSTRUCTIONS:</b><br>Like Lot 25 Jackson Pond (J0623-3370)                     | <b>PLAN SEAL DATE:</b> 2/18/20<br>BY DATE   |

|                            |                      |                    |           |                     |                         |              |             |
|----------------------------|----------------------|--------------------|-----------|---------------------|-------------------------|--------------|-------------|
| <b>BUILDING DEPARTMENT</b> | <b>OVERHANG INFO</b> | <b>HEEL HEIGHT</b> | 00-04-05  | <b>REQ. LAYOUTS</b> | <b>REQ. ENGINEERING</b> | <b>QUOTE</b> | / /         |
| Roof Order                 | END CUT              | RETURN             |           |                     |                         | LAYOUT       | CQ 09/11/23 |
|                            | PLUMB                |                    |           | JOBSITE 1           | JOBSITE 1               | CUTTING      | CQ 09/11/23 |
|                            | <b>GABLE STUDS</b>   |                    | 24 IN. OC |                     |                         |              |             |

## ROOF TRUSSES

| PROFILE | QTY | PITCH |      | TYPE ID    | BASE O/A             | LUMBER |       | OVERHANG |       | REACTIONS   |
|---------|-----|-------|------|------------|----------------------|--------|-------|----------|-------|---|
|         |     | TOP   | BOT  |            |                      | TOP    | BOT   | LEFT     | RIGHT |   |
|         | 1   | 12.00 | 0.00 | VALLEY VA9 | 07-06-04<br>07-06-04 | 2 X 4  | 2 X 4 |          |       | Joint 1: 167.6 lbs., -29.9 lbs.<br>Joint 3: 167.5 lbs., -29.9 lbs.<br>Joint 4: 215.2 lbs., 28.4 lbs.  |
|         | 1   | 6.00  | 0.00 | VALLEY VP1 | 15-08-09<br>15-08-09 | 2 X 4  | 2 X 4 |          |       | Joint 1: 107.2 lbs., -3.6 lbs.<br>Joint 5: 107.2 lbs., 1.7 lbs.<br>Joint 6: 343.9 lbs., -77.1 lbs.<br>Joint 7: 271.6 lbs., 33.3 lbs.<br>Joint 8: 343.8 lbs., -77.2 lbs. |
|         | 1   | 6.00  | 0.00 | VALLEY VP2 | 11-08-09<br>11-08-09 | 2 X 4  | 2 X 4 |          |       | Joint 1: 194.9 lbs., -25.7 lbs.<br>Joint 3: 194.9 lbs., -31.7 lbs.<br>Joint 4: 456.3 lbs., 0.6 lbs.   |
|         | 1   | 6.00  | 0.00 | VALLEY VP3 | 07-08-09<br>07-08-09 | 2 X 4  | 2 X 4 |          |       | Joint 1: 133.1 lbs., -21.3 lbs.<br>Joint 3: 133.2 lbs., -25.0 lbs.<br>Joint 4: 256.2 lbs., 11.0 lbs.  |
|         | 1   | 6.00  | 0.00 | VALLEY VP4 | 03-08-09<br>03-08-09 | 2 X 4  | 2 X 4 |          |       | Joint 1: 101.3 lbs., -6.1 lbs.<br>Joint 3: 101.3 lbs., -6.1 lbs.  |

## ITEMS

| QTY | ITEM TYPE         | SIZE                     | LENGTH FT-IN-16 | PART NUMBER | NOTES     |
|-----|-------------------|--------------------------|-----------------|-------------|-----------|
| 4   | LVL Beams (Sized) | LVL, 1-3/4" x 9-1/4" (S) | 07-00-00        |             | BM1 & BM2 |
| 3   | LVL Beams (Sized) | LVL, 1-3/4" x 16" (S)    | 23-00-00        |             | GDH       |