Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit
PROPERTY LOCATION: 94 Hillwood Dr (SR 1141)

ISSUED TO: Weaver Homes	SUBDIVISION West Pointe	00 DI (3K 1141)	107 4 10
		quired prior to Construction Auth	LOT # 48
Type of Structure: 42'x62' SFD		quired prior to construction num	orization issuance.
Proposed Wastewater System Type: Pump to 25	5% reduction		
Projected Daily Flow: 360 GPD			
Number of bedrooms: 3 Number of Occi	ipants: 6max		
Basement Yes X No			
	uired based on final location and elevations of facilities		
	Well Distance from wellfeet	Permit valid for:	▼ Five years
Permit conditions:			☐ No expiration
Authorized State Agent::	Date: 10-20-23	(FF V	TTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guar	antees the issuance of other permits. The permit holder is responsible for ch	ecking with appropriate governing bodies	in meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use	changes. The Improvement Permit shall not be affected by a change in own	ership of the site. This permit is subject t	to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditi	ons of this permit.		
	Construction Authorization		
	(Required for Building Permit)		
The construction and installation requirements of Rules .1950, .1952, .	1954, 1955, 1956, 1957, 1958, and 1959 are incorporated by references	into this permit and shall be met. System	ms shall be installed in accordance
with the attached system layout.			
ISSUED TO: Weaver Homes	PROPERTY LOCATION: 94 H	illwood Dr (SR 114	.1)
	SUBDIVISION West Poin		LOT # 48
Facility Type: 42'x62' SFD	New ☐ Expansion ☐ Repair		101 // 40
· · · · ·	xtures? Yes No		
	5% reduction	(Initial) Wartowater Flour	: 360 GPD
(See note below, if applicable)	770 TCddCtiOTI	(Initial) Wastewater Flow	<u> 300 </u>
	5% reduction (Repair)		
	Number of trenches 1 (Repair)		
	Number of trenches 1		
	STATE OF THE STATE	T	r
Septic Tank Size 1000 gallons	Exact length of each trench 150 feet	Trench Spacing: 9	
Septic Tank Size 1000 gallons	Exact length of each trench 150 feet Trenches shall be installed on contour at a	Soil Cover: 6	_inches
Septic Tank Size 1000 gallons	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches	Soil Cover: 6 (Maximum soil cover shall	_inches not exceed
Septic Tank Size 1000 gallons	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4"	Soil Cover: 6	_inches not exceed
Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions)	Soil Cover: 6 (Maximum soil cover shall	_inches not exceed
Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4"	Soil Cover: 6 (Maximum soil cover shall 36" above the trench bo	_inches not exceed
Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Pump Requirements:ft. TDH vs	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions) GPM	Soil Cover: 6 (Maximum soil cover shall	_inches not exceed ttom)
Pump Tank Size 1000gallons Pump Requirements:ft. TDH vs	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions)	Soil Cover: 6 (Maximum soil cover shall 36" above the trench bo	_inches not exceed ittom) inches below pipe
Septic Tank Size 1000gallons Pump Tank Size 1000gallons Pump Requirements:ft. TDH vs	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions) GPM	Soil Cover: 6	inches not exceed attom) inches below pipe inches above pipe
Septic Tank Size 1000gallons Pump Tank Size 1000gallons Pump Requirements:ft. TDH vs	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions) GPM	Soil Cover: 6	inches not exceed attom) inches below pipe inches above pipe
Septic Tank Size 1000gallons Pump Tank Size 1000gallons Pump Requirements:ft. TDH vs Conditions:	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions)GPM BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR	Soil Cover: 6	inches not exceed attom) inches below pipe inches above pipe
Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Pump Requirements: ft. TDH vs Conditions: VATER LINES (INCLUDING IRRIGATION) MUST IO UTILITIES ALLOWED IN INITIAL OR REPAIR	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions) GPM BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR IDRAIN FIELD AREA.	Soil Cover: 6 (Maximum soil cover shall 36" above the trench bo Aggregate Depth: REPAIR AREA.	inches not exceed attom) inches below pipe inches above pipe inches total
Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Pump Requirements: ft. TDH vs Conditions: VATER LINES (INCLUDING IRRIGATION) MUST IO UTILITIES ALLOWED IN INITIAL OR REPAIR	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions)GPM BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR	Soil Cover: 6 (Maximum soil cover shall 36" above the trench bo Aggregate Depth: REPAIR AREA.	inches not exceed attom) inches below pipe inches above pipe inches total
Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Pump Requirements: ft. TDH vs	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions) GPM BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR IDRAIN FIELD AREA.	Soil Cover: 6 (Maximum soil cover shall 36" above the trench bo Aggregate Depth: REPAIR AREA.	inches not exceed attom) inches below pipe inches above pipe inches total
Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Pump Requirements: ft. TDH vs. Conditions: VATER LINES (INCLUDING IRRIGATION) MUST IO UTILITIES ALLOWED IN INITIAL OR REPAIR Owner/Legal Representative Signature:	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions) GPM BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR INCOMPANY FIELD AREA. It is different from the type specified on the application	Soil Cover: 6(Maximum soil cover shall 36" above the trench bo Aggregate Depth: REPAIR AREA. Laccept the specifications of Date:	inches not exceed attom) inches below pipe inches above pipe inches total
Pump Tank Size 1000 gallons Pump Tank Size 1000 gallons Pump Requirements: ft. TDH vs Conditions: VATER LINES (INCLUDING IRRIGATION) MUST IO UTILITIES ALLOWED IN INITIAL OR REPAIR IN the system type specifies of the system type spec	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions) GPM BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR INCRAIN FIELD AREA. It is different from the type specified on the application plat, or the intended use changes. The Construction Authorization shall not	Soil Cover: 6 (Maximum soil cover shall 36" above the trench bo Aggregate Depth: REPAIR AREA. J accept the specifications of Date: be transferred when there is a change in	inches not exceed ittom) inches below pipe inches above pipe inches total (this permit.
Pump Tank Size 1000 gallons Pump Tank Size 1000 gallons Pump Requirements: ft. TDH vs Conditions: VATER LINES (INCLUDING IRRIGATION) MUST IO UTILITIES ALLOWED IN INITIAL OR REPAIR IN the system type specifies of the system type spec	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions) GPM BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR INCOMPANY FIELD AREA. It is different from the type specified on the application	Soil Cover: 6 (Maximum soil cover shall 36" above the trench bo Aggregate Depth: REPAIR AREA. J accept the specifications of Date: be transferred when there is a change in	inches not exceed attom) inches below pipe inches above pipe inches total
Pump Tank Size 1000 gallons Pump Tank Size 1000 gallons Pump Requirements: ft. TDH vs. Conditions: VATER LINES (INCLUDING IRRIGATION) MUST IO UTILITIES ALLOWED IN INITIAL OR REPAIR In applicable: I understand the system type specifies Owner/Legal Representative Signature: Dis Construction Authorization is subject to revocation if the site plan, onstruction Authorization is subject to compliance with the provisions	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions) GPM BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR INCOME. DRAIN FIELD AREA. In the intended use changes. The Construction Authorization shall not of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions.	Soil Cover: 6 (Maximum soil cover shall 36" above the trench bo Aggregate Depth: REPAIR AREA. Date: Date: be transferred when there is a change in lons of this permit. SEE	inches not exceed ittom) inches below pipe inches above pipe inches total (this permit.
Pump Tank Size 1000 gallons Pump Tank Size 1000 gallons Pump Requirements: ft. TDH vs. Conditions: VATER LINES (INCLUDING IRRIGATION) MUST IO UTILITIES ALLOWED IN INITIAL OR REPAIR If applicable: I understand the system type specifies Owner/Legal Representative Signature: Dis Construction Authorization is subject to revocation if the site plan,	Exact length of each trench 150 feet Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 inches (Trench bottoms shall be level to +/-1/4" in all directions) GPM BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR INCOME. DRAIN FIELD AREA. In the intended use changes. The Construction Authorization shall not of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions.	Soil Cover: 6 (Maximum soil cover shall 36" above the trench bo Aggregate Depth: REPAIR AREA. Date: Date: be transferred when there is a change in lons of this permit. SEE	inches not exceed ittom) inches below pipe inches above pipe inches total (this permit.

Harnett County Department of Public Health Site Sketch

sued To: Weaver Homes	Subdivision West Pointe	Lot # <u>4</u>
uthorized State Agent:	Mah la REIT	Date: 10-20-23
	N 00°42'48" E	
Ĭ,		
2 C		
TBAC	121800	
 	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	
J 11	1	

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.