

Harnett County Department of Public Health Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: David + Lilly Fowler PROPERTY LOCATION: 188 Hobby Rd, Holly Springs
 NEW REPAIR EXPANSION SUBDIVISION _____ LOT # 4
 Type of Structure: SFD 83'x60' Site Improvements required prior to Construction Authorization Issuance: _____
 Proposed Wastewater System Type: 25% Reduction System
 Projected Daily Flow: 360 GPD
 Number of bedrooms: 3 Number of Occupants: 6 max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well _____ feet Permit valid for: Five years
 Permit conditions: There is to be NO grading or cutting of land due to limited soil depth. No expiration

Authorized State Agent: James E. Markham Date: 11-22-23 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization (Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: David + Lilly Fowler PROPERTY LOCATION: 188 Hobby Rd, Holly Springs
 SUBDIVISION _____ LOT # 4
 Facility Type: SFD 83'x60' New Expansion Repair
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** 25% Reduction System (Initial) Wastewater Flow: 360 GPD
 (See note below, if applicable 50% Reduction System (Repair))

Installation Requirements/Conditions
 Number of trenches 3
 Septic Tank Size 1,000 gallons Exact length of each trench 120 feet Trench Spacing: 9 Feet on Center
 Pump Tank Size _____ gallons Trenches shall be installed on contour at a Soil Cover: _____ inches
 Maximum Trench Depth of: 12 max inches (Maximum soil cover shall not exceed 36" above the trench bottom)
 (Trench bottoms shall be level to +/- 1/4" in all directions)
 Pump Requirements: _____ ft. TDH vs. _____ GPM _____ inches below pipe
 Aggregate Depth: _____ inches above pipe
 Conditions: There is to be NO grading or cutting of land due to limited soil depth. _____ inches total

**WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.**

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH


Authorized State Agent: James E. Markham Date: 11-22-23
 Construction Authorization Expiration Date: 11-22-28

Application # SFD 2310-9022

Harnett County Department of Public Health
Site Sketch

Property Location: 188 Hobby Rd, Holly Springs, NC, 27540 SR, 1400
Issued To: David + Lily Fowler Subdivision _____ Lot # 4

Authorized State Agent: James E. Mankin SR 28118 Date: 11-22-23
RW M



* There is to No grading or cutting of land due to Limited Soil Depth

Hobby Rd

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.