| ٨ 4 | | | |
|-------|--|--|--|
| App#_ | | | |
| , the | | | |

Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 978 Marks Rd (SR 1111) ISSUED TO: Robin Hughes SUBDIVISION NEW X REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 40'x46' SFD Proposed Wastewater System Type: pump to 25% reduction Projected Daily Flow: 480 GPD Number of Occupants: 8 Number of bedrooms: 4 Basement Yes May be required based on final location and elevations of facilities ☐ No Pump Required: XYes Type of Water Supply: Community Public Well Distance from well ______feet Permit valid for: X Five years No expiration Permit conditions: Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Robin Hughes PROPERTY LOCATION: 978 Marks Rd (SR 1111) LOT # SUBDIVISION Facility Type: 40'x46' SFD Expansion Basement? Yes X No Basement Fixtures? Yes × No Type of Wastewater System** _pump to 25% reduction (Initial) Wastewater Flow: 480 GPD (See note below, if applicable) pump to 25% reduction Installation Requirements/Conditions Number of trenches 1 Septic Tank Size 1000 Exact length of each trench 200 Trench Spacing: 9 Pump Tank Size 1000 Soil Cover: 6 Trenches shall be installed on contour at a Maximum Trench Depth of: 18-30 (Maximum soil cover shall not exceed inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: _____ft. TDH vs. ___ inches below pipe inches above pipe Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date: 01-04-29

Application # _____

Harnett County Department of Public Health Site Sketch

| Property Location: 978 | Marks Rd (SR 1111) | |
|-------------------------|---------------------------------|---|
| Issued To: Robin Hughes | Subdivision | Lot # |
| Authorized State Agen | t: Mah W REHS | Date: 1-4-24 |
| | ~//E' | |
| 2 500 | Torus 25% raduction repair Area | Bring Supply Line TO Drain Field and keep Supply Line 7 from property line \$ STAT lines at Db at 30" deep And go To Shallower ends |
| .502~ | Deck 18 Horse | ,502~ |
| | 7' | |
| | 9 | |
| WV | Overhead Dower ~112' | |
| , , | 4) | |

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.