



Builders First Source 23 Red Cedar Way Apex, NC 27523 Phone: (919) 363-4956 Fax: (919) 387-8565 https://www.bldr.com

General Notes:
- Per ANSI/TPI 1-2002 all " Truss to Wall" connections are the responsibility of the Building Designer, not the Truss Manufacturer.

- Dimensions are Feet-Inches- Sixteenths.

- Trusses are to be 24" o.c. unless noted otherwise

- Trusses are not designed to support brick U.N.O. Do not cut or modify trusses without first contacting Builders FirstSource.
 Immediately contact Builders FirstSource if


trusses are damaged.

trusses are damaged. <u>Connection Notes:</u>
- All hangers are to be Simpson or equivalent U.N.O.
- Use Manufacturer's specifications for all hanger connections U.N.O.
- Use 10d x 1 1/2" Nails in hanger connections to single ply roof girder trusses.
Floor notes:
- Shift truss as required to avoid plumbing traps.
- Installation Contractor and/or Field Supervisor are to verify all dimensions, trap locations, and options prior to installation
Dimension Notes:

Dimension Notes:

- Drawing not to scale. Do not scale dimensions

 $\triangle \triangleleft \nabla \triangleright$ LEFT END OF TRUSS AS SHOWN ON TRUSS DETAIL DRAWINGS ARE INDICATED BY TRIANGLE ICONS.



HAN	IGE	R LIS	<u>T</u>	ALL TIE DO	WNS H2	.5A UNLESS NOTE	C	
				SPEC1	AL I	TEMS LIST		
					MISC MATERIAL			
			CHES	SAPEAKE				
	62	8		ELEV:		В		
			F	ARM				
			NC	LOT:		161		
				APPWRIGHT #				
• [0	OPTI	ON 1	1					
		ON 2		CODE:		IRC 2015		
• [0	OPTI	ON 3]	LOADING:				
				T.C.L.L.		40 PSF		
DESIGNED	BY:	H)	/S	T.C.D.L.		10 PSF		
LAYOUT:				B.C.L.L.		0 PSF	_	
L/O DATE:	10	/23/2	2023	B.C.D.L		5 PSF		
REVISI	ON	HIST	ORY		<u>WIND:</u>			
REV1:	X	X/XX	/XX	M.P.H.		115 MPH		

REV2:

PICK TICKET:

SALES NO:

REV3: XX/XX/XX

<u>HATCH</u> <u>LEGEND</u>				
+ + + +	ATTIC ROOM			
	VOLUME CEILING			
	STICK FRAMING			

XX/XX/XX EXPOSURE CATEGORY

ACCT NO:

B (WOODED AREAS/OTHERS) JOB NO: