

**SOIL/SITE EVALUATION
 for ON-SITE WASTEWATER SYSTEM**

Owner: Applicant: Benjamin Stout Real Estate
 Address: 119 Alderman Ct Date Evaluated: 1-5-24
 Proposed Facility: SFD 34' x 49.17' Design Flow (.1949): 480 Property Size:
 Location of Site: Property Recorded:
 Water Supply: Public Individual Well Spring Other
 Evaluation Method: Auger Boring Pit Cut
 Type of Wastewater: Sewage Industrial Process Mixed

P R O F I L E #	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				Profile Class & LTAR
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	
1,2	2% LS	0-14	SL, g ^c	Fi, NS, NP, SE					
		14-28	SCL, SBK	Fi, SS, NP, SE					
		28-48	RL ^{wk} SBK	Fi, SS, NP, SE	2.5YR 5/8 7/1 = 28"	40"			.35
3	2% LS	0-14	SL, g ^c	Fi, NS, NP, SE					
		14-30	SCL, SBK	Fi, SS, NP, SE					
		30-48	CL ^{wk} SBK	Fi, SS, NP, SE	2.3YR 5/8 7/1 = 30"	48"			.35
4	1-2% LS	0-11	SL, g ^c	Fi, NS, NP, SE					
		11-36	SCL, SBK	Fi, SS, NP, SE					
		36-48	CL ^{wk} SBK	Fi, SS, NP, SE	7.5YR 5/8 5/2 = 36"	48"			.35

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948): PS Evaluated By: RL/JM Others Present:
Available Space (.1945)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
System Type(s)	25% Red	25% Red	
Site LTAR	.35	.35	

COMMENTS: _____

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTLY STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM	S-STICKY VS-VERY STICKY
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3	EFI-EXTREMELY FIRM	NP-NON-PLASTIC SP-SLIGHTLY STICKY
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		P-PLASTIC VP-VERY PLASTIC
FP-FLOOD PLAN		C-CLAY			
		SC-SANDY CLAY			


STRUCTURE

- SG-SINGLE GRAIN
- M-MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC

MINERALOGY


- SLIGHTLY EXPANSIVE
- EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)



I, MICHAEL P. GRIFFIN, certify that under my direction and supervision this map was drawn from an actual field survey; that the error of closure of the survey as calculated by coordinates is 1: 10,000+; that the area shown hereon was calculated by coordinates.
 Witness my hand and seal this day of MONTH 2023.

BK. 2023 PAGE 561
HARNETT CO. REGISTRY



CI R=50.00' L=52.36' S29°59'05"E 50.00'

PRELIMINARY
 NOT FOR RECORDATION,
 SALES OR CONVEYANCE

LEGEND

EIP	EXISTING IRON PIPE	FES	FLARED END SECTION
IPS	IRON PIPE SET	WM	WATER METER
RW	RIGHT OF WAY	CO	CLEAN OUT
N/F	NOW OR FORMERLY	FH	FIRE HYDRANT
EIS	EXISTING IRON STAKE	CB	CATCH BASIN



LS GRIFFIN LAND SURVEYING, INC.
 P.O. BOX 148
 FUQUAY-VARINA, NC 27526
 (919) - 567 - 1963

PLOT PLAN
 FOR
BEN STOUT
CONSTRUCTION
 FAIRGROUND FARMS
 LOT 6
 ALDERMAN COURT
 DUNN, N.C.
 HARNETT COUNTY AVERASBORO TOWNSHIP

DRAWN BY KDF	DATE 11/15/23
CHECKED BY MPG	SCALE 1" = 40'

Water table 20"
out 30"
out 38"