

		Products		
Net Qty	Plies	Product	Length	PlotI
10	1	11 7/8" NI-40x	40' 0"	FJ [,]
7	1	11 7/8" NI-40x	22' 0"	FJ:
1	1	11 7/8" NI-40x	20' 0"	FJ:
15	1	11 7/8" NI-40x	18' 0"	FJ
8	1	11 7/8" NI-40x	14' 0"	FJ
2	1	11 7/8" NI-40x	10' 0"	FJ
1	1	11 7/8" NI-40x	6' 0"	FJ
1	1	11 7/8" NI-40x	4' 0"	FJ
2	2	1-3/4"x 11-7/8" LVL Kerto-S	9' 0"	1FB
2	2	1-3/4"x 11-7/8" LVL Kerto-S	9' 0"	1FB
16	1	1 1/8" x 11 7/8" Rim Board	12' 0"	RIM
45	1	11 7/8" NI-40x	2' 0"	Bk



Reilly Road Industrial Park Fayetteville, N.C. 28309 Phone: (910) 864-8787 Fax: (910) 864-4444

Bearing reactions less than or equal to 3000# are deemed to comply with the prescriptive Code requirements. The contractor shall refer to the attached Tables (derived from the prescriptive Code requirements) to determine the minimum foundation size and number of wood studs required to support reactions greater than 3000# but not greater than 15000#. A registered design professional shall be retained to design the support system for any reaction that exceeds those specified in the attached Tables. A registered design professional shall be retained to design the support system for all reactions that exceed 15000#.

Signature Johnnie Baggett

Johnnie Baggett

LOAD CHART FOR JACK STUDS

(BASED ON TABLES R502.5(1) & (b))

		 		a (-) a (-	-,,	
NUA	MBER C	STUDS F			A END O	F
END REACTION (UP TO)	REQ'D STUDS FOR (2) PLY HEADER	END REACTION (UP TO)	REQ'D STUDS FOR (3) PLY HEADER		END REACTION (UP TO)	REQ'D STUDS FOR
1700	1	2550	1		3400	1
3400	2	5100	2		6800	3
5100	3	7650	3		10200	3
6800	4	10200	4		13600	4
8500	5	12750	5		17000	5
0200	6	15300	6			
1900	7					
3600	8					
5300	9					

	CITY / CO.	CITY / CO. Fuquay-Varina / Wake
s South	ADDRESS	140 Yates Mill Drive
sh Country	MODEL	I Crawl
	DATE REV . 4/12/24	4/12/24
	DRAWN BY	DRAWN BY Johnnie Baggett
	SALES REP.	SALES REP. Paul Hawkins

THIS IS A TRUSS PLACEMENT DIAGRAM ONLY.

These trusses are designed as individual building components to be incorporated into the building designer is responsible for temporary and identified on the placement drawing. The building designer is responsible for temporary and permanent bracing of the roof and floor system and for the overall structure. The design of the truss delivery consult BCSI-B1 and BCSI-B3 provided with the truss delivery package or online @ sbcindustry.com