



**Builders First Source** 23 Red Cedar Way Apex, NC 27523 Phone: (919) 363-4956 Fax: (919) 387-8565 https://www.bldr.com

# General Notes:

- Per ANSI/TPI 1-2002 all " Truss to Wall" connections are the responsibility of the Building Designer, not the Truss Manufacturer.

- Dimensions are Feet-Inches- Sixteenths.
  Trusses are to be 24" o.c. unless noted otherwise
- Trusses are not designed to support brick U.N.O. Do not cut or modify trusses without first contacting Builders FirstSource.
   Immediately contact Builders FirstSource if
- trusses are damaged.

- Connection Notes:

   All hangers are to be Simpson or equivalent U.N.O.

   Use Manufacturer's specifications for all hanger
- connections U.N.O.

   Use 10d x 1 1/2" Nails in hanger connections to single ply roof girder trusses.

Floor notes:
- Shift truss as required to avoid plumbing traps.
- Installation Contractor and/or Field Supervisor are to verify all dimensions, trap locations, and options prior to installation

## Dimension Notes:


HANGER LIST

2 H10A H10A

HTS20

- Drawing not to scale. Do not scale dimensions

 $\triangle$   $\triangleleft$   $\nabla$   $\triangleright$  LEFT END OF TRUSS AS SHOWN ON TRUSS DETAIL DRAWINGS ARE INDICATED BY TRIANGLE ICONS.



ALL TIE DOWNS H10A UNLESS NOTED

SPECIAL ITEMS LIST

				MISC MATERIAL				
CHESAPEAKE								
750				_	ELEV:	Α		
NEILL'S CREEK FARM								
1			NC		LOT:		159	
• [OPTION 1]				APPWRIGHT #				
• [OPTION 2]			9	CODE:		IRC 2015		
• [OPTION 3]				<u>LOADING:</u>				
			Т	T.C.L.L.		40 PSF		
DESIGNED BY:			YS	T.C.D.L.		10 PSF		
LAYOUT:			Е	B.C.L.L.		0 PSF		
L/O DATE:	1/3/2024		)24	В	B.C.D.L.		5 PSF	
REVISION HISTORY				<u>WIND:</u>				
REV1:	XX/XX/XX		/XX		M.P.H.		150 MPH	
REV2:	X	XX/XX/XX		EXPOSURE CATEGORY				
REV3:	X	X/XX	/XX		B (WOODED AREAS/OTHERS)			
PICK TICKET:					JOB NO:			
SALES	NO:				ACCT NO:			
HATO	EGE	ND	<u> </u>					

ATTIC ROOM

OLUME CEILING STICK FRAMING