

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0124-0299
ORDER DATE	01/17/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006802
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bob Beckstead	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 594-9200	SALES AREA	Curtis Quick

Weaver Homes Co. Inc.
350 Wagoner Drive
Fayetteville, NC 28303
(919) 606-4696

Weaver Homes, Inc.
152 Oleander Dr.
Sanford, NC 27332

JOB NAME: Lot 39 West Preserve **LOT #** 39 **SUBDIV:** West Preserve
MODEL: Roof **TAG:** Lauren III / Elev. A / 3 Car / **JOB CATEGORY:** _
DELIVERY INSTRUCTIONS:
SPECIAL INSTRUCTIONS:

PLAN SEAL DATE: 4/29/20
BY **DATE**

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 01/17/24
	PLUMB	GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	CQ 01/17/24

ROOF TRUSSES **LOADING INFORMATION** **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 2	Joint 35	Joint 37	Joint 38	Joint 39
	1	6.00	3.00	HIP A1GE	61-06-00 61-06-00	2 X 6	2 X 6	00-10-08	00-10-08	191.3 lbs. -100.9 lbs.	136.7 lbs. -52.7 lbs.	161.9 lbs. -69.2 lbs.	160.5 lbs. -61.2 lbs.	159.1 lbs. -45.9 lbs.
	1	6.00	0.00	GABLE A2GE	59-00-00 59-00-00	2 X 6	2 X 6	00-10-08	00-10-08	213.8 lbs. -117.0 lbs.	526.1 lbs. -160.1 lbs.	370.6 lbs. -209.6 lbs.	31.5 lbs. -432.8 lbs.	628.2 lbs. 66.3 lbs.
	5	6.00	3.00	PIGGYBACK A3	61-06-00 61-06-00	2 X 6	2 X 6	00-10-08	00-10-08	494.0 lbs. -13.4 lbs.	1852.9 lbs. -201.5 lbs.	2884.7 lbs. -235.9 lbs.		
	1	6.00	3.00	PIGGYBACK A3A	61-06-00 61-06-00	2 X 6	2 X 6		00-10-08	439.9 lbs. -11.9 lbs.	1852.4 lbs. -201.6 lbs.	2887.5 lbs. -236.3 lbs.		
	3	6.00	3.00	PIGGYBACK A4	61-06-00 61-06-00	2 X 6	2 X 6		00-10-08	368.6 lbs. -36.3 lbs.	412.9 lbs. -164.8 lbs.	1742.5 lbs. -286.4 lbs.	2688.5 lbs. -175.4 lbs.	
	4	6.00	3.00	PIGGYBACK A5	59-00-00 59-00-00	2 X 6	2 X 6		00-10-08	388.9 lbs. -33.5 lbs.	695.9 lbs. -102.5 lbs.	2101.4 lbs. -111.4 lbs.	2161.5 lbs. -218.9 lbs.	-19.0 lbs.
	2	6.00	0.00	PIGGYBACK A6	59-00-00 59-00-00	2 X 6	2 X 6	00-10-08	00-10-08	820.4 lbs. -58.3 lbs.	643.9 lbs. -94.9 lbs.	2757.3 lbs. -56.7 lbs.	1050.6 lbs. -106.0 lbs.	
	5	6.00	0.00	PIGGYBACK A6A	59-00-00 59-00-00	2 X 6	2 X 10	00-10-08	00-10-08	528.3 lbs. -38.2 lbs.	596.5 lbs. -106.4 lbs.	2699.5 lbs. -64.7 lbs.	1478.1 lbs. -135.8 lbs.	
	1	6.00	0.00	GABLE G1GE	22-00-00 22-00-00	2 X 4	2 X 6	00-10-08	00-10-08	166.2 lbs. -19.2 lbs.	166.2 lbs. -32.1 lbs.	230.3 lbs. -102.8 lbs.	143.0 lbs. -64.9 lbs.	150.5 lbs. -2.0 lbs.
	6	6.00	0.00	QUEENPOST G2	22-00-00 22-00-00	2 X 4	2 X 6	00-10-08	00-10-08	929.6 lbs. -66.3 lbs.	929.6 lbs. -66.3 lbs.			
	4	6.00	0.00	COMMON P1	16-00-00 16-00-00	2 X 6	2 X 6	00-10-08	00-10-08	680.1 lbs. -142.1 lbs.	680.1 lbs. -142.1 lbs.			

S O F T W A R E

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0124-0299
ORDER DATE	01/17/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006802
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bob Beckstead	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 594-9200	SALES AREA	Curtis Quick

Weaver Homes Co. Inc.
350 Wagoner Drive
Fayetteville, NC 28303
(919) 606-4696

Weaver Homes, Inc.
152 Oleander Dr.
Sanford, NC 27332

JOB NAME: Lot 39 West Preserve **LOT #** 39 **SUBDIV:** West Preserve
MODEL: Roof **TAG:** Lauren III / Elev. A / 3 Car / **JOB CATEGORY:** _
DELIVERY INSTRUCTIONS:
SPECIAL INSTRUCTIONS:

PLAN SEAL DATE: 4/29/20
BY **DATE**

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 01/17/24
	PLUMB	GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	CQ 01/17/24

ROOF TRUSSES **LOADING INFORMATION** **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	6.00	0.00	GABLE P1GE	16-00-00 16-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 680.1 lbs. -152.9 lbs.	Joint 4 680.1 lbs. -152.9 lbs.			
	20	6.00	0.00	PIGGYBACK PB1	13-06-13 13-06-13	2 X 4	2 X 4			Joint 2 290.6 lbs. -42.4 lbs.	Joint 4 290.6 lbs. -50.7 lbs.	Joint 6 586.2 lbs. 1.1 lbs.		
	1	12.00	0.00	GABLE VA1	23-06-04 23-06-04	2 X 4	2 X 4			Joint 1 242.4 lbs. -143.8 lbs.	Joint 13 198.6 lbs. -78.8 lbs.	Joint 14 181.7 lbs. -132.8 lbs.	Joint 15 193.2 lbs. -140.6 lbs.	Joint 16 188.5 lbs. -140.5 lbs.
	1	12.00	0.00	VALLEY VA10	05-06-04 05-06-04	2 X 4	2 X 4			Joint 1 118.9 lbs. -21.2 lbs.	Joint 3 118.8 lbs. -21.2 lbs.	Joint 4 152.6 lbs. 20.1 lbs.		
	1	12.00	0.00	VALLEY VA11	03-06-04 03-06-04	2 X 4	2 X 4			Joint 1 115.2 lbs. -3.7 lbs.	Joint 3 115.2 lbs. -3.7 lbs.			
	1	12.00	0.00	VALLEY VA2	21-06-04 21-06-04	2 X 4	2 X 4			Joint 1 189.6 lbs. -90.0 lbs.	Joint 7 158.9 lbs. -49.0 lbs.	Joint 8 358.6 lbs. -144.2 lbs.	Joint 9 577.6 lbs. -182.8 lbs.	Joint 11 422.2 lbs. 72.6 lbs.
	1	12.00	0.00	VALLEY VA3	19-06-04 19-06-04	2 X 4	2 X 4			Joint 1 186.4 lbs. -125.5 lbs.	Joint 7 167.9 lbs. -88.6 lbs.	Joint 8 280.4 lbs. -131.9 lbs.	Joint 9 489.8 lbs. -184.6 lbs.	Joint 11 435.3 lbs. 69.6 lbs.
	1	12.00	0.00	VALLEY VA4	17-06-04 17-06-04	2 X 4	2 X 4			Joint 1 205.0 lbs. -23.1 lbs.	Joint 5 179.9 lbs. 10.1 lbs.	Joint 6 549.7 lbs. -213.0 lbs.	Joint 8 414.0 lbs. 62.3 lbs.	Joint 9 550.1 lbs. -213.2 lbs.
	1	12.00	0.00	VALLEY VA5	15-06-04 15-06-04	2 X 4	2 X 4			Joint 1 171.1 lbs. -29.3 lbs.	Joint 5 149.0 lbs. 0.0 lbs.	Joint 6 471.7 lbs. -186.1 lbs.	Joint 7 415.7 lbs. 60.7 lbs.	Joint 8 472.1 lbs. -186.2 lbs.
	1	12.00	0.00	VALLEY VA6	13-06-04 13-06-04	2 X 4	2 X 4			Joint 1 133.9 lbs. -37.8 lbs.	Joint 5 114.8 lbs. -12.4 lbs.	Joint 6 390.2 lbs. -166.1 lbs.	Joint 7 394.7 lbs. 58.0 lbs.	Joint 8 390.5 lbs. -166.2 lbs.
	1	12.00	0.00	VALLEY VA7	11-06-04 11-06-04	2 X 4	2 X 4			Joint 1 113.9 lbs. -76.6 lbs.	Joint 5 93.6 lbs. -55.2 lbs.	Joint 6 339.1 lbs. -161.4 lbs.	Joint 7 222.8 lbs. 54.1 lbs.	Joint 8 339.3 lbs. -161.5 lbs.

Reaction Summary of Order









ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0124-0299
ORDER DATE	01/17/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006802
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bob Beckstead	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 594-9200	SALES AREA	Curtis Quick

S H I P T O	Weaver Homes Co. Inc. 350 Wagoner Drive Fayetteville, NC 28303 (919) 606-4696	JOB NAME: Lot 39 West Preserve MODEL: Roof DELIVERY INSTRUCTIONS:	LOT # 39 SUBDIV: West Preserve TAG: Lauren III / Elev. A / 3 Car / JOB CATEGORY: _
	Weaver Homes, Inc. 152 Oleander Dr. Sanford, NC 27332	SPECIAL INSTRUCTIONS:	PLAN SEAL DATE: 4/29/20 BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 01/17/24
	PLUMB			JOBSITE	1	CUTTING	CQ 01/17/24
	GABLE STUDS		24 IN. OC				

ROOF TRUSSES **LOADING INFORMATION** **ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)**

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		PLY	TOP			BOT	TOP	BOT	LEFT	
	1	12.00	0.00	VALLEY VAB	09-06-04 09-06-04	2 X 4	2 X 4			Joint 1: 201.4 lbs., -26.4 lbs. Joint 3: 201.3 lbs., -26.4 lbs. Joint 4: 307.6 lbs., 12.4 lbs.
	1	12.00	0.00	VALLEY VA9	07-06-04 07-06-04	2 X 4	2 X 4			Joint 1: 376.7 lbs., -255.4 lbs. Joint 3: 167.5 lbs., -29.9 lbs. Joint 4: 215.2 lbs., 28.4 lbs.
	1	6.00	0.00	VALLEY VP1	15-08-09 15-08-09	2 X 4	2 X 4			Joint 1: 107.2 lbs., -3.6 lbs. Joint 3: 107.2 lbs., 1.7 lbs. Joint 4: 343.9 lbs., -77.1 lbs. Joint 5: 107.2 lbs. Joint 6: 343.9 lbs. Joint 7: 271.6 lbs., 33.3 lbs. Joint 8: 343.8 lbs., -77.2 lbs.
	1	6.00	0.00	VALLEY VP2	11-08-09 11-08-09	2 X 4	2 X 4			Joint 1: 194.9 lbs., -25.7 lbs. Joint 3: 194.9 lbs., -31.7 lbs. Joint 4: 456.3 lbs., 0.6 lbs.
	1	6.00	0.00	VALLEY VP3	07-08-09 07-08-09	2 X 4	2 X 4			Joint 1: 133.1 lbs., -21.3 lbs. Joint 3: 133.2 lbs., -25.0 lbs. Joint 4: 256.2 lbs., 11.0 lbs.
	1	6.00	0.00	VALLEY VP4	03-08-09 03-08-09	2 X 4	2 X 4			Joint 1: 101.3 lbs., -6.1 lbs. Joint 3: 101.3 lbs., -6.1 lbs.

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
4	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		BM1 & BM2
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	14-00-00		GDH-1
3	LVL Beams (Sized)	LVL, 1-3/4" x 16" (S)	23-00-00		GDH