

Soils Verified on site with
Oliver, Mark, and LSS

SOUTHEASTERN SOIL & ENVIRONMENTAL ASSOC., INC.

PROPOSED SUBSURFACE WASTE DISPOSAL SYSTEM DETAIL SHEET

SUBDIVISION: Jones Creek

LOT 9

INITIAL SYSTEM: Approved 25% Reduction

REPAIR: Approved 25% Reduction

DISTRIBUTION: D-Box

DISTRIBUTION D-Box

BENCHMARK: 100.0

LOCATION FC 8/9

NO. BEDROOMS: 3

LTAR 0.35 GPD/FT'

SEPTIC TANK SIZE 1000

PUMP TANK SIZE

<u>LINE</u>	<u>FLAG COLOR</u>	<u>ELEVATION</u>	<u>LENGTH</u>
1	W	96.70	75'
2	R	96.60	75'
3	W	96.40	75'
4	R	96.20	75'
			<u>300'</u>
5	W	96.00	75'
6	R	95.90	75'
7	W	95.60	75'
8	R	95.20	75'
			<u>300'</u>

BY M. EAKER

DATE 05/16/24

TYPICAL PROFILE

0-10 LS (VF, up) |
10-36+ sec (F, shd)
at 2 ≥ 26"

INSTALL AT 12" Trench Bottom
Add 6" cover after install

**THERE SHALL BE NO GRADING,
CUTTING, LOGGING OR OTHER SOIL
DISTURBANCE IN SEPTIC AREA**

HEALTH DEPARTMENT USE ONLY.
DESIGNS DO NOT GUARANTEE FUNCTIONALITY