



Products					
PlotID	Length	Product	Plies	Net Qty	
FJ100	42-0-0	11-7/8" BCI@ 5000s-1.8	1	11	
FJ101	24-0-0	11-7/8" BCI@ 5000s-1.8	1	12	
FJ102	13-0-0	11-7/8" BCI@ 5000s-1.8	1	10	
FJ103	12-0-0	11-7/8" BCI@ 5000s-1.8	1	4	
FJ104	11-0-0	11-7/8" BCI@ 5000s-1.8	1	4	
Ca100	12-0-0	1" x 11-7/8" BC RIM BOARD OSB	1	7	
Pa100	12-0-0	1" x 11-7/8" BC RIM BOARD OSB	1	7	
Bk100	2-0-0	11-7/8" BCI@ 5000s-1.8	1	24	

Builders FirstSource
www.bldr.com

Boise Cascade
7601 BOEING DRIVE
GREENSBORO, NC 27409
V (336) 884-5454

4575 HAMPTON ROAD
CLEMMONS, NC 27409
V (336) 712-9910

1135 ROBESON STREET
FAYETTEVILLE, NC 28305
V (910) 485-1111

3189 NC HIGHWAY 5
ABERDEEN NC 28315
V (910) 944-2516

This layout and associated materials list has been prepared based on project plans and/or information provided to Builders FirstSource (BFS). It remains the responsibility of the builder, architect, designer, or other responsible persons to review this information to assure that it is appropriate, accurate, complete and complies with applicable building codes.

- GENERAL NOTES:**
- 1.) READ THE INSTALLATION GUIDE BEFORE FRAMING.
 - 2.) ALL WALLS SHOWN ARE LOAD BEARING UNLESS NOTED OTHERWISE. WALLS NOT SHOWN ARE CONSIDERED NON-LOAD BEARING.
 - 3.) UNLESS STATED OTHERWISE ALL CEILING & ROOF LOADS BRACE DIRECTLY TO LOAD BEARING WALLS SUPPORTED BY FOUNDATION.
 - 4.) CONTACT BUILDERS FIRSTSOURCE BEFORE MAKING ANY ALTERATIONS OR ADJUSTMENTS...FAILURE TO DO SO MAY RESULT IN COSTLY REPAIRS.

DR HORTON
WILMINGTON MASTER RH
FIRST FLOOR EWP PLACEMENT PLAN

Builders FirstSource, Central Carolina Markets
DRAWN BY: ZTU
DATE: 9/13/2023
JOB NUMBER:

SCALE: 1/4" = 1'

MINIMUM DESIGN DATA
LIVE LOAD 40 PSF
DEAD LOAD 10 PSF
TOTAL LOAD 50 PSF
DOL = 100%
DEFLECTION CRITERIA L/480 (MINIMUM)

ARCHITECTURAL PLAN DATE
XX-XX-XX

REVISED ARCH. PLAN DATE
XX-XX-XX

XXXXXXXX

Sheet
1 of 1