



NOTE: LEFT END OF TRUSS AS SHOWN ON TRUSS DETAIL DRAWINGS ARE INDICATED ON LAYOUT BY TRIANGLE ICONS

- General Notes:**
- Per ANSI/TPI 1-2002 all " Truss to Wall" connections are the responsibility of the Building Designer, not the Truss Manufacturer.
 - Dimensions are Feet-Inches- Sixteenths.
 - Trusses are to be 24" o.c. unless noted otherwise (U.N.O.)
 - Trusses are not designed to support brick U.N.O.
 - Do not cut or modify trusses without first contacting Builders FirstSource.
 - Immediately contact Builders FirstSource if trusses are damaged.
- Connection Notes:**
- All hangers are to be Simpson or equivalent U.N.O.
 - Use Manufacturer's specifications for all hanger connections U.N.O.
 - Use 10d x 1 1/2" Nails in hanger connections to single ply roof girder trusses.
- Floor Notes:**
- Shift truss as required to avoid plumbing traps.
 - Installation Contractor and/or Field Supervisor are to verify all dimensions, trap locations, and options prior to installation
- Dimension Notes:**
- Drawing not to scale. Do not scale dimensions

Hanger List	All Tie Downs H10A Unless noted	
	Special Items List	
	Misc Material	
DR HORTON		
WILMINGTON	Elev:	C
MCKAY PLACE		
HARNETT CO	NC	Lot: 20
Appwright #		

OWNER'S VOLUME CEILING		
Code: IRC 2015		
Loading:		
T.C.L.L. 20.0 lb/ft2		
T.C.D.L. 10.0 lb/ft2		
Designed By: MWA	T.C.D.L.	10.0 lb/ft2
Layout: WILMINGTON	B.C.L.L.	0.0 lb/ft2
L/O Date: 02/07/2024	B.C.D.L.	10.0 lb/ft2
Revision History		
Rev1:	xx/xx/xx	M.P.H. 120
Rev2:	xx/xx/xx	Exposure Category
Rev3:	xx/xx/xx	B
Pick Ticket: ---	Job No.: ---	
Sales No.: ---	Acct No.: ---	

Hatch Legend	
	Attic Room
	Volume Ceiling
	Stick Framing