



PlotID	Length	Product	Plies	Net Qty
FJ100	42-0-0	11-7/8" BCI@ 5000s-1.8	1	11
FJ101	24-0-0	11-7/8" BCI@ 5000s-1.8	1	12
FJ102	13-0-0	11-7/8" BCI@ 5000s-1.8	1	10
FJ103	12-0-0	11-7/8" BCI@ 5000s-1.8	1	4
FJ104	11-0-0	11-7/8" BCI@ 5000s-1.8	1	4
Ca100	12-0-0	1" x 11-7/8" BC RIM BOARD OSB	1	7
Pa100	12-0-0	1" x 11-7/8" BC RIM BOARD OSB	1	7
Bk100	2-0-0	11-7/8" BCI@ 5000s-1.8	1	24

**Builders FirstSource**  
 www.bldr.com  
 Boise Cascade  
 7601 BOEING DRIVE  
 GREENSBORO, NC 27409  
 V (336) 884-5454  
 4575 HAMPTON ROAD  
 CLEMMONS, NC 27409  
 V (336) 712-9910  
 1135 ROBESON STREET  
 FAYETTEVILLE, NC 28305  
 V (910) 485-1111  
 3189 NC HIGHWAY 5  
 ABERDEEN NC 28315  
 V (910) 944-2516

This layout and associated materials list has been prepared based on project plans and/or information provided to Builders FirstSource (BFS). It remains the responsibility of the builder, architect, designer, or other responsible persons to review this information to assure that it is appropriate, accurate, complete and complies with applicable building codes.

- GENERAL NOTES:**
- 1.) READ THE INSTALLATION GUIDE BEFORE FRAMING.
  - 2.) ALL WALLS SHOWN ARE LOAD BEARING UNLESS NOTED OTHERWISE. WALLS NOT SHOWN ARE CONSIDERED NON-LOAD BEARING.
  - 3.) UNLESS STATED OTHERWISE ALL CEILING & ROOF LOADS BRACE DIRECTLY TO LOAD BEARING WALLS SUPPORTED BY FOUNDATION.
  - 4.) CONTACT BUILDERS FIRSTSOURCE BEFORE MAKING ANY ALTERATIONS OR ADJUSTMENTS...FAILURE TO DO SO MAY RESULT IN COSTLY REPAIRS.

**DR HORTON**  
**WILMINGTON MASTER LH**  
 FIRST FLOOR EWP PLACEMENT PLAN  
 Builders FirstSource, Central Carolina Markets  
 DRAWN BY: ZTU  
 DATE: 9/13/2023  
 JOB NUMBER:  
 SCALE: 1/4" = 1'

MINIMUM DESIGN DATA  
 LIVE LOAD 40 PSF  
 DEAD LOAD 10 PSF  
 TOTAL LOAD 50 PSF  
 DOL = 100%  
 DEFLECTION CRITERIA L/480 (MINIMUM)  
 ARCHITECTURAL PLAN DATE  
 XX-XX-XX  
 REVISED ARCH. PLAN DATE  
 XX-XX-XX  
 XXXXXXXX  
**Sheet**  
**1 of 1**