



Builders First Source
23 Red Cedar Way
Apex, NC 27523
Phone: (919) 363-4956
Fax: (919) 387-8565
http://www.bldr.com

General Notes:
- Per ANSI/TPI 1-2002 all " Truss to Wall" connections are

- the responsibility of the Building Designer, not the Truss Manufacturer.
- Dimensions are Feet-Inches- Sixteenths.
- Trusses are to be 24" o.c. unless noted otherwise (U.N.O.)
- Trusses are not designed to support brick U.N.O.
- Do not cut or modify trusses without first contacting Builders FirstSource.
- Immediately contact Builders FirstSource if trusses are damaged.

 Connection Notes:

- All hangers are to be Simpson or equivalent U.N.O.
- Use Manufacturer's specifications for all hanger connections U.N.O.
 - Use 10d x 1 1/2" Nails in hanger connections to single ply
- roof girder trusses.

Floor Notes:

- Shift truss as required to avoid plumbing traps.
- Installation Contractor and/or Field Supervisor are to verify all dimensions, trap locations, and options prior to installation

Dimension Notes:

- Drawing not to scale. Do not scale dimensions

<u>Hanger List</u>					All Tie Downs H2.5A Unless noted			
10	HTU26 MJ		M] [6		Special Items List			
2	птэг	20						
				<u>Misc Material</u>				
DR HC					RTON			
WILMINGTON					Elev:		Α	
MCKAY					PLACE			
HARNETT CO NO				2	Lot:		24	
					Appwright #			
OWNER'S VAULT					Code:		IRC 2015	
					<u>Loading:</u>			
					T.C.L.L	🗆	20.0 lb/ft2	
Designed By:		MWA			T.C.D.I	- [10.0 lb/ft2	
Layout:	W	ILMIN	IGTC	N	B.C.L.L		0.0 lb/ft2	
<u>/O Date</u>	0 ند	2/07	/202	4	B.C.D.L		10.0 lb/ft2	
Revision History					<u>Wind:</u>			
Rev1:	xx/xx/xx			M.P.H.		120		
Rev2:		xx/xx/xx			Exposure Category			
Rev3:		xx/xx/xx			В			
Pick Tic	ket:				Job No	2:		
Sales I	Vo:	-			Acct No	o:		

D'R'HORTON" NYSE

Hatch Legend

Volume Ceiling Stick Framing