

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0524-3238
ORDER DATE	06/06/24	QUOTE #	B0524-3238
DELIVERY DATE	/ /	CUSTOMER ACCT #	000127
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	NONE	INVOICE #	
COUNTY	Harnett	TERMS	TO BE PRE-PAID
SUPERINTENDANT	NONE	SALES REP	Anthony Williams
JOBSITE PHONE #	() -	SALES AREA	Anthony Williams

SOLD TO	CASH OR CHECKS ONLY NO CREDIT CARDS, () -	JOB NAME: Daigle Residence LOT # 2072 SUBDIV: Thomas Kelly Road MODEL: Roof TAG: Daigle Residence JOB CATEGORY: WCall - Will Call
		DELIVERY INSTRUCTIONS:
SHIPP TO	Joe & Kim Daigle 2072 Thomas Kelly Road Sanford, NC	SPECIAL INSTRUCTIONS:
		PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	06/04/24
Roof Order	END CUT	RETURN				LAYOUT	aw	06/04/24
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE	1	CUTTING	aw
					JOBSITE	1		06/04/24

ROOF TRUSSES **LOADING INFORMATION** **ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)**

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS						
		PLY	TOP			BOT	TOP	BOT	LEFT	RIGHT						
	1	6.00	6.00	GABLE A1-GE	29-00-00 29-00-00	2 X 6	2 X 6	01-10-08	01-10-08	Joint 26 1267.9 lbs. -288.4 lbs.	Joint 44 1267.9 lbs. -288.4 lbs.					
	21	6.00	6.00	ROOF A2	29-00-00 29-00-00	2 X 6	2 X 6	01-10-08	01-10-08	Joint 10 1267.9 lbs. -93.4 lbs.	Joint 16 1267.9 lbs. -93.4 lbs.					
	4	6.00	6.00	ROOF A3	29-00-00 29-00-00	2 X 6	2 X 6	01-10-08	01-10-08	Joint 17 1271.6 lbs. -91.2 lbs.	Joint 19 1263.0 lbs. -90.5 lbs.					
	7	6.00	6.00	ROOF A4	29-00-00 29-00-00	2 X 6	2 X 6	01-10-08	01-10-08	Joint 10 1267.9 lbs. -249.5 lbs.	Joint 16 1267.9 lbs. -249.5 lbs.					
	1	6.00	6.00	GABLE A5-GE	29-00-00 29-00-00	2 X 6	2 X 6	01-10-08	01-10-08	Joint 26 1267.9 lbs. -327.0 lbs.	Joint 44 1267.9 lbs. -327.0 lbs.					
	1	6.00	4.00	GABLE B1-GE	29-11-00 29-11-00	2 X 6	2 X 6	02-10-08	02-10-08	Joint 6 11.5 lbs. -70.3 lbs.	Joint 7 482.5 lbs. -5.6 lbs.	Joint 28 397.5 lbs. -154.9 lbs.	Joint 29 106.3 lbs. -52.8 lbs.	Joint 30 118.9 lbs. -39.1 lbs.		
	7	6.00	4.00	SCISSORS B2	29-11-00 29-11-00	2 X 6	2 X 6	02-10-08	02-10-08	Joint 10 1364.6 lbs. -113.1 lbs.	Joint 14 1364.6 lbs. -113.1 lbs.					
	6	6.00	0.00	SPECIAL B3	29-11-00 29-11-00	2 X 6	2 X 8	02-10-08	02-10-08	Joint 14 1564.1 lbs. -113.5 lbs.	Joint 19 1564.1 lbs. -113.5 lbs.					
	4	6.00	0.00	SPECIAL B4	29-11-00 29-11-00	2 X 6	2 X 8	02-10-08		Joint 13 1400.7 lbs. -68.6 lbs.	Joint 18 1572.2 lbs. -113.6 lbs.					
	3	6.00	3.50	GABLE C1-GE	15-05-08 15-04-00	2 X 6	2 X 6	02-10-08		Joint 8 685.8 lbs. -37.2 lbs.	Joint 10 836.6 lbs. -45.9 lbs.					
	41	6.00	3.50	MONOPITCH C2	15-05-08 15-04-00	2 X 6	2 X 6	02-10-08		Joint 6 691.8 lbs. -38.0 lbs.	Joint 8 842.8 lbs. -37.8 lbs.					

Reaction Summary of Order







ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0524-3238
ORDER DATE	06/06/24	QUOTE #	B0524-3238
DELIVERY DATE	/ /	CUSTOMER ACCT #	000127
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	NONE	INVOICE #	
COUNTY	Harnett	TERMS	TO BE PRE-PAID
SUPERINTENDANT	NONE	SALES REP	Anthony Williams
JOBSITE PHONE #	() -	SALES AREA	Anthony Williams

SOLD TO	CASH OR CHECKS ONLY NO CREDIT CARDS, () -	JOB NAME: Daigle Residence LOT # 2072 SUBDIV: Thomas Kelly Road MODEL: Roof TAG: Daigle Residence JOB CATEGORY: WCall - Will Call
		DELIVERY INSTRUCTIONS: SPECIAL INSTRUCTIONS: <p style="text-align: right;">PLAN SEAL DATE:</p>
SHIPP TO	Joe & Kim Daigle 2072 Thomas Kelly Road Sanford, NC	<p style="text-align: right;">BY DATE</p>

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	06/04/24	
Roof Order	END CUT	RETURN				LAYOUT	aw	06/04/24	
	PLUMB	NO	GABLE STUDS	16 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING	aw	06/04/24

ROOF TRUSSES		LOADING INFORMATION		TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)						
				20.0,10.0,0.0,10.0	1.15							
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS		
		TOP	BOT			TOP	BOT	LEFT	RIGHT			
	5	3.00	0.00	MONOPITCH D1	06-05-08 06-05-08	2 X 6	2 X 6	02-10-08		Joint 2 459.8 lbs. -214.8 lbs.	Joint 6 218.5 lbs. -80.6 lbs.	
	2	3.00	0.00	JACK-OPEN Y1	04-04-07 04-04-07	2 X 6	2 X 6	02-10-08		Joint 2 402.4 lbs. -199.0 lbs.	Joint 3 86.1 lbs. -30.3 lbs.	Joint 4 68.8 lbs. -21.5 lbs.
	2	3.00	0.00	JACK-OPEN Y2	02-04-07 02-04-07	2 X 6	2 X 6	02-10-08		Joint 2 372.3 lbs. -200.7 lbs.	Joint 3 11.2 lbs. -10.7 lbs.	Joint 4 23.2 lbs. -23.4 lbs.
	1	2.12	0.00	ROOF Z1	09-00-02 09-00-02	2 X 6	2 X 6	04-00-13		Joint 2 654.2 lbs. -317.2 lbs.	Joint 7 313.7 lbs. -120.7 lbs.	

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
4	Hangers, USP	HTW20			SIMPSON (HTS20)
41	Hangers, USP	JUS26			SIMPSON (LUS26)
125	Hangers, USP	RT7A			SIMPSON (H2.5A)
200	Screws	WSWH45			4-1/2" (for 3 ply 1-1/2" members)