Harnett County Environmental Health

File/Permit Number: SFD2403-0052 IMPROVEMENT PERMIT County: Harnett PIN/Lot Identifier: 9681-61-6121 Applicant: Jenn Davis Owner: Smith Douglas Homes Property Location: 260 Liam Dr (SR 1279) Subdivision (if applicable) Harrington Place Lot #: 14 Block: Section: System Relocation Change of Use Facility Type: 34'x40' SFD Number of bedrooms: 3 Number of Occupants: 6 Other: Design Wastewater Strength: Domestic Industrial Process Wastewater High Strength Proposed Design Daily Flow: 360 Proposed LTAR (Repair): .4 Proposed LTAR (Initial): -4 GPD Proposed Wastewater System Type*: 25% reduction (Initial) Pump Required: Yes No May be required Proposed Wastewater System Type*: 25% reduction (Repair) Pump Required: Yes No May be required *Please include system classification for proposed wastewater system types in accordance with Rule .1301 Table XXXII Effluent Standard: DSE HSE NSF/ANSI 40 TS-I TS-II RCW Saprolite System (Initial): Yes No Saprolite System (Repair): Yes No Fill System (Initial): Yes No If yes, specify: New Existing (when adding more than 6 inches of fill to system area provide a fill plan) Fill System (Repair): Yes No If yes, specify: New Existing (when adding more than 6 inches of fill to system area provide a fill plan) Usable Depth to LC (Initial)*: 30 Usable Depth to LC (Repair)x: 30 Max. Trench Depth (Initial)²: 18 Max. Trench Depth (Repair)[‡]: 18 [‡] Measured on the downhill side of the trench Artificial Drainage Required: Yes No If yes, please specify details: Curtain drain will be required above entire drain field Type of Water Supply: Private well Public well Shared well Municipal Supply Spring Other: Drainfield location meets requirements of Rule .0508: Yes 🔳 No 🗌 Drainfield location meets requirements of Rule .0601: Yes 🔳 No Permit valid for: Five years [site plan submitted pursuant to GS 130A-334(13a)] No expiration [plat submitted pursuant to GS 130A-334(7a)] Permit conditions: NO GUTTER OR FOUNDATION DRAINS SHALL EMPTY ONTO DRAIN FIELD Expiration Date: 03-25-29 Authorized Agent's Printed Name: Mark Osborne REHS Date: 03-25-24 Authorized Agent's Signature: *See attached site sketch*

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. <u>This permit is subject to revocation if the site plan, plat, or the intended use changes.</u> The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

Harnett County Environmental Health

| File/Permit Number: SFD2403- | 0052 |
|--|-----------|
| CONSTRUCTION AUTHORIZATION | |
| County: Harnett PIN/Lot Identifier: 9681-61-6121 | |
| Owner: Smith Douglas Homes Applicant: Jenn Davis | |
| Property Location: 260 Liam Dr (SR 1279) | |
| Facility Type: 34'x40' SFD | |
| Number of bedrooms: 4 Number of Occupants: 8 Other: | |
| New Expansion Repair System Relocation Change of Use | |
| Basement? Yes No Basement Fixtures? Yes No | |
| Crawl Space? Yes No Slab Foundation? Yes No | |
| Type of Wastewater System* 25% reduction (Initial) 25% reduction | (Repair) |
| *Please include system classification for proposed wastewater system types in accordance with Rule .1301 Table XXXII | |
| Design Daily Flow: 360 GPD Wastewater Strength: Domestic High Strength Industrial Process W | astewater |
| Rule .0403(e) Engineering Design Utilizing Low-flow Fixtures and Low-flow Technologies (S.L. 2013-413 and 2014-120)? | 0 |
| (if yes, please provide engineering documentation) | |
| Effluent Standard: DSE HSE NSF/ANSI 40 TS-I TS-II RCW | |
| Type of Water Supply: Private well Public well Shared well Municipal Supply Spring Other: | |
| Installation Requirements/Conditions | |
| Septic Tank Size: 1000 gallons Total Trench/Bed Length: 300 feet Trench/Bed Spacing: 9 feet on center | |
| Trench/Bed Width: 36 inches LTAR: 4 gpd/ft² Usable Depth to LC (Initial) ^x : 30 xLimiting con | |
| Soil Cover: 6 inches Slope Corrected Maximum Trench/Bed Depth [‡] : 18 inches * Measured on the downhill side of the | trench |
| Pump Tank Size (if applicable): 1000 gallons Requires more than one pump? Yes No | |
| Pump Requirements: ft. TDH vs GPM Grease Trap Size (if applicable): gallons | |
| Distribution Method: Serial D-Box or Parallel Pressure Manifold(s) LPP Other: | |
| Artificial Drainage Required: Yes 🔳 No 🗌 If yes, please specify details: Curtain drain will be required above entire drain fie | eld |
| <u>Legal Agreements</u> (If the answer is "Yes" to any type of legal agreements, please attach a copy of the agreement.) | |
| Multi-party Agreement Required [Rule .0204(g)]: Yes No | |
| Easement, Right-of-Way, or Encroachment Agreement Required [Rule .0204(d)]: Yes No | |
| Declaration of Restrictive Covenants: Yes No Pre-Construction Conference Required: Yes No | |
| Management Entity Required: | |
| Conditions: | |
| | _ |
| | |
| The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems shall be installed in account to the property of the city plan plat, as the intended was shared. | |
| with the attached site sketch. <u>This Construction Authorization is subject to revocation if the site plan, plat, or the intended use change</u> Construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to c | |
| with the provisions of 15A NCAC 18E, or 15A NCAC 18A .1900, as applicable, and to the conditions of this permit. | |
| Authorized Agent's Printed Name: Mark Osborne REHS Expiration Date: 03-25-29 | |
| Authorized Agent's Printed Name: Mark Osborne REHS Authorized Agent's Signature: Mark Osborne REHS Date: 03-25-29 | |

See attached site sketch

Harnett County Environmental Health

SITE SKETCH

9681-61-6121

Permit Number SFD2403-0052

Jenn Davis

Applicant's Name Mark Osborne REHS

Authorized State Agent

Harrington Place / Lot

Subdivision/Section/Lot Number

03-25-24

Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

