Harnett County Environmental Health

File/Permit Number: SFD2404-0001

IMPROVEMENT PERMIT

County: Harnett	
PIN/Lot Identifier: 0662-76-7566.000 Lot 2	
Owner: Jim & Ann Burgin Applicant: Hu	gh Surles
Property Location: 280 NATHAN MATTEWS RD ANGIER, NC 27501	
Subdivision (if applicable) Lot #: 2	Block: Section:
New Expansion System Relocation	Change of Use
Facility Type: SFD 79' x 64'	
Number of bedrooms: 5 Number of Occupants: 10 Other:	
Design Wastewater Strength: Domestic High Strength Ir	
Proposed Design Daily Flow: 600 GPD Proposed LTAR (Initial): .35	
Proposed Wastewater System Type*: 25% Reduction System (Initial) Pur	
Proposed Wastewater System Type*: 25% Reduction System (Repair) Pun	np Required: Yes No May be required
${\it *Please include system classification for proposed was tewater system types in accordance with the proposed propose$	h Rule .1301 Table XXXII
Effluent Standard: DSE HSE NSF/ANSI 40 TS-I TS-II RCW	
Saprolite System (Initial): Yes No Saprolite System (Repair): Yes No	
Fill System (Initial): Yes No If yes, specify: New Existing (when adding more	than 6 inches of fill to system area provide a fill plan)
Fill System (Repair): Yes No If yes, specify: New Existing (when adding more	e than 6 inches of fill to system area provide a fill plan)
Usable Depth to LC (Initial)x: 38" Usable Depth to LC (Repair)x: 40"	x Limiting Condition
Max. Trench Depth (Initial) [‡] : 18"-20" Max. Trench Depth (Repair) [‡] : 20"-26"	[‡] Measured on the downhill side of the trench
Artificial Drainage Required: 🔲 Yes 🔳 No If yes, please specify details:	
Type of Water Supply: Private well Public well Shared well Municipal Su	pply Spring Other:
Drainfield location meets requirements of Rule .0508: Yes 🔳 No 🗌 Drainfield location r	meets requirements of Rule .0601: Yes 🔳 No 🗌
Permit valid for: \blacksquare Five years [site plan submitted pursuant to GS 130A-334(13a)] $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	piration [plat submitted pursuant to GS 130A-334(7a)]
Permit conditions:	
No Foundation or Gutter Drains to be Directed Towards Septic System	
No Grading or Cutting of Soil in Septic Area or Septic Repair A	rea
Have Plumbing Stubbed out at Highest Possible Point to Avoid	Needing a Pump
Authorized Agent's Printed Name: Ren Levocz	Expiration Date: 4-17-29
Authorized Agent's Signature:	Date: 4-17-24
See attached site sketch	

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This permit is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

NCDHHS/DPH/EHS/OSWP

Harnett County Environmental Health

File/Permit Number: SFD2404-0001	
CONSTRUCTION AUTHORIZATION	
County: Harnett PIN/Lot Identifier: 0662-76-7566.000 Lot 2	
Owner: Jim & Ann Burgin Applicant: Hugh Surles	
Property Location: 280 NATHAN MATTEWS RD ANGIER, NC 27501	
Facility Type: SFD 79' x 64'	
Number of bedrooms: 5 Number of Occupants: 10 Other:	
■ New Expansion Repair System Relocation Change of Use	
Basement? Yes No Basement Fixtures? Yes No	
Crawl Space? ✓ Yes	
Type of Wastewater System* 25% Reduction System (Initial) 25% Reduction System (Repair	
*Please include system classification for proposed wastewater system types in accordance with Rule .1301 Table XXXII	
Design Daily Flow: 600 GPD Wastewater Strength: Domestic High Strength Industrial Process Wastewater	
Rule .0403(e) Engineering Design Utilizing Low-flow Fixtures and Low-flow Technologies (S.L. 2013-413 and 2014-120)? Yes (if yes, please provide engineering documentation)	
Effluent Standard: DSE HSE NSF/ANSI 40 TS-I TS-II RCW	
Type of Water Supply: Private well Public well Shared well Municipal Supply Spring Other:	
Installation Requirements/Conditions	
Septic Tank Size: 1,250 gallons Total Trench/Bed Length: 430' feet Trench/Bed Spacing: 9' feet on center	
Trench/Bed Width: 36" inches LTAR: .35 gpd/ft² Usable Depth to LC (Initial)x: 38" xLimiting condition	
Soil Cover: 6" inches Slope Corrected Maximum Trench/Bed Depth [‡] : 18"-20" inches * Measured on the downhill side of the trench	
Pump Tank Size (if applicable): gallons Requires more than one pump?	
Pump Requirements: ft. TDH vs GPM Grease Trap Size (if applicable): gallons	
Distribution Method: Serial D-Box or Parallel Pressure Manifold(s) LPP Other: 4 - 110' Lines	
Artificial Drainage Required: Yes No I If yes, please specify details:	
Legal Agreements (If the answer is "Yes" to any type of legal agreements, please attach a copy of the agreement.)	
Multi-party Agreement Required [Rule .0204(g)]: Yes No	
Easement, Right-of-Way, or Encroachment Agreement Required [Rule .0204(d)]: Yes No	
Declaration of Restrictive Covenants: Yes No Pre-Construction Conference Required: Yes No	
Management Entity Required: Yes No Minimum O&M Requirements:	
Conditions: No Foundation or Gutter Drains to be Directed Towards Septic System	
No Grading or Cutting of Soil in Septic Area or Septic Repair Area	
Have Plumbing Stubbed out at Highest Possible Point to Avoid Needing a Pump	
The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems shall be installed in accordance with the attached site sketch. This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of 15A NCAC 18E, or 15A NCAC 18A .1900, as applicable, and to the conditions of this permit.	
Authorized Agent's Printed Name: Ren Levocz Expiration Date: 4-17-29	
Authorized Agent's Signature:	

See attached site sketch

SITE SKETCH

 $_{PIN}$ 0662-76-7566.000

Permit Number SFD2404-0001

Hugh Surles

Applicant's Name

Authorized State Agent

Lot 2

Subdivision/Section/Lot Number

4-17-24

Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

