

North Carolina 2018 - R402.1.5 Total UA



Property

119 Susie Circle
Cameron, NC 28326
Model: Colston

Organization

Southern Energy Manager
Justin Smith

Inspection Status

Results are projected

OnSite Homes - Colston 2070 plan
slab - CZ 4 - ecoSelect
Colston 2070 plan slab

Builder

OnSite Homes

This report is based on a proposed design and does not confirm field enforcement of design elements.

Building UA

| Elements | NC Reference | As Designed |
|--|--------------|--------------|
| Ceilings | 60.5 | 57.4 |
| Above-Grade Walls | 175.3 | 148.6 |
| Windows, Doors and Skylights | 75.8 | 68.6 |
| Slab Floor: | 89.6 | 117.3 |
| Framed Floors | 15.2 | 16.5 |
| Foundation Walls | 0.0 | 0.0 |
| Rim Joists | 1.1 | 1.1 |
| Overall UA (Design must be equal or lower): | 417.5 | 409.5 |

Requirements

| | | |
|---|---------------------|---|
| ✓ | 402.1.5 | Total UA alternative compliance passes by 1.9%. The proposed home meets the UA requirement by 1.9% |
| ✓ | 402.3.2 | Average SHGC: 0.27 Max SHGC: 0.30 Average SHGC of 0.27 is greater than the maximum of 0.30. |
| ✓ | R402.4.2.2 | Air Leakage Testing Air sealing is 0.23 CFM50 / ft ² Shell Area. It must not exceed 0.30 CFM50 / ft ² Shell Area. |
| ✓ | R402.5 | Area-weighted average fenestration SHGC Area-weighted average fenestration SHGC is 0.27. The maximum allowed value is [No Limit]. |
| ✓ | R402.5 | Area-weighted average fenestration U-Factor |
| ✓ | R404.1 | Lighting Equipment Efficiency At least 75.0% of fixtures shall be high-efficacy lamps, currently 100.0% are high-efficacy. |
| ✓ | Mandatory Checklist | Mandatory code requirements that are not checked by Ekotrope must be met. 2015 IECC Mandatory Checklist must be checked as complete. |
| ✓ | R403.3.1 | Duct Insulation Duct insulation meets the requirements specified in North Carolina 2018 Code Section 403.3.1. |
| ✓ | 403.3.3 | Duct Testing |

Design exceeds requirements for North Carolina 2018 Prescriptive compliance by 1.9%.

Name: Justin Smith
Organization: Southern Energy Management

Signature: *Justin Smith*
Digitally signed: 9/20/22 at 11:58 AM

Ekotrope RATER - Version 4.0.1.2992

North Carolina 2018 Prescriptive compliance results calculated using Ekotrope RATER's energy and code compliance algorithm, including appropriate amendments. Ekotrope RATER is a RESNET Accredited HERS Rating Tool. All results are based on data entered by Ekotrope users. Ekotrope disclaims all liability for the information shown on this report.

Building Summary



Property
119 Susie Circle
Cameron, NC 28326
Model: Colston

Organization
Southern Energy Management
Justin Smith

Inspection Status
Results are projected

OnSite Homes - Colston 2070 plan slab - CZ 4 -
ecoSelect
Colston 2070 plan slab

Builder
OnSite Homes

General Building Information

| | |
|----------------------------------|------------------------|
| Number Of Bedrooms | 3 |
| Number Of Floors | 2 |
| Conditioned Floor Area [sq. ft.] | 2,070 |
| Has Electric Vehicle Ready Space | No |
| Unconditioned, attached garage? | Yes |
| Conditioned Volume [cu. ft.] | 19,168 |
| Total Units in Building | 1 |
| Residence Type | Single family detached |
| Number of Floors in Building | - |
| Floor Number | - |
| Model | Colston |
| Community | |
| RESNET/IECC 2006 Climate Zone | 4A |
| IECC 2021 Climate Zone | 3A |

Foundation Wall

None Present

Foundation Wall Library List

None Present

Slab

| Name | Library Type | Perimeter | Floor Grade | Carpet R | Exposed Masonry Area | Surface Area | Location | Enclosing |
|------|--------------|-----------|-------------|----------|----------------------|--------------|------------------|-------------------|
| slab | Uninsulated | 183 | On Grade | 1 | 0 | 1,692.0 ft² | Exposed Exterior | Conditioned Space |

Slab Library List

| Name | Wall Construction Type | Slab Completely Insulated? | Underslab Insulation Width [ft] | Perimeter Insulation Depth [ft] | Perimeter Insulation R Value | Thermal Break | Effective R-value |
|-------------|------------------------|----------------------------|---------------------------------|---------------------------------|------------------------------|---------------|-------------------|
| Uninsulated | Wood Frame / Other | No | 0 | 0 | 0 | No | 0.00 |

Building Summary



Property
119 Susie Circle
Cameron, NC 28326
Model: Colston

Organization
Southern Energy Management
Justin Smith

Inspection Status
Results are projected

**SOUTHERN ENERGY
MANAGEMENT**
ENERGY EFFICIENCY & SOLAR POWER

OnSite Homes - Colston 2070 plan slab - CZ 4 -
ecoSelect
Colston 2070 plan slab

Builder
OnSite Homes

Framed Floor

| Name | Library Type | Carpet R | Floor Grade | Surface Area | Location |
|-------------|-----------------------|----------|-------------|-----------------------|--------------------------------|
| over garage | R 19, 16"OC G1 Carpet | 0 | Above Grade | 323.0 ft ² | Unconditioned, attached garage |

Framed Floor Library List

| Name | Effective R-value |
|-----------------------|-------------------|
| R 19, 16"OC G1 Carpet | 19.566 |

Rim Joist

| Name | Library Type | Surface Area | Location |
|------------------|----------------|----------------------|--------------------------------|
| 1st floor garage | R 19 G3, 16"OC | 20.0 ft ² | Unconditioned, attached garage |

Rim Joist Library List

| Name | Effective Insulation R-value |
|----------------|------------------------------|
| R 19 G3, 16"OC | 13.20 |

Wall

| Name | Library Type | Surface Color | Surface Area | Location |
|-------------------|------------------------------|---------------|-------------------------|--------------------------------|
| 1st floor ambient | R 19 Adv. Framing G3 16" O.C | Medium | 1,329.0 ft ² | Exposed Exterior |
| 1st floor garage | R 19 Adv. Framing G3 16" O.C | Medium | 318.0 ft ² | Unconditioned, attached garage |
| 2nd floor ambient | R 19 Adv. Framing G3 16" O.C | Medium | 108.0 ft ² | Exposed Exterior |
| 2nd floor attic | R 19 Adv. Framing G3 16" O.C | Medium | 738.0 ft ² | Attic |

Building Summary



Property
119 Susie Circle
Cameron, NC 28326
Model: Colston

Organization
Southern Energy Management
Justin Smith

Inspection Status
Results are projected

OnSite Homes - Colston 2070 plan slab - CZ 4 -
ecoSelect
Colston 2070 plan slab

Builder
OnSite Homes

Wall Library List

| Name | Effective R-value |
|------------------------------|-------------------|
| R 19 Adv. Framing G3 16" O.C | 15.319 |

Glazing

| Name | Library Type | Wall Assignment | Foundation Wall Assignment | Is Operable | Overhang Depth | Overhang Ft To Top | Overhang Ft To Bottom | Orientation | Surface Area |
|--------------------|--------------|-------------------|----------------------------|-------------|----------------|--------------------|-----------------------|-------------|----------------------|
| front 2nd unshaded | 35/27 | 2nd floor ambient | | Yes | 0 | 0 | 0 | East | 15.0 ft ² |
| front shaded | 35/27 | 1st floor ambient | | Yes | 6 | 1 | 6 | East | 15.0 ft ² |
| front unshaded | 35/27 | 1st floor ambient | | Yes | 0 | 0 | 0 | East | 30.0 ft ² |
| left unshaded | 35/27 | 1st floor ambient | | Yes | 0 | 0 | 0 | South | 21.3 ft ² |
| rear unshaded | 35/27 | 1st floor ambient | | Yes | 0 | 0 | 0 | West | 79.2 ft ² |
| right unshaded | 35/27 | 1st floor ambient | | Yes | 0 | 0 | 0 | North | 8.0 ft ² |

Glazing Library List

| Name | Shgc | U-factor |
|-------|------|----------|
| 35/27 | 0.27 | 0.350 |

Skylight

None Present

Skylight Library List

None Present

Building Summary



Property
119 Susie Circle
Cameron, NC 28326
Model: Colston

Organization
Southern Energy Management
Justin Smith

Inspection Status
Results are projected

OnSite Homes - Colston 2070 plan slab - CZ 4 -
ecoSelect
Colston 2070 plan slab

Builder
OnSite Homes

Opaque Door

| Name | Library Type | Wall Assignment | Foundation Wall Assignment | Emittance | Solar Absorptance | Surface Color | Surface Area | Location |
|--------------|----------------|-------------------|----------------------------|-----------|-------------------|---------------|----------------------|--------------------------------|
| attic door | Fiberglass R-5 | 2nd floor attic | | 0.9 | 0.75 | Medium | 10.0 ft ² | Attic |
| front entry | Fiberglass R-5 | 1st floor ambient | | 0.9 | 0.75 | Medium | 20.0 ft ² | Exposed Exterior |
| garage entry | Fiberglass R-5 | 1st floor garage | | 0.9 | 0.75 | Medium | 18.0 ft ² | Unconditioned, attached garage |

Opaque Door Library List

| Name | Effective U-factor |
|----------------|--------------------|
| Fiberglass R-5 | 0.200 |

Roof Insulation

| Name | Library Type | Attic Exterior Area [ft ²] | Clay or Concrete Roof Tiles | Surface Color | Surface Area | Location |
|-------|--|--|-----------------------------|---------------|-------------------------|----------|
| Attic | R 38 Attic BLOWN FG G1 2x10 24"OC w/ Radiant Barrier | 2,962.05 | No | Dark | 2,015.0 ft ² | Attic |

Roof Insulation Library List

| Name | Has Radiant Barrier | Effective R-value |
|--|---------------------|-------------------|
| R 38 Attic BLOWN FG G1 2x10 24"OC w/ Radiant Barrier | Yes | 35.115 |

Whole House Infiltration

| Infiltration | Measurement Type | Shelter Class |
|-------------------|--------------------|---------------|
| 1533 CFM at 50 Pa | Blower-door tested | 4 |

Building Summary



Property
119 Susie Circle
Cameron, NC 28326
Model: Colston

Organization
Southern Energy Management
Justin Smith

Inspection Status
Results are projected


OnSite Homes - Colston 2070 plan slab - CZ 4 -
ecoSelect
Colston 2070 plan slab

Builder
OnSite Homes

Mechanical Ventilation

None Present

Lighting



Onsite Generation

None Present

Onsite Generation Library List

None Present

Solar Generation

None Present

Dehumidifier

None Present

Dehumidifier Library List

None Present

Building Summary



Property
119 Susie Circle
Cameron, NC 28326
Model: Colston

Organization
Southern Energy Management
Justin Smith

Inspection Status
Results are projected

OnSite Homes - Colston 2070 plan slab - CZ 4 -
ecoSelect
Colston 2070 plan slab

Builder
OnSite Homes

Whole House Fan

None Present

Whole House Fan Library List

None Present

Conditioning Equipment

| Name | Library Type | Serial Number | Heating Percent Load | Cooling Percent Load | Hot Water Percent Load | Location |
|-----------------------|-----------------------|---------------|----------------------|----------------------|------------------------|-------------|
| Water Heating | z 50 gal. 0.59 EF Gas | | 0% | 0% | 100% | Unspecified |
| whole house heat pump | z 36k 14 SEER 8.2hspf | | 100% | 100% | 0% | Unspecified |

Equipment Type: z 36k 14 SEER 8.2hspf

| | |
|-------------------------------|----------------------|
| Equipment Type | Air Source Heat Pump |
| Fuel Type | Electric |
| Distribution Type | Forced Air |
| Motor Type | PSC (Single Speed) |
| Heating Efficiency | 8.2 HSPF |
| Heating Capacity [kBtu/h] | 36 |
| Backup Fuel Type | Electric |
| Switchover Temperature [°F] | 0 |
| Backup Heating Efficiency | 1 COP |
| Use default Supplemental Heat | Yes |
| Cooling Efficiency | 14 SEER |
| Cooling Capacity [kBtu/h] | 36 |

Equipment Type: z 50 gal. 0.59 EF Gas

| | |
|-----------------------------|-----------------------------|
| Equipment Type | Residential Water Heater |
| Fuel Type | Natural Gas |
| Distribution Type | Hydronic Delivery (Radiant) |
| Hot Water Efficiency | 0.59 Energy Factor |
| Tank Capacity (gal.) | 50 |
| Hot Water Capacity [kBtu/h] | 40 |
| Recovery Efficiency | 0.76 |

Building Summary



Property
119 Susie Circle
Cameron, NC 28326
Model: Colston

Organization
Southern Energy Management
Justin Smith

Inspection Status
Results are projected

OnSite Homes - Colston 2070 plan slab - CZ 4 -
ecoSelect
Colston 2070 plan slab

Builder
OnSite Homes

Distribution System

| | |
|-------------------------------------|---|
| Distribution Type | Forced Air |
| Heating Equipment | whole house heat pump |
| Cooling Equipment | whole house heat pump |
| Sq. Feet Served | 2,070 |
| # Return Grilles | 3 |
| Supply Duct R Value | 8 |
| Return Duct R Value | 8 |
| Supply Duct Area [ft ²] | 558.9 |
| Return Duct Area [ft ²] | 310.5 |
| Leakage to Outdoors | 82 CFM @ 25Pa (3.96 / 100 ft ²) |
| Total Leakage | 82 CFM25 |
| Total Leakage Duct Test Conditions | Post-Construction |
| Use Default Flow Rate | Yes |
| Duct 1 | |
| Duct Location | Conditioned Space |
| Percent Supply Area | 0 |
| Percent Return Area | 0 |
| Duct 2 | |
| Duct Location | Attic (well vented, radiant barrier) |
| Percent Supply Area | 100 |
| Percent Return Area | 100 |
| Duct 3 | |
| Duct Location | Conditioned Space |
| Percent Supply Area | 0 |
| Percent Return Area | 0 |
| Duct 4 | |
| Duct Location | Conditioned Space |
| Percent Supply Area | 0 |
| Percent Return Area | 0 |
| Duct 5 | |
| Duct Location | Conditioned Space |
| Percent Supply Area | 0 |
| Percent Return Area | 0 |
| Duct 6 | |
| Duct Location | Conditioned Space |
| Percent Supply Area | 0 |
| Percent Return Area | 0 |

HVAC Grading

HVAC Grading Not Conducted

Ceiling Fan

| | |
|-----------------|-----|
| Has Ceiling Fan | No |
| Cfm Per Watt | 100 |

Building Summary



Property
119 Susie Circle
Cameron, NC 28326
Model: Colston

Organization
Southern Energy Management
Justin Smith

Inspection Status
Results are projected

OnSite Homes - Colston 2070 plan slab - CZ 4 -
ecoSelect
Colston 2070 plan slab

Builder
OnSite Homes

Water Distribution

| | |
|--|----------|
| Water Fixture Type | Standard |
| Use Default Hot Water Pipe Length | No |
| Hot Water Pipe Length [ft] | 76 |
| At Least R3 Pipe Insulation? | No |
| Hot Water Recirculation System? | No |
| Recirculation System Pipe Loop Length [ft] | 20 |
| Drain Water Heat Recovery? | No |

Clothes Dryer

| | |
|------------------------------|----------------|
| Cef | 3.01 |
| Fuel Type | Electric |
| Field Utilization | Timer Controls |
| Is Outside Conditioned Space | No |
| Clothes Dryer Available | Yes |
| Defaults Type | HERS Reference |

Clothes Washer

| | |
|------------------------------|--------------|
| Label Energy Rating | 153 kWh/Year |
| Annual Gas Cost | \$12.00 |
| Electric Rate | \$0.11/kWh |
| Gas Rate | \$1.22/Therm |
| Capacity | 3.31 |
| Imef | 2.1547 |
| Defaults Type | Custom |
| Load Type | Front-load |
| Loads Per Week | 6 |
| Is Outside Conditioned Space | No |
| Clothes Washer Available | Yes |

Dishwasher

| | |
|------------------------------|--------------|
| Dishwasher Efficiency | 270 kWh |
| Dishwasher Size | Standard |
| Annual Gas Cost | \$22.23 |
| Electric Rate | \$0.12/kWh |
| Gas Rate | \$1.09/Therm |
| Is Outside Conditioned Space | No |

Building Summary

Property
119 Susie Circle
Cameron, NC 28326
Model: Colston

Organization
Southern Energy Management
Justin Smith

Inspection Status
Results are projected



OnSite Homes - Colston 2070 plan slab - CZ 4 -
ecoSelect
Colston 2070 plan slab

Builder
OnSite Homes

Appliances and Controls

| | |
|---|--------------|
| Thermostat Cooling Setpoint | **** 75.0 |
| Thermostat Heating Setpoint | **** 70.0 |
| Range/Oven Fuel | Electric |
| Convection Oven? | No |
| Induction Range? | No |
| Range/Oven Outside Conditioned Space? | No |
| Refrigerator Consumption | 538 kWh/Year |
| Refrigerator Outside Conditioned Space? | No |

Notes

- updated JS 11/30/21
- confirm attic insulation and hvac specs
- ventilation modeled as none
- confirm cfl lighting %
- modeled to worst case orientation