Harnett County Environmental Health

File/Permit Number: SFD2404-0047

IMPROVEMENT PERMIT

County: Harnett			
PIN/Lot Identifier: 0653-97-5314.000 Lot 38			
Owner: ZEALOUS REAL ESTATE LLC	Applicant: SANDOVAL JUAN FRANCISCO		
Property Location: 1229 LAFAYETTE RD FUQUAY VARINA, NC	27526		
Subdivision (if applicable) Victoria Hills	Lot #: 38	Block:	Section:
New ■ Expansion □ System Facility Type: SF0 54 x 55	n Relocation	Change of Use	
Facility Type: SF0 54' x 55'			
Number of bedrooms: 4 Number of Occupants: 8 Other:			
Design Wastewater Strength: Domestic High Strength	n Industria	l Process Wastewater	
Proposed Design Daily Flow: 480 GPD Proposed LTAR (Initial): .3 Pro	posed LTAR (Repair):	.3
Proposed Wastewater System Type*: 25% Reduction System	(Initial) Pump Requ	ired: Yes No	May be required
Proposed Wastewater System Type+: 50% Reduction System	(Repair) Pump Requ	ired: Yes No	May be required
*Please include system classification for proposed wastewater system types	in accordance with Rule .	1301 Table XXXII	
Effluent Standard: DSE HSE NSF/ANSI 40 TS-I T	S-II RCW		
Saprolite System (Initial): Yes No Saprolite System (Repair):	Yes No		
Fill System (Initial): Yes No If yes, specify: New Existing (w	hen adding more than 6 i	nches of fill to system	area provide a fill plan)
Fill System (Repair): Yes No If yes, specify: New Existing (when adding more than 6	inches of fill to system	area provide a fill plan)
Usable Depth to LC (Initial)x: 38" Usable Depth to	LC (Repair)x: 38", Part	27" x Limiting Cor	ndition
Max. Trench Depth (Initial)*: 18"-24" Max. Trench Depth (Repai	18"-24", Part 15" #	Measured on the down	hill side of the trench
Artificial Drainage Required: Tyes No If yes, please specify details:	2 Curtain Drains Nee	eded. (follow as she	own on site plan)
Type of Water Supply: Private well Public well Shared well			
Drainfield location meets requirements of Rule .0508: Yes No D	rainfield location meets re	equirements of Rule .0	601: Yes 🔳 No 🗌
Permit valid for: Five years [site plan submitted pursuant to GS 130A-33-	4(13a)] No expiration	[plat submitted pursu	ant to GS 130A-334(7a)]
Permit conditions:	anni anni Avel Soos Marion (Soos) Pichi anni anni anni		
No Foundation or Gutter Drains to be Directed Towards Septine No Cutting or Grading of Soil in Septic or Septic Repair Area. Curtain Drains Must be Installed Prior to Septic Install. (Follow Route Water Line as Show on Site Plan.			
Authorized Agent's Printed Name: Ren Levocz		Expiration Date	
Authorized Agent's Signature: La NEHS		Date: 4-11-	25
See attached	site sketch		

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. <u>This permit is subject to revocation if the site plan, plat, or the intended use changes.</u> The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

Harnett County Environmental Health

	File/Permit Number: SFD2404-0047		
CONSTRUCTION AUTHORIZATION			
County: Harnett			
Owner: ZEALOUS REAL ESTATE LLC	Applicant: SANDOVAL JUAN FRANCISCO		
Property Location: 1229 LAFAYETTE RE	FUQUAY VARINA, NC 27526		
Facility Type: SFD 54'y 35'			
Number of bedrooms: 4 Number of Oc	cupants: 8 Other:		
■ New Expansion Reg			
	Basement Fixtures? Yes No		
Crawl Space? Yes No			
Type of Wastewater System* 25% Reduct			
	sed wastewater system types in accordance with Rule .1301 Table XXXII		
Design Daily Flow: 480 GPD	Wastewater Strength: Domestic High Strength Industrial Process Wastewater		
Rule .0403(e) Engineering Design Utilizing Low (if yes, please provide engineering documenta	-flow Fixtures and Low-flow Technologies (S.L. 2013-413 and 2014-120)? Yes No		
Effluent Standard: DSE HSE N	ISF/ANSI 40 TS-I TS-II RCW		
Type of Water Supply: Private well	ublic well Shared well Municipal Supply Spring Other:		
Installation Requirements/Conditions			
Septic Tank Size: 1,000 gallons Total	rench/Bed Length: 400' feet Trench/Bed Spacing: 9' feet on center		
Trench/Bed Width: 36" inches LTAR:	.3 gpd/ft ² Usable Depth to LC (Initial) ^x : 38" ^x Limiting condition		
Soil Cover: 6" inches Slope Corrected	Maximum Trench/Bed Depth [‡] : 18"-24" inches * Measured on the downhill side of the trench		
	llons Requires more than one pump? Yes No		
	GPM Grease Trap Size (if applicable): gallons		
Distribution Method: Serial D-Box or Parallel Pressure Manifold(s) LPP Other:			
Artificial Drainage Required: Yes 🔳 No 🗌 If yes, please specify details: 2 Curtain Drains Needed. (follow as shown on site plan)			
Legal Agreements (If the answer is "Yes" to any type of legal agreements, please attach a copy of the agreement.)			
Multi-party Agreement Required [Rule 0204()]:		
Easement, Right-of-Way, or Encroachment Agreement Required [Rule .0204(d)]: Yes No			
Declaration of Restrictive Covenants: Yes	No Pre-Construction Conference Required: Yes ✓ No ■		
Management Entity Required: Yes N			
	be Directed Towards Septic System. No Cutting or Grading of Soil in Septic or Septic Repair Area.		
	Prior to Septic Install. (Follow Site Plan)		
Route Water Line as Show on Site Pl	an.		
with the attached site sketch. <u>This Construct</u> Construction Authorization shall not be affect	porated by reference into this permit and shall be met. Systems shall be installed in accordance ion Authorization is subject to revocation if the site plan, plat, or the intended use changes. The ted by a change in ownership of the site. This Construction Authorization is subject to compliance NCAC 18A .1900, as applicable, and to the conditions of this permit.		
Authorized Agent's Printed Name: Ren Leve	DCZ Expiration Date: 4-11-30		
Authorized Agent's Signature:	NE49 Date: 4-11-2.5		
	Con otto de dita allatab		

See attached site sketch

Harnett County Environmental Health

SITE SKETCH

0653-97-5314.000

Permit Number SFD2404-0047

SANDOVAL JUAN FRANCISCO

Applicant's Name

Authorized State Agent

Victoria Hills Lot 38

Subdivision/Section/Lot Number

11-21-24

Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

