DETACHED SINGLE FAMILY DWELLING

MODEL 307 - GARAGE LEFT

CONTENTS

- CONTENTS AND PROJECT INFORMATION
- MONOLITHIC SLAB FOUNDATION PLANS RANCH
- MONOLITHIC SLAB FOUDATION PLANS ELEV. A/B/D WITH SECOND FLOOR OPTION
- MONOLITHIC SLAB FOUNDATION PLANS OPTIONS
- FIRST FLOOR PLANS ELEV. A/B/D RANCH
- FIRST FLOOR PLANS ELEV. C RANCH
- 3.0.1 FIRST FLOOR PLANS ELEV. A/B/D W/ SECOND FLOOR
- FIRST FLOOR PLANS OPTIONS
- OPTIONAL SECOND FLOOR PLAN
- **ELEVATION A AND ROOF PLAN**
- ELEVATION B AND ROOF PLAN
- ELEVATION C AND ROOF PLAN
- ELEVATION D AND ROOF PLAN TYPICAL BUILDING SECTION
- FOUNDATION, WALL AND SOFFIT DETAILS
- FOUNDATION AND WALL DETAILS
- FOUNDATION AND WALL DETAILS
- 6.2A ELEVATION A/D DETAILS 6.2B ELEVATION B/C DETAILS
- FIRST FLOOR ELECTRICAL PLANS
- SECOND FLOOR ELECTRICAL PLAN
- STANDARD DETAILS AND NOTES MONOLITHIC

AREA SCHEDULE

FIRST FLOOR HEATED	1.938 SF
TOTAL HEATED AREA	1,938 SF
GARAGE *	433 SF
COVERED FRONT PORCH **	96 SF
COVERED REAR PORCH - OPT. SUNROOM	179 SF
TOTAL COVERED AREA	2.646 SF
OPT. HEATED SECOND FLOOR # 1 - LOFT ***	326 SF
OPT. HEATED SECOND FLOOR # 2 - LOFT, BEDROOM 4, BATH & ALL CLOSETS SHOWN ON PLANS	653 SF

- + 60 SF @ OPT. STORAGE EXTENSION
- + 252 SF @ OPT. THIRD-CAR GARAGE
- ** 88 SF @ ELEV. B/C 196 SF @ ELEV. D
- *** INCLUDED 327 SF UNFINISHED STORAGE

GENERAL NOTES

1. STAIRS: ALL STAIRS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE REQUIREMENTS ESTABLISHED BY THE ADOPTED BUILDING CODE. STAIR INFORMATION - MAXIMUM STAIR RISER 8-1/4"; MINIMUM STAIR TREAD 9" WITH A 3/4" - 1-1/4" NOSING ON STAIRS WITH SOLID RISER. MINIMUM STAIR HEADROOM 6'-8" CLEAR MEASURED VERTICALLY FROM THE STAIR NOSING OR FROM THE FLOOR SURFACE OF THE LANDING OR PLATFORM. MINIMUM CLEAR STAIR OPENING WIDTH SHALL NOT BE LESS THAN 36 INCHES. STAIRS WITH OPEN RISERS SHALL BE CONSTRUCTED TO PREVENT THE PASSAGE OF A SPHERE OF 4 INCHES OR MORE IN DIAMETER THROUGH THE RISER OPENINGS. THE GREATEST RISER HEIGHT WITHIN ANY FLIGHT OF STAIRS SHALL NOT EXCEED THE SMALLEST BY MORE THAN 3/8 INCHES. THE GREATEST TREAD RUN WITHIN ANY FLIGHT OF STAIRS SHALL NOT EXCEED THE SMALLEST BY MORE THAN 3/8 INCHES.

2. HANDRAILS AND GUARDRAILS: HANDRAILS MUST HAVE A MINIMUM AND MAXIMUM HEIGHT OF 34 INCHES AND 38 INCHES, RESPECTIVELY, MEASURED VERTICALLY FROM THE NOSING OF THE TREADS, AND SHALL BE PROVIDED ONE AT LEAST ON SIDE OF STAIRWAYS OF FOUR OR MORE RISERS. HANDRAILS SHALL BE CONTINUOUS THE FULL LENGTH OF THE STAIRS. ENDS SHALL BE RETURNED OR SHALL TERMINATE IN NEWEL POSTS OR SAFETY TERMINALS. ALL STAIRWAY HANDRAILS SHALL HAVE A CIRCULAR CROSS SECTION WITH AND OUTSIDE DIAMETER OF AT LEAST 1-1/4 INCHES AND NOT GREATER THAN 2 INCHES MAX. OR APPROVED RAILS OF EQUIVALENT GRASPABILITY. HANDRAILS PROJECTING FROM THE WALL SHALL HAVE A SPACE OF NOT LESS THAN 1-1/2 INCHES BETWEEN THE WALL AND THE HANDRAIL. GUARDRAILS NOT LESS THAN 36 INCHES IN HEIGHT AND SHALL BE INSTALLED AT ALL PORCHES, BALCONIES, OR RAISED FLOOR SURFACES LOCATED MORE THAN 30 INCHES ABOVE THE FLOOR OR GRADE BELOW.

3. WINDOW SUPPLIER IS TO CERTIFY THAT THE WINDOWS PROVIDED FOR BEDROOMS MEET THE GOVERNING BUILDING CODE EGRESS AND FALL PREVENTION REQUIREMENTS. IF LARGER WINDOWS ARE REQUIRED THAN THOSE SHOWN ON THE PLANS, THE SUPPLIER SHALL NOTIFY THE BUILDER AND THE BUILDER SHALL SUBSTITUTE THE LARGER WINDOWS FOR THOSE SHOWN ON THE PLANS. THE BUILDER SHALL CONFIRM WINDOW SIZES BY COMPLETING THE ROUGH FRAME OPENINGS BEFORE THE WINDOWS ARE ORDERED. GLAZING AT ALL WINDOWS, DOORS, TUBS, FIXED GLASS PANELS, SIDELIGHTS, ETC. MUST MEET THE REQUIREMENTS OF THE GOVERNING CODE WITH SPECIAL ATTENTION PAID TO GLAZING AT HAZARDOUS LOCATIONS PER IRC SECTION R308.

4. ALL VENTED CRAWL OR ATTIC SPACES SHALL BE PROVIDED WITH VENTS TO ALLOW A FLOW OF AIR THROUGH THE SPACE. FREE VENT AREA IS TO BE AS FOLLOWS: CRAWL VENTS SHOULD EQUAL 1/150 OF GROUND AREA, ROOF VENTS 1/300 OF CEILING AREA WITH VENTS DISTRIBUTED PER THE GOVERNING BUILDING CODE. PROVIDE ACCESS OPENINGS TO CRAWL (18"X 24" MIN.) AND ATTIC (22" X 30" MIN. WITH 30" HEADROOM) OR SIZED FOR REMOVAL OF MECHANICAL EQUIPMENT IF LOCATED IN ATTIC PER IRC M1305.1.3.

5. WHERE DRAWINGS OR INFORMATION IS IN CONFLICT WITH OTHER DRAWINGS OR DETAILS, THE BUILDER SHALL NOTIFY THE ARCHITECT IN WRITING PRIOR TO THE COMMENCEMENT OF CONSTRUCTION IN ORDER THAT A CLARIFICATION NOTICE CAN BE ISSUED.

6. ALL COMPONENTS AND CLADDING SHALL BE ATTACHED FOR WIND SPEED REQUIREMENTS NOTED ON THIS COVER SHEET OR PER THE GOVERNING BUILDING OFFICIAL'S REQUIREMENTS.

PRESUMED SOIL BEARING CAPACITY IS NOTED ON THIS COVER SHEET. THE BUILDER IS RESPONSIBLE

2. THE BOTTOM OF ALL FOOTINGS SHALL BE BELOW THE FROST LINE AS DEFINED BY THIS COVER SHEET, THE DRAWINGS OR THE GOVERNING BUILDING OFFICIAL'S REQUIREMENTS AND/OR 12" MINIMUM. 3. FOR BASEMENT CONDITIONS, THE MAXIMUM VERTICAL DISTANCE MEASURED FROM THE TOP OF

A BASEMENT FLOOR SLAB TO THE OUTSIDE FINISHED GRADE SHALL NOT EXCEED DISTANCES FOR THE WALL THICKNESS AS SHOWN IN IRC TABLES R-404.1.1 (1-4) OR R-404.1.2 (1-9) BASED ON 4. DO NOT BACKFILL UNTIL WALLS HAVE CURED AND THE ENTIRE BUILDING STRUCTURE ABOVE IS IN

PLACE. BACKFILL SHALL BE CLEAN GRANULAR FILL, FREE OF ORGANIC MATERIAL, PLACED EQUALLY ON ALL SIDES, COMPACTED TO 95% MAXIMUM DRY DENSITY PER ASTM D698. 5. FINISHED GRADE SHALL SLOPE AWAY FROM THE BUILDING AT A MINIMUM SLOPE OF 6 INCHES PER FOR

A MINIMUM DISTANCE OF 10 FEET FROM THE BUILDING PER IRC SECTION R401.3. 6. TERMITE TREATMENT - TREAT INTERIOR AND EXTERIOR EARTH AT PERIMETER WITH EPA APPROVED TERMICIDE. SPRAY BORA-CARE OR EQ. TERMICIDE & MOLD TREATMENT ON STUDS 3 FEET ABOVE SLABS PER MANUFACTURER'S RECOMMENDATIONS. PROVIDE TERMITE SHIELDS WHERE SHOWN ON PLANS.

03. CAST-IN-PLACE CONCRETE 1. CONCRETE SHALL HAVE A MINIMUM 28-DAY COMPRESSIVE STRENGTH OF 3.000 PSI.

- EXTERIOR SLABS TO BE 3,000 PSI, MIN. 5% & MAX. 7% AIR ENTRAINED CONCRETE. 2. CONCRETE PLACEMENT SHALL COMPLY WITH RECOMMENDATIONS OF ACI 332.
- 3. CONCRETE SLABS SHALL HAVE POLYPROPYLENE FIBER ADDITIVE (1.5 LB/CY) OR WWF REINFORCEMENT 6 X 6, W1.4 X W1.4 PER ASTM A 185 LOCATED MIDWAY THROUGH THE SLAB THICKNESS. ALL SLABS ARE TO BEAR ON COMPACTED FILL TESTED FOR 95% MAXIMUM DRY DENSITY PER ASTM D698. 4. REINFORCING STEEL WHERE SHOWN ON PLANS SHALL CONFORM TO ASTM A615, GRADE 60 MIN.,
- DEFORMED. 5. PROVIDE A 6 MIL POLYETHELENE MOISTURE VAPOR BARRIER MEMBRANE UNDER INTERIOR AND GARAGE CONCRETE SLABS AND FOOTINGS WHERE INDICATED ON THE DRAWINGS. LAP SHEETS 6" MIN. AT JOINTS.
- 6. COVERED PORCHES SLABS SHALL SLOPE AT A MINIMUM SLOPE OF 1/8" PER FOOT TO DRAIN WATER AWAY FROM EXTERIOR WALLS. UNCOVERED PATIO SLABS SHALL SLOPE AT 1/4" PER FOOT.
- 1. CONCRETE MASONRY UNITS (CMU) SHALL CONFORM TO ASTM C90, GRADE N, NORMAL WEIGHT UNITS. 2. MORTAR TO BE TYPE 'M' WITH A 28 DAY COMPRESSIVE STRENGTH OF 2,000 PSI. PROVIDE CONTINUOUS HORIZONTAL JOINT REINFORCING EVERY OTHER COURSE. MORTAR TO MEET ASTM C270 STANDARDS. 3. GROUT SHALL MEET THE REQUIREMENTS OF ASTM C476 WITH A 28 DAY COMPRESSIVE STRENGTH OF 2,500 PSI. GROUT ALL CELLS RECEIVING ANCHORS AND THE TOP COURSE OF ALL BEARING WALLS.
- 4. FACE BRICK SHALL BE STANDARD SIZE AND COMPLY WITH ASTM C216, RUNNING BOND WITH TOOLED JOINT APPLICATION. SECURE BRICK VENEER TO WALL STUDS WITH 22 GA. GALV. METAL TIES ATTACHED TO STUDS WITH 8d NAILS SPACING AS SHOWN ON PLANS. 5. APPLY A BITUMINOUS WATERPROOF MEMBRANE TO THE EXTERIOR OF ALL BASEMENT WALLS TO BE BELOW
- GRADE AFTER BACKFILLING. 6. MANUFACTURED STONE WHERE SHOWN ON PLANS, SHALL BE INSTALLED IN STRICT ACCORDANCE WITH MANUFACTURER'S INSTALLATION INSTRUCTIONS AND DETAILS AND THE MASONRY VENEER MANUFACTURERS ASSOCIATION (MVMA) "INSTALLATION GUIDE AND DETAILING OPTIONS FOR COMPLIANCE WITH ASTM C1780.
- 05. STRUCTURAL STEEL 1. STEEL BEAMS AND PLATES SHALL CONFORM WITH ASTM A36. STEEL COLUMNS SHALL CONFORM
- 2. ALL STRUCTURAL STEEL SHALL BE INSTALLED IN ACCORDANCE WITH CURRENT AISC SPECIFICATIONS AND "STEEL CONSTRUCTION MANUAL." ALL PIPE COLUMNS SHALL BE STANDARD WEIGHT STEEL COLUMNS IN ACCORDANCE WITH ASTM A500 AND FINISHED WITH CORROSION RESISTANT COATING PER ASTM B117. STEEL COLUMNS AT BASEMENT LOCATIONS SHALL PENETRATE THE BASEMENT SLAB DOWN TO THE TOP OF THE COLUMN FOOTING BELOW SLAB.
- 3. ALL BRICK STEEL LINTELS SHALL BE SIZED PER STRUCTURAL DRAWINGS ON SHEET SD1.

1. FRAMING LUMBER SHALL BE IDENTIFIED BY A GRADE MARK OR CERTIFICATE OF INSPECTION WHICH PROVIDES THE FOLLOWING MINIMUM DESIGN VALUES:

HEM/SYP/SPF #2 OR BETTER Fb = 875 PSIPRESSURE TREATED LUMBER SYP #2 OR BETTER Fb = 975 PSIHEM/SYP/SPF #3 Fc = 425 PSISTANDARD Fb = 275 PSIBI OCKING

2. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE AMERICAN WOOD COUNCIL (AWC), "WOOD FRAME CONSTRUCTION MANUAL" (WFCM) AND SHALL COMPLY WITH IRC R301.1 TO SUPPORT AND TRANSFER ALL LOADS SAFELY TO THE FOUNDATION.

3. THE DESIGN LOADS FOR PREFABRICATED WOOD TRUSSES ARE PER THESE SPECS., THE GOVERNING BUILDING CODE AND CURRENT EDITIONS OF TPI-1AND NDS. THE TRUSS MANUE SHALL PROVIDE SHOP DRAWINGS. SEALED BY A STATE-LICENSED DESIGN PROFESSIONAL, FOR APPROVAL PRIOR TO FABRICATION, INSTALL TRUSSES AND ENGINEERED LUMBER IN STRICT ACCORDANCE WITH THE SHOP DRAWINGS AND WTCA-B1 AND WTCA-B2. ALL POINT LOADS. PARTIAL UNIFORM LOADS OR COMBINATIONS THEREOF SHALL BE DETERMINED BY THE TRUSS MANUFACTURER AND ACCOUNTED FOR IN THE DESIGN OF THE ROOF AND/OR FLOOR SYSTEM.

4. PREFABRICATED WOOD-I-JOISTS SHALL BE RATED PER ASTM D5055 AND INSTALLED PER SHOP DRAWINGS AND DETAILS PROVIDED BY THE MANUFACTURER.

5. HANGERS, ANCHORS AND FASTENERS, WHEN CALLED FOR IN SHOP DRAWINGS OR THESE DRAWINGS, SHALL BE INSTALLED IN COMPLIANCE WITH THE MANUFACTURER'S INSTRUCTIONS.

ALL HANGERS, FRAMING ANCHORS AND FASTENERS IN CONTACT WITH PRESSURE TREATED WOOD TO BE STAINLESS STEEL OR GALVANIZED PER G185 RATING 'Z-MAX' COATING BY SIMPSON OR 'TRIPLE ZINC' BY USP.

6. BEAMS AND HEADERS ARE TO BEAR ON JACK STUDS AS NOTED ON THE PLANS, SHOP DRAWINGS, OR PER CODE. PROVIDE SOLID BLOCKING BELOW ALL JACK STUDS FORMING A CONTINUOUS BEARING LINE TO THE FOUNDATION. 7. ALL LUMBER IN CONTACT WITH EARTH, CONCRETE OR MASONRY SHALL BE PRESSURE TREATED. FIELD TREAT

SAWED, DRILLED OR NOTCHED TREATED LUMBER PER AWPA M4-11 8. PROVIDE STRUCTURAL SHEATHING WHERE NOTED ON PLANS. ALL WOOD SHEATHING SHALL BE APA RATED

FOR INTENDED USE AND SUPPORT SPANS. INSTALL ROOF SHEATHING WITH "H" CLIPS BETWEEN TRUSSES. 9. INSTALL FIREBLOCKING PER R302.11 TO CUT OFF DRAFT OPENINGS AT ALL INTERCONNECTIONS BETWEEN CONCEALED VERTICAL AND HORIZONTAL SPACES, BETWEEN STORIES, AND BETWEEN THE TOP STORY AND ROOF

10. STUDS FOR EXTERIOR WALLS SHALL BE SIZED PER THE INTERNATIONAL RESIDENTIAL CODE, TABLE R602.3.1 11. ALL NOTCHES AND CUTS IN FRAMING SHALL NOT EXCEED MAX. DIMENSIONS AS DEFINED IN THE IRC R602.6. 07. THERMAL AND MOISTURE PROTECTION

INTO SPACES AND LEAVE NO GAPS OR VOIDS. PROVIDE RIGID INSULATION WHERE SHOWN ON PLANS. AT INTERIOR WALLS SEAL ALL JOINTS, SEAMS AND PENETRATIONS TO PREVENT AIR LEAKAGE PER N1102.4. 2. INSTALL FIBERGLASS/ASPHALT ROOF SHINGLES IN ACCORDANCE WITH MANUF. INSTRUCTIONS AND ASPHALT ROOFING

MANUFACTURERS ASSOC. "ASPHALT ROOFING RESIDENTIAL MANUAL." SHINGLES ARE TO BE CERTIFIED MIN. CLASS C FIRE RESISTANCE PER ASTM E108 OR UL 790 AND WIND RESISTANCE CLASS PER ASTM D 3161 OR D7158 FOR WIND SPEED. INSTALL UNDERLAYMENT PER ROOF SLOPE AND IRC R905.2.2 AND CONFORMING TO ASTM D226 TYPE I.

3. INSTALL FLASHING, SHEET METAL, GUTTERS AND DOWNSPOUTS PER PLANS AND PER "ASPHALT ROOFING RESIDENTIAL MANUAL" AND "ARCHITECTURAL SHEET METAL MANUAL" BY SMACNA. INSTALL FLASHING AT ALL ROOF TO WALL CONDITIONS, EXTERIOR OPENINGS AND ELSEWHERE WHERE REQUIRED.

4. INSTALL A WATER-RESISTIVE BARRIER ON ALL WALLS. HOUSEWRAPS SHOULD MEET ASTM D5034 FOR DURABILITY D779 FOR WATER RESISTANCE AND E96 FOR PERMEABILITY AND BE INSTALLED PER MANUF. INSTALLATION INSTRUCTIONS PRE-WEATHERIZED SHEATHING SHALL BE TAPED AND SECURED PER MANUF. INSTALLATION INSTRUCTIONS.

5. INSTALL SIDING AND ACCESSORY COMPONENTS IN STRICT ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS. WIND PRESSURE RESISTANCE TO BE DETERMINED BY ASTM E330.

08. DOORS, WINDOWS AND GLASS 1. INSTALL DOORS IN ACCORDANCE WITH MANUFACTURER'S WRITTEN INSTALLATION RECOMMENDATIONS.

2. ALL ALUMINUM AND/OR VINYL (PVC) AND/OR WOOD WINDOWS AND DOORS SHALL CONFORM TO CLASS R WITH DP PERFORMANCE GRADE AS NOTED ON THE COVER SHEET, TESTED PER AAMA/WDMA/CSA 101/I.S.2/A440 FOR THE APPLICABLE WINDOW AND DOOR TYPES SHOWN ON THE DRAWINGS. INSTALL TEMPERED GLASS AND WINDOWS WHERE NOTED ON PLANS OR AS REQUIRED BY CODE. ENERGY PERFORMANCE RATINGS FOR U VALUES AND SHGC SHALL BE AS NOTED ON THE COVER SHEET AND TESTED PER NFRC 100 AND NFRC 200 RESPECTIVELY.

3. INSTALLATION AND FLASHING OF WINDOWS AND DOORS TO BE IN ACCORDANCE WITH MANUFACTURERS WRITTEN INSTALLATION INSTRUCTIONS AND ASTM E2112.

4. INSECT SCREENS TO BE IN ACCORDANCE WITH ANSI/SMA 1004, ANSI/SMA 2006, OR ANSI/SMA 3001.

5. PROVIDE AND INSTALL HARDWARE PER OWNER'S SCHEDULE.

6. GARAGE DOORS SHALL BE CERTIFIED IN ACCORDANCE WITH ASTM/DASMA 108 FOR THE

APPLICABLE WIND PRESSURES AS NOTED ON THE COVER SHEET. 09. FINISHES

1. GYPSUM WALL BOARD, GYPSUM SHEATHING MATERIALS AND ACCESSORIES SHALL BE INSTALLED IN ACCORDANCE WITH IRC R702.3 AND WITH GA-253 "APPLICATION OF GYPSUM SHEATHING" PUBLISHED BY THE GYPSUM ASSOCIATION. 2. INSTALL FLOOR COVERINGS AS SHOWN ON PLANS OR PER OWNER'S SCHEDULE PER MANUF. INSTALLATION INSTRUCTIONS. 10. SPECIALTIES

1. PROVIDE KITCHEN AND BATH CABINETS FIXTURES AND APPLIANCES, FIREPLACE, HARDWARE AND MISC. ITEMS PER OWNERS SCHEDULE. INSTALLATIONS TO BE IN ACCORDANCE WITH APPROVED SHOP DRAWINGS AND MANUFACTURER'S INSTALLATION INSTRUCTIONS. PRE-FAB FIREPLACES TO BE UL LISTED AND COMPLY WITH UL 127. <u>11-14. N/A</u>

15. MECHANICAL

1. INSTALL VENTILATORS AND HEATING AND AIR CONDITIONING SYSTEMS AS SHOWN ON PLANS OR PER OWNER'S SCHEDULE. SIZE ALL EQUIPMENT PER ACCA MANUAL S AND J AND INSTALL FOR FUTURE ACCESS SERVICE AND REMOVAL. PROVIDE COMBUSTION AIR WHEN REQUIRED PER M1701. ALL DUCTWORK AND PIPING LOCATED IN UNCONDITIONED SPACES SHALL BE INSULATED AND SEALED PER CODE. INSTALL DRYER DUCT TO OUTSIDE WITH

SMOOTH METAL DUCTING WITHOUT SCREWS AND WITH MINIMUM BENDS, MAXIMUM DUCT LENGTH PER IRC M1502. 2. VENTING: ALL DRYERS AND BATH EXHAUSTS MUST BE VENTED DIRECT TO THE EXTERIOR OF THE STRUCTURE WITH A BACKDRAFT DAMPER IN ACCORDANCE WITH THE CURRENT CODE.

3. PROVIDE A PROGRAMABLE THERMOSTAT, MANUALS FOR MECHANICAL AND WATER HEATING EQUIPMENT, ENERGY COMPLIANCE CERTIFICATE AND ALL OTHER REQUIREMENTS OF THE CURRENT ENERGY CODE. 16. ELECTRICAL

1. TERMINAL HOOK UP IS REQUIRED FOR ALL FIXTURES, APPLIANCES, MOTORS, FANS AND CONTROLS. LOCATION OF OUTLETS AND EQUIPMENT ON PLANS IS APPROXIMATE, EXACT ROUTING OF WIRING AND OUTLETS SHALL BE GOVERNED BY STRUCTURAL CONDITIONS AND OBSTRUCTIONS.

2. ALL ELECTRICAL BREAKERS AND CONTROLS SHALL BE PROPERLY LABELED. INSTALL GFCI PROTECTED AND AFCI OUTLETS WHERE SHOWN ON PLANS OR AS REQUIRED BY CODE. MATERIAL AND EQUIPMENT SHALL BEAR A UL LABEL. LIGHT FIXTURES MUST MEET CLEARANCES STATED IN THE NEC. INSTALL LIGHT SWITCHES AT 3' 6" A.F.F. AND OUTLETS 12" A.F.F. TO CENTERLINE U.N.O.

3. INSTALL ELECTRIC SMOKE DETECTORS, CARBON MONOXIDE/ALARMS WHERE SHOWN ON PLANS. ALL DETECTORS MUST BE INTER-CONNECTED AND INCORPORATE A BATTERY BACK-UP. INSTALL PER NFPA 72 AND UL 217 REQUIREMENTS. CO ALARMS TO COMPLY WITH NFPA 720 AND UL 2034. COMBINATION SMOKE/CO ALARMS MUST BE LISTED PER UL 2034. 4. PROVIDE HIGH EFFICACY LAMPS IN PERMANENT FIXTURES PER CURRENT ENERGY CODE.

1. INSTALL PLUMBING FIXTURES, SUPPLY AND WASTE LINES PER GOVERNING CODE. ALL NOTCHES AND CUTS IN FRAMING SHALL NOT EXCEED MAX. DIMENSIONS AS DEFINED IN THE BUILDING CODE. PROTECT PLUMBING LINES AND REINFORCE STUD WALL NOTCHES WITH 16 GA. METAL PLATES.

BUILDING CODE SUMMARY

Location:	Various Location	ons, Raleigh/Durham Market	
Proposed Use:	Detached Sing	le Family Dwelling	
Owner:	Chesapeake H	omes	
Contact Person:	Mark Kring	Telephone #: (919) 256-3060	E-mail: Mark@cheshomes.cor
_			

DESIGNER	OF RECORD:			
<u>Designer</u>	<u>Name</u>	<u>License #</u>	Telephone #:	E-mail:
Architect	James W. Wentling	NC-Arch. # 4642	(215) 568-2551	JamesWentling @wentlinghouseplans.cor
Structural:	Jonathan A. Troxler	NC-P.E # 27845	(919) 878-1617	jtroxler @southernengineers.com

BUILDING DATA:

<u>Year Edition of Code:</u> 2018 North Carolina State Residential Code (2015 IRC with North Carolina Amendments)

Roof Live Load:	20 PSF	Attic With Permanent Stair:
Floor Live Load:	40 PSF	Attic Without Permanent Stair:
Floor Live Load Sleeping Rooms:	30 PSF	Attic Without Storage:

DESIGN CRITERIA: Ground Snow Load Design Wind Speed:

Seismic Site Class: Risk Group: __ Seismic Design Category Weathering: Frost Line: Moderate to Heavy Termite Decay: Winter Design Temp.: Climate Zone:

ENERGY EFFICIENCY:

Minimum Insulation:

Ceiling: Walls:

R-0 (Per Southern Energy)
0.35 Max. Slab: Glazing 'U' Value:

8' Ft Door Door Slider 8080 Primary Deluxe Bath #2 Gas Fireplace Kitchen Gas Line Microwave Vented Out Screened In Rear Porch

Proposed Use:	Detached Singl	e Family Dwelling	
Owner:	Chesapeake Ho	omes	
Contact Person:	Mark Kring	Telephone #: (919) 256-3060	E-mail: Mark@cheshomes.com

DESIGN LOADS:

CLIMATIC & GEOGRAPHIC Exposure:

Design Pressure: Windows + Doors:

R-38 (R-30 w/ Raised Heel Truss) Floors:

SHGC: (Note: Minimum insulation values per Southern Energy Reports)

SOIL BEARING CAPACITIES:

Presumptive Bearing Capacity: 2,000 PSF

NC 133 - 307C - Shorebreak Plan

Upgraded Vinyl Siding Color

JAMES WENTLING **ARCHITECT**

100 SOUTH BROAD STREET, SUITE 1524

PHILADELPHIA, PA 19110 (215) 568-2551 email -information@ wentlinghouseplans.com

ARCHITECTURE

LAND PLANNING

GRAPHICS

UBJECT TO COPYRIGHT PROTECTION AS AT JNDER SUCH PROTECTION, UNAUTHORIZ EPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAIS



REVIS	REVISIONS				
MARK	DATE	DESCRIPTION			
DN	01-28-19	CONVERT BRIDGEWATER			
DN	02-11-19	STRUCT. DWGS. REV.			
DN	02-14-19	STRUCT. DWGS. REV.			
СН	04-29-20	FARMHOUSE + WINDOWS			
AM	08-13-20	CLIENT REVISIONS			
AM	05-10-21	RESTAMP SHEETS			

PROJECT NO).
	113-69
DATE	08-04-17
SCALE	NO SCALE
DRAWN BY	DN
CHECKED BY	JW
ISSUED FOR	PERMITS/CONSTRUCTION


MODEL 307 -GARAGE LEFT

CHESAPEAKE

HOMES OF NC 3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060

(919) 556-0690 Fax

CONTENTS AND PROJECT **INFORMATION**



JAMES WENTLING/ ARCHITECT

LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524

PHILADELPHIA, PA 19110
(215) 568-2551
email -information@

wentlinghouseplans.com

ARCHITECTURE

LAND PLANNING GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION

OR BUILDINGS BEING SEIZED AND/OR RAISI



	1 V I V	SIONS	I
DN 02-14-19 STRUCT. DWGS. REV CH 04-29-20 ADD ELEV. D	MARK	DATE	DESCRIPTION
CH 04-29-20 ADD ELEV. D	DN	02-11-19	STRUCT. DWGS. REV.
122 221	DN	02-14-19	STRUCT. DWGS. REV
AM 05-10-21 RESTAMP SHEETS	СН	04-29-20	ADD ELEV. D
	AM	05-10-21	RESTAMP SHEETS

PROJECT NO.	
	113-69
DATE	01-28-19
SCALE	AS NOTED
DRAWN BY	DN
CHECKED BY	JW
ISSUED FOR	PERMITS/CONSTRUCTION

PROJECT TITLE

MODEL 307 -GARAGE LEFT


CHESAPEAKE HOMES OF NC

3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax


DRAWING TITLE

MONOLITHIC SLAB FOUNDATION PLANS RANCH

2



40'



ISSUED FOR

PERMITS/CONSTRUCTION

MODEL 307 -

GARAGE LEFT

CHESAPEAKE

HOMES OF NC 3100 Smoketree Court,

MONOLITHIC SLAB


ELEV. A/B/D WITH


FOUNDATION PLANS

OPT. SECOND FLOOR

Suite 210

Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax







OPT. GARAGE STORAGE EXTENSION @ SECOND FLOOR OPTION SCALE: 1/4" = 1'-0"


SEE BREAK-OUT PLAN BELOW FOR ADDITIONAL NOTES & DIMENSIONS 15' 6" 3' 10" /105A\/ 1B $\int SD / 6.2$ **SLAB ON GRADE** 4" CONC. SLAB W/ 6 X 6 10/10 - 24" SQ. X 10" D. OR APPROVED FIBER MESH. ON 6 MIL. POLY VAPOR BARRIER ON CONC. FTG. COMPACTED POROUS FILL OVER COMPACTED SUB-GRADE -MIN. 5%, MAX. 7% AIR-ENTRAINED CONC. MIN. 3,000 PSI CONC. 28 68 36" X 36" CONC. STOOP @ OPT. CONTROL JOINT DOOR −24" SQ. X 10" D. CONC. FTG. — 24" SQ. X 10" D.-CONC. FTG. 900 BRICK OR -STONE BASE -SD / OPT. WAINSCOT 1' 10-1/2" **VENEER - SEE** ELEV. 19' 2"

OPT. GARAGE STORAGE EXTENSION @ RANCH SCALE: 1/4" = 1'-0"





@ OPT. THIRD-CAR GARAGE @ RANCH SCALE 1/4" = 1'-0"



@ OPT. SIDE LOAD GARAGE @ RANCH SCALE 1/4" = 1'-0"

JAMES WENTLING/ ARCHITECT

LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524 PHILADELPHIA, PA 19110

(215) 568-2551 email -information@ wentlinghouseplans.com

ARCHITECTURE

LAND PLANNING GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISEI



REVIS	REVISIONS		
MARK	DATE	DESCRIPTION	
DN	02-14-19	STRUCT. DWGS. REV.	
СН	04-29-20	MINOR UPDATE	
AM	05-10-21	RESTAMP SHEETS	

ROJECT NO.	
	113-69
ATE	01-28-19
	01-28-19
CALE	
CALE	AS NOTED
	TIG TO TEE
RAWN BY	
	DN
HECKED BY	1007
	JW
SUED FOR	DEDMITS/CONSTDUCTION
	PERMITS/CONSTRUCTION

PROJECT TITLE

MODEL 307 -GARAGE LEFT


CHESAPEAKE HOMES OF NC 3100 Smoketree Court,


Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

RAWING TITLE

MONOLITH

MONOLITHIC SLAB FOUNDATION PLANS OPTIONS






OPT. SUNROOM SCALE 1/4" = 1'-0"


STRUCTURAL DESIGN BY: SOUTHERN ENGINEERS, P.A. 3716 BENSON DR., RALEIGH, NC 27609 LICENSE: C-1287, PHONE: 919-878-1617 PROJECT # 19-1062 * Engineers seal applies only to structural components on this document. Seal does not include construction means, methods, techniques, sequences, procedures or safety precautions. * Any deviations or discrepancies on plans are to be brought to the immediate attention of Southern Engineers. Failure to do so will void Southern Engineer's liability. Seal is valid for a project permitted within one year from date of seal. * Use of these plans constitutes approval of terms & conditions as defined in the customer agreement. PORTAL FRAME LEGEND SEE SD SHEETS FOR PORTAL FRAME DETAILS APA-PF: APA PORTAL FRAME APA-PF-END: END CONDITION FOR APA PORTAL FRAME <u>CS-PF:</u> CONTINUOUS PORTAL FRAME CONSTRUCTION CS-PF-END: END CONDITION FOR CONTINUOUS PORTAL FRAME REFER TO "SD" SHEET(S) FOR STANDARD DETAILS, BRACING DETAILS AND STRUCTURAL NOTES.

> WALL LEGEND INTERIOR LOAD

BEARING WALL DENOTES JACK STUDS SEE STRUCT. DWGS.



FIRST FLOOR PLAN @ ELEV. D SCALE 1/4" = 1'-0" - 9'-0" CLG. U.N.O.



JAMES WENTLING/ ARCHITECT

LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524 PHILADELPHIA, PA 19110

(215) 568-2551 email -information@ wentlinghouseplans.com

ARCHITECTURE

LAND PLANNING

GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THI PROTECTION INCLUDES BUT IS NOT LIMITE TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZE USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISE



REVISIONS MARK DATE DN | 01-28-19 | CONVERT BRIDGEWATER DN | 02-11-19 | STRUCT. DWGS. REV. DN | 02-14-19 | STRUCT. DWGS. REV. CH 04-29-20 ELEV. D + O. BATH AM 05-10-21 RESTAMP SHEETS 113-69 11-02-17

AS NOTED CHECKED BY ISSUED FOR PERMITS/CONSTRUCTION


MODEL 307 -GARAGE LEFT

CHESAPEAKE HOMES OF NC

3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

DRAWING TITLE

FIRST FLOOR PLANS ELEV. A/B/D - RANCH



JAMES WENTLING/ ARCHITECT

LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524

PHILADELPHIA, PA 19110 (215) 568-2551

wentlinghouseplans.com

email -information@

ARCHITECTURE

LAND PLANNING

GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISEI



REVIS	SIONS	
MARK	DATE	DESCRIPTION
DN	01-28-19	CONVERT BRIDGEWATER
DN	02-14-19	STRUCT. DWGS. REV.
СН	04-29-20	ELEV. D + O. BATH
AM	05-10-21	RESTAMP SHEETS

PROJECT	PROJECT NO.					
		113-69	9			
DATE		11-02-	-17			
SCALE		AS NO	OTED			
DRAWN	BY	DN				
CHECKE	O BY	JW				
ISSUED F	OR	PERM	MITS/CONSTRUCTION			

PROJECT TIT


MODEL 307 -GARAGE LEFT


CHESAPEAKE HOMES OF NC

3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

DRAWING TITLE

FIRST FLOOR PLANS -ELEV. C - RANCH






OPT. SUNROOM
SCALE 1/4" = 1'-0"

STRUCTURAL DESIGN BY:
SOUTHERN ENGINEERS, P.A.
3716 BENSON DR., RALEIGH, NC 27609
LICENSE: C-1287, PHONE: 919-878-1617
PROJECT # 19-1062

* Engineers seal applies only to structural components on this document. Seal does not



- are to be brought to the immediate attention of Southern Engineers. Failure to do so will void Southern Engineer's liability.
- to do so will void Southern Engineer's liability.
 Seal is valid for a project permitted within one year from date of seal.
- Use of these plans constitutes approval of terms & conditions as defined in the customer agreement.

PORTAL FRAME LEGEND

SEE SD SHEETS FOR PORTAL FRAME DETAILS

APA-PF: APA PORTAL FRAME

APA-PF-END: END CONDITION FOR APA PORTAL FRAME

CS-PF: CONTINUOUS PORTAL FRAME CONSTRUCTION

CS-PF-END: END CONDITION FOR CONTINUOUS PORTAL FRAME

REFER TO "SD" SHEET(S) FOR STANDARD DETAILS, BRACING DETAILS AND STRUCTURAL NOTES.

WALL LEGEND

INTERIOR LOAD BEARING WALL

DENOTES JACK STUDS SEE STRUCT. DWGS. JAMES WENTLING/ ARCHITECT

LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524

PHILADELPHIA, PA 19110
(215) 568-2551
email -information@

wentlinghouseplans.com

ARCHITECTURE

LAND PLANNING

GRAPHICS
THESE PLANS ARE COPYRIGHT PROBLEMS TO COPYRIGHT PROBLEMS ARE TO COPYRIGHT PROBLEMS ARE

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISED



REVIS	SIONS	
MARK	DATE	DESCRIPTION
DN	01-28-19	CONVERT BRIDGEWATER
DN	02-11-19	STRUCT. DWGS. REV.
DN	02-14-19	STRUCT. DWGS. REV.
СН	04-29-20	ELEV. D + O. BATH
AM	05-10-21	RESTAMP SHEETS

PROJECT	ΓNO.		
		113-69	9
DATE		11-02-	-17
SCALE		AS NO	OTED
DRAWN	BY	DN	
CHECKE	D BY	JW	
ISSUED I	OR	PERM	IITS/CONSTRUCTION

PROJECT TIT

MODEL 307 -GARAGE LEFT

CHESAPEAKE

HOMES OF NC 3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060

(919) 556-0690 Fax

DRAWING TITLE

FIRST FLOOR PLANS -ELEV. A/B/D WITH OPT SECOND FLOOR

3.0.1

STRUCTURAL DESIGN BY: SOUTHERN ENGINEERS, P.A. 3716 BENSON DR., RALEIGH, NC 27609 LICENSE: C-1287, PHONE: 919-878-1617 PROJECT # 19–1062

- * Engineers seal applies only to structural components on this document. Seal does not include construction means, methods, techniques, sequences, procedures or safety precautions.
- * Any deviations or discrepancies on plans are to be brought to the immediate attention of Southern Engineers. Failure
- to do so will void Southern Engineer's liability. * Seal is valid for a project permitted within
- one year from date of seal.
- * Use of these plans constitutes approval of terms & conditions as defined in the customer agreement.

PORTAL FRAME LEGEND


SEE SD SHEETS FOR PORTAL FRAME DETAILS


<u>APA-PF:</u> APA PORTAL FRAME

APA-PF-END: END CONDITION FOR APA PORTAL FRAME <u>CS-PF:</u> CONTINUOUS PORTAL FRAME CONSTRUCTION


<u>CS-PF-END:</u> END CONDITION FOR CONTINUOUS PORTAL FRAME

REFER TO "SD" SHEET(S) FOR STANDARD DETAILS, BRACING DETAILS AND STRUCTURAL NOTES.







ALT. FIREPLACE LOCATION SCALE 1/4" = 1'-0" - 9'-0" CLG. U.N.O.




OPT. SIDE LOAD GARAGE @ SECOND FLOOR OPTION




OPT. SIDE LOAD GARAGE @ RANCH SCALE 1/4" = 1'-0" - 9'-0" CLG. U.N.O.




OPT. GARAGE STORAGE EXTENSION @ SECOND FLOOR OPTION



OPT. GARAGE STORAGE EXTENSION @ RANCH SCALE 1/4" = 1'-0" - 9'-0" CLG. U.N.O.



OPT. THIRD-CAR GARAGE @ SECOND FLOOR OPTION



OPT. THIRD-CAR GARAGE @ RANCH SCALE 1/4" = 1'-0" - 9'-0" CLG. U.N.O.

ARCHITECT LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524 PHILADELPHIA, PA 19110

(215) 568-2551 email -information@ wentlinghouseplans.com


JAMES WENTLING/

ARCHITECTURE

LAND PLANNING

GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN 02 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS ROTECTION INCLUDES BUT IS NOT LIMITE TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. INDER SUCH PROTECTION, UNAUTHORIZE USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION



MARK	DATE	DESCRIPTION
DN	01-28-19	CONVERT BRIDGEWATER
DN	02-14-19	STRUCT. DWGS. REV.
СН	04-29-20	MINOR UPDATE
AM	05-10-21	RESTAMP SHEETS
PROJEC ⁻		

PROJECT NO.	
	113-69
DATE	01-28-19
SCALE	AS NOTED
DRAWN BY	DN
CHECKED BY	JW
SSUED FOR	PERMITS/CONSTRUCTION

MODEL 307-GARAGE LEFT

CHESAPEAKE HOMES OF NC

3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

FIRST FLOOR PLANS **OPTIONS**

STRUCTURAL DESIGN BY: SOUTHERN ENGINEERS, P.A. 3716 BENSON DR., RALEIGH, NC 27609 LICENSE: C-1287, PHONE: 919-878-1617 PROJECT # 19-1062

* Engineers seal applies only to structural components on this document. Seal does not include construction means, methods, techniques, sequences, procedures or safety precautions.

* Any deviations or discrepancies on plans are to be brought to the immediate attention of Southern Engineers. Failure

to do so will void Southern Engineer's liability. * Seal is valid for a project permitted within

one year from date of seal.

* Use of these plans constitutes approval of terms & conditions as defined in the customer agreement.

PORTAL FRAME LEGEND

SEE SD SHEETS FOR PORTAL FRAME DETAILS

<u>APA-PF:</u> APA PORTAL FRAME APA-PF-END: END CONDITION FOR APA PORTAL FRAME

CS-PF: CONTINUOUS PORTAL FRAME CONSTRUCTION

CS-PF-END: END CONDITION FOR CONTINUOUS PORTAL FRAME

REFER TO "SD" SHEET(S) FOR STANDARD DETAILS, BRACING DETAILS AND STRUCTURAL NOTES. JAMES WENTLING/

ARCHITECT

LAND TITLE BUILDING 100 SOUTH BROAD STREET, **SUITE 1524** PHILADELPHIA, PA 19110

(215) 568-2551 email -information@ wentlinghouseplans.com

ARCHITECTURE

LAND PLANNING

GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISEI



REVISIONS		
MARK	DATE	DESCRIPTION
DN	01-28-19	CONVERT BRIDGEWATER
DN	02-14-19	STRUCT. DWGS. REV.
AM	05-10-21	RESTAMP SHEETS


PROJECT NO.	
	113-69
DATE	11 02 17
	11-02-17
SCALE	
	AS NOTED
DRAWN BY	
	DN
CHECKED BY	****
	JW
ISSUED FOR	DED MES (CONSEDERCESON
	PERMITS/CONSTRUCTION

MODEL 307 -GARAGE LEFT

CHESAPEAKE **HOMES OF NC** 3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

DRAWING TITLE

OPT. SECOND FLOOR PLAN



JAMES WENTLING/
ARCHITECT

LAND TITLE BUILDING
100 SOUTH BROAD STREET,
SUITE 1524
PHILADELPHIA, PA 19110

(215) 568-2551
email -information@
wentlinghouseplans.com

email -information@ eventlinghouseplans.com

ARCHITECTURE
LAND PLANNING

GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THI PROTECTION INCLUDES BUT IS NOT LIMITE TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZE USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISE



REVIS	SIONS	
MARK	DATE	DESCRIPTION
DN	01-28-19	CONVERT BRIDGEWATE
DN	02-14-19	STRUCT. DWGS. REV.
СН	04-29-20	WINDOWS ETC.
AM	05-10-21	RESTAMP SHEETS

PROJECT	NO.	
	113-6	9
DATE	11-02	-17
SCALE	AS NO	OTED
DRAWN	BY DN	
CHECKE	JW	
ISSUED F		MITS/CONSTRUCTION


MODEL 307 -GARAGE LEFT


CHESAPEAKE
HOMES OF NC
3100 Smoketree Court,

Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

ELEVATION A AND ROOF PLAN

4





THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISEID.



-		
REVISIONS		
MARK	DATE	DESCRIPTION
DN	01-28-19	CONVERT BRIDGEWATER
DN	02-14-19	STRUCT. DWGS. REV.
СН	04-29-20	WINDOWS ETC.
AM	08-13-20	CLIENT REVISIONS
AM	05-10-21	RESTAMP SHEETS


PROJECT NO.	
	113-69
DATE	11-02-17
	11-02-17
SCALE	AS NOTED
	AS NOTED
DRAWN BY	
	DN
CHECKED BY	TN/
	JW
ISSUED FOR	PERMITS/CONSTRUCTION
	1 ERWITS/CONSTRUCTION


MODEL 307 -GARAGE LEFT

CHESAPEAKE
HOMES OF NC
3100 Smoketree Court,

Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax


ELEVATION B AND ROOF PLAN







REQUIRED VENTILATION SCHEDULE					
2,1	56 SQ. FT. OF CEILING AREA / 300	= 7.18 SQ. FT. REQ.			
DGE ENTS	7.18 X 0.5 = 3.59 SQ. FT. 3.49 SQ. FT. X 144 = 517 SQ. IN. 517 SQ. IN. / 18 SQ. IN. = 28.7 (18 SQ. IN. VENT PER LIN. FT.)	= 28.7 LIN. FT. REQ. 69 LIN. FT. PROVIDED			
 OFFIT ENTS	7.18 X 0.5 = 3.59 SQ. FT. 3.59 SQ. FT. X 144 = 517 SQ. IN. 517 SQ. IN. / 9 SQ. IN. = 57.6 LIN. FT. (9 SQ. IN. VENT PER LIN. FT.)	= 57.6 LIN. FT. REQ. 164 LIN. FT. PROVIDED			

CODE REFERENCE: 2018 NCSRC, SEC. R806.2












FRONT ELEVATION @ OPT. SIDE-LOAD GARAGE SCALE: 1/8" = 1'-0"




SCALE 1/8" = 1'-0"





"ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITEI TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZEI USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISE



REVIS	REVISIONS			
MARK	DATE	DESCRIPTION		
DN	01-28-19	CONVERT BRIDGEWATER		
DN	02-14-19	STRUCT. DWGS. REV.		
СН	04-29-20	WINDOWS ETC.		
AM	05-10-21	RESTAMP SHEETS		
- 11				


PROJECT	NO. 113-69)
DATE	11-02-	17
SCALE	AS NO	OTED
DRAWN	DN	
CHECKE	JW	
ISSUED F		IITS/CONSTRUCTION


MODEL 307 -GARAGE LEFT

CHESAPEAKE HOMES OF NC

3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

> ELEVATION C AND ROOF PLAN





THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITE TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZE USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISE



REVIS	SIONS	
MARK	DATE	DESCRIPTION
AM	08-13-20	CLIENT REVISIONS
AM	05-10-21	RESTAMP SHEETS


Ι.		
	PROJECT NO.	
		113-69
	5 . TF	
	DATE	04-29-20
	SCALE	
		AS NOTED
	DRAWN BY	CV
		СН
	CHECKED BY	JW
		JW
	ISSUED FOR	PERMITS/CONSTRUCTION
1		TERMITS/CONSTRUCTION

MODEL 307 -

CHESAPEAKE HOMES OF NC

3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

ELEVATION D AND ROOF PLAN




TYP. STAIR SECTION

NO SCALE ALL STAIR AND GUARD REQUIREMENTS TO COMPLY WITH R-311 AND R312 NCRC 2018

TYPICAL RAILING @ PORCH/DECK

SCALE: 1/2" = 1'-0"

(PROVIDE GUARDRAIL BOTH SIDES WHEN HEIGHT ABOVE GRADE EXCEEDS 30"/ PROVIDE HANDRAIL ONE SIDE OF STEPS WHERE 4 OR MORE RISERS)



TYPICAL BUILDING SECTION W/ OPT. SECOND FLOOR @ ELEV. A SHOWN

SCALE: 1/4" = 1'-0"

JAMES WENTLING/ **ARCHITECT**

LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524 PHILADELPHIA, PA 19110

(215) 568-2551 email -information@ wentlinghouseplans.com

ARCHITECTURE

LAND PLANNING

GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISE



REVIS	REVISIONS		
MARK	DATE	DESCRIPTION	
DN	01-28-19	CONVERT BRIDGEWATER	
DN	02-14-19	STRUCT. DWGS. REV.	
СН	04-29-20	MINOR UPDATE	
AM	05-10-21	RESTAMP SHEETS	


•	
ROJECT NO.	
	113-69
ATE	01.05.10
	01-25-19
CALE	A C NOTED
	AS NOTED
RAWN BY	DN
	DIN
UECKED DV	
HECKED BY	JW
SUED FOR	
SOLD FOR	PERMITS/CONSTRUCTION


MODEL 307-GARAGE LEFT


CHESAPEAKE HOMES OF NC


3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax


BUILDING SECTION













LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524

PHILADELPHIA, PA 19110
(215) 568-2551
email -information@

wentlinghouseplans.com

ARCHITECTURE

LAND PLANNING GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISE.



L		
REVIS	SIONS	
MARK	DATE	DESCRIPTION
DN	01-28-19	CONVERT BRIDGEWATER
DN	02-14-19	STRUCT. DWGS. REV.
СН	04-29-20	MINOR UPDATE
AM	05-10-21	RESTAMP SHEETS

PROJECT NO.	
	113-69
DATE	11-02-17
SCALE	
	1-1/2" = 1'-0"
DRAWN BY	DN
CHECKED BY	JW
ISSUED FOR	PERMITS/CONSTRUCTION

PROJECT TIT

MODEL 307 -GARAGE LEFT

CHESAPEAKE


HOMES OF NC
3100 Smoketree Court,


Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax


DRAWING TITLE


MONOLITHIC SLAB FOUNDATION, WALL AND SOFFIT DETAILS




















REVISIONS

IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISEI

DN 01-28-19 CONVERT BRIDGEWATER DN 02-14-19 STRUCT. DWGS. REV. CH 04-29-20 MINOR UPDATE AM 05-10-21 RESTAMP SHEETS PROJECT NO. 113-69 DATE 11-02-17 SCALE 1-1/2" = 1'-0" DRAWN BY DN CHECKED BY JW ISSUED FOR PERMITS/CONSTRUCTION	WAKK	DATE	DESCRIPTION
CH 04-29-20 MINOR UPDATE AM 05-10-21 RESTAMP SHEETS PROJECT NO. 113-69 DATE 11-02-17 SCALE 1-1/2" = 1'-0" DRAWN BY DN CHECKED BY JW ISSUED FOR	DN	01-28-19	CONVERT BRIDGEWATER
AM 05-10-21 RESTAMP SHEETS PROJECT NO. 113-69 DATE 11-02-17 SCALE 1-1/2" = 1'-0" DRAWN BY DN CHECKED BY JW ISSUED FOR	DN	02-14-19	STRUCT. DWGS. REV.
PROJECT NO. 113-69 DATE 11-02-17 SCALE 1-1/2" = 1'-0" DRAWN BY DN CHECKED BY JW ISSUED FOR	СН	04-29-20	MINOR UPDATE
DATE $$11-02-17$$ SCALE $$1-1/2"=1'-0"$$ DRAWN BY DN CHECKED BY JW ISSUED FOR	AM	05-10-21	RESTAMP SHEETS
DATE $$11-02-17$$ SCALE $$1-1/2"=1'-0"$$ DRAWN BY DN CHECKED BY JW ISSUED FOR			
DATE $$11-02-17$$ SCALE $$1-1/2"=1'-0"$$ DRAWN BY DN CHECKED BY JW ISSUED FOR			
DATE $11-02-17$ SCALE $1-1/2"=1'-0"$ DRAWN BY DN CHECKED BY JW			
DATE $11-02-17$ SCALE $1-1/2"=1'-0"$ DRAWN BY DN CHECKED BY JW			
11-02-17 SCALE $1-1/2" = 1'-0"$ DRAWN BY DN $CHECKED BY$ JW			
1-1/2"=1'-0" DRAWN BY DN CHECKED BY JW ISSUED FOR			
DN CHECKED BY JW ISSUED FOR			
JW ISSUED FOR			
	ISSUED F		MITS/CONSTRUCTION


MODEL 307 -GARAGE LEFT


CHESAPEAKE HOMES OF NC 3100 Smoketree Court,


Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax


DRAWING TITLE


MONOLITHIC SLAB FOUNDATION AND WALL DETAILS











SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISEI

THESE PLANS ARE COPYRIGHTED AND ARE



MARK	DATE	DESCRIPTION
DN	01-28-19	CONVERT BRIDGEWATER
DN	02-14-19	STRUCT. DWGS. REV.
СН	04-29-20	MINOR UPDATE
AM	05-10-21	RESTAMP SHEETS

PROJECT NO.	
	113-69
DATE	11-02-17
SCALE	
	1-1/2" = 1'-0"
DRAWN BY	
	DN
CHECKED BY	
	JW
ISSUED FOR	
	PERMITS/CONSTRUCTION

PROJECT TITLE


MODEL 307 -


GARAGE LEFT

CHESAPEAKE
HOMES OF NC

3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

MONOLITHIC SLAB
FOUNDATION
AND WALL DETAILS





JAMES WENTLING/

ARCHITECT

LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524 PHILADELPHIA, PA 19110

(215) 568-2551 email -information@ wentlinghouseplans.com

ARCHITECTURE

LAND PLANNING

GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISEI



REVIS	REVISIONS		
MARK	DATE	DESCRIPTION	
DN	01-28-19	CONVERT BRIDGEWATER	
DN	02-14-19	STRUCT. DWGS. REV.	
СН	04-29-20	MINOR UPDATE	
AM	05-10-21	RESTAMP SHEETS	

PROJECT	ΓNO.
	113-69
DATE	11-02-17
SCALE	
	3/4" = 1'-0"
DRAWN	BY
	DN
CHECKE	
	JW
ISSUED F	
	PERMITS/CONSTRUCTION


MODEL 307 -GARAGE LEFT

CHESAPEAKE HOMES OF NC

3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

RAWING TITLE

ELEVATION A/D -**DETAILS**





LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524 PHILADELPHIA, PA 19110

(215) 568-2551 email -information@ wentlinghouseplans.com

ARCHITECTURE

LAND PLANNING
GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION

OR BUILDINGS BEING SEIZED AND/OR RAISEI



DN 01-28-19 CONVERT BRIDGH DN 02-14-19 STRUCT. DWGS. R CH 04-29-20 MINOR UPDATE AM 05-10-21 RESTAMP SHEETS PROJECT NO. 113-69 DATE 11-02-17 SCALE 3/4" = 1'-0" DRAWN BY DN CHECKED BY JW				
DN 02-14-19 STRUCT. DWGS. R CH 04-29-20 MINOR UPDATE AM 05-10-21 RESTAMP SHEETS PROJECT NO. 113-69 DATE 11-02-17 SCALE 3/4" = 1'-0" DRAWN BY DN CHECKED BY				
CH 04-29-20 MINOR UPDATE AM 05-10-21 RESTAMP SHEETS PROJECT NO. 113-69 DATE 11-02-17 SCALE 3/4" = 1'-0" DRAWN BY DN CHECKED BY	IDG	EWAT		
AM 05-10-21 RESTAMP SHEETS PROJECT NO. 113-69 DATE 11-02-17 SCALE 3/4" = 1'-0" DRAWN BY DN CHECKED BY	GS. F	REV.		
PROJECT NO. 113-69 DATE 11-02-17 SCALE 3/4" = 1'-0" DRAWN BY DN CHECKED BY	TE			
DATE $11-02-17$ SCALE $3/4" = 1'-0"$ DRAWN BY DN	EETS	S		
DATE $11-02-17$ SCALE $3/4" = 1'-0"$ DRAWN BY DN				
DATE $11-02-17$ SCALE $3/4" = 1'-0"$ DRAWN BY DN				
DATE $11-02-17$ SCALE $3/4" = 1'-0"$ DRAWN BY DN				
DATE $11-02-17$ SCALE $3/4" = 1'-0"$ DRAWN BY DN				
DATE $11\text{-}02\text{-}17$ SCALE $3/4" = 1'\text{-}0"$ DRAWN BY DN CHECKED BY				
11-02-17 SCALE $3/4"=1'-0"$ DRAWN BY DN CHECKED BY	113-69			
3/4" = 1'-0" DRAWN BY DN CHECKED BY				
3/4" = 1'-0" DRAWN BY DN CHECKED BY				
DN CHECKED BY				
CHECKED BY				
J W				
ISSUED FOR PERMITS/CONSTRUCTIO	ODT 0			

PROJECT TITLE

MODEL 307 -GARAGE LEFT

-

CHESAPEAKE HOMES OF NC


3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

DRAWING TITLE

ELEVATION B/C -DETAILS

SHEET

6.2B





LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524 PHILADELPHIA, PA 19110

(215) 568-2551 email -information@ wentlinghouseplans.com

ARCHITECTURE

LAND PLANNING

GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISEIP.



REVIS	SIONS	
MARK	DATE	DESCRIPTION
DN	01-28-19	CONVERT BRIDGEWATER
DN	02-14-19	STRUCT. DWGS. REV.
СН	04-29-20	MINOR UPDATE
AM	05-10-21	RESTAMP SHEETS

PROJECT NO.	
	113-69
DATE	11-02-17
SCALE	AS NOTED
DRAWN BY	DN
CHECKED BY	JW
ISSUED FOR	PERMITS/CONSTRUCTION

PROJECT TITLE

MODEL 307 -GARAGE LEFT


CHESAPEAKE HOMES OF NC

3100 Smoketree Court, Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

DRAWING TITLE


FIRST FLOOR ELECTRICAL PLANS

7



SECOND FLOOR ELECTRICAL PLAN

SCALE 1/4" = 1'-0"



JAMES WENTLING/ ARCHITECT

LAND TITLE BUILDING 100 SOUTH BROAD STREET, SUITE 1524 PHILADELPHIA, PA 19110

(215) 568-2551 email -information@



ARCHITECTURE

LAND PLANNING

GRAPHICS

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN "ARCHITECTURAL WORK" UNDER SECTION 102 OF THE COPYRIGHT ACT, 17 U.S.C. AS AMENDED DECEMBER 1, 1990 AND KNOWN AS THE "ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990." THE PROTECTION INCLUDES BUT IS NOT LIMITED TO, THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF THE DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORKS, OR FORMS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF SUCH CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR RAISED.



MARK	DATE	DESCRIPTION
DN	01-28-19	CONVERT BRIDGEWATER
DN	02-14-19	STRUCT. DWGS. REV.
СН	04-29-20	MINOR UPDATE
AM	05-10-21	RESTAMP SHEETS

113-69		
11-02-17	1	
AS NOT	ED	
DN		
DIV		
JW		
DED 1 477		
PERMIT	S/CONSTRUCT	ION
	AS NOT	11-02-17 AS NOTED DN

PROJECT TIT

MODEL 307 -GARAGE LEFT

CLIENT

CHESAPEAKE HOMES OF NC 3100 Smoketree Court,

Suite 210 Raleigh, NC 27604 (919) 256-3060 (919) 556-0690 Fax

DRAWING TITLE

SECOND FLOOR ELECTRICAL PLAN

STRUCTURAL NOTES NC (2018 NCRC): Wind: 115-120 mph

- ENGINEER'S SEAL APPLIES ONLY TO STRUCTURAL COMPONENTS INCLUDING ROOF RAFTERS, HIPS, VALLEYS, RIDGES, FLOORS, WALLS, BEAMS AND HEADERS, COLUMNS, CANTILEVERS, OFFSET LOAD BEARING WALLS, PIER & GIRDER SYSTEM, FOOTING, AND PILING SYSTEM. ENGINEER'S SEAL DOES NOT CERTIFY DIMENSIONAL ACCURACY OR ARCHITECTURAL LAYOUT INCLUDING ROOF SYSTEM. ALL REQUIREMENTS FOR PROFESSIONAL CERTIFICATION SHALL BE PROVIDED BY THE APPROPRIATE PROFESSIONAL. SOUTHERN ENGINEERS, P.A. CERTIFIES ONLY THE STRUCTURAL COMPONENTS AS SPECIFICALLY STATED.
- 2. ALL CONSTRUCTION SHALL CONFORM TO THE LATEST REQUIREMENTS OF RESIDENTIAL CODE, PLUS ALL LOCAL CODES AND REGULATIONS. THE STRUCTURAL ENGINEER IS NOT RESPONSIBLE FOR, AND WILL NOT HAVE CONTROL OF, CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES OR PROCEDURES, OR FOR SAFETY PRECAUTIONS AND PROGRAMS IN CONNECTION WITH THE CONSTRUCTION WORK, NOR WILL THE ENGINEER BE RESPONSIBLE FOR THE CONTRACTOR'S FAILURE TO CARRY OUT THE CONSTRUCTION WORK IN ACCORDANCE WITH THE CONTRACT DOCUMENTS. "CONSTRUCTION REVIEW" SERVICES ARE NOT PART OF OUR CONTRACT ALL MEMBERS SHALL BE FRAMED ANCHORED, TIED AND BRACED IN ACCORDANCE WITH GOOD CONSTRUCTION PRACTICE AND THE BUILDING CODE.
- 3. DESIGN LOADS (LISTED AS: LIVE LOAD, DEAD LOAD, DEFLECTION) ROOMS OTHER THAN SLEEPING ROOMS: (40 PSF, IO PSF, L/360) SLEEPING ROOMS: (30 PSF, IO PSF, L/360) ATTIC WITH PERMANENT STAIR: (40 PSF, IO PSF, L/360) ATTIC WITHOUT PERMANENT STAIR: (20 PSF, IO PSF, L/360) ATTIC WITHOUT STORAGE: (10 PSF, 10 PSF, L/240)
- STAIRS: (40 PSF, IO PSF, L/360) EXTERIOR BALCONIES: (60 PSF, I0 PSF, L/360)

DECKS: (40 PSF, IO PSF, L/360)

- GUARDRAILS AND HANDRAILS: (200 LBS) PASSSENGER VEHICLE GARAGES: (50 PSF, IO PSF, L/360)
- FIRE ESCAPES: (40 PSF, IO PSF, L/360) SNOW: (20 PSF)
- 4. WALLS SHALL BE BRACED BY SHEATHING WALLS ON ALL STORIES WITH WOOD STRUCTURAL PANELS. SEE FRAMING NOTES FOR THICKNESS AND NAILING REQUIREMENTS.
- 5. SEE APPENDIX M (DCA6) FOR EXTERIOR DECK REQUIREMENTS INCLUDING ATTACHMENTS FOR LATERAL LOADS.
- 6. CONCRETE SHALL HAVE A MINIMUM 28 DAY STRENGTH OF 3000 PSI AND A MAXIMUM SLUMP OF 5 INCHES UNLESS NOTED OTHERWISE (UNO). AIR ENTRAINED PER TABLE 402.2. ALL CONCRETE SHALL BE PROPORTIONED, MIXED, HANDLED, SAMPLED, TESTED, AND PLACED IN ACCORDANCE WITH ACI STANDARDS. ALL SAMPLES FOR PUMPING SHALL BE TAKEN FROM THE EXIT END OF THE PUMP. CONTROL JOINTS IN SLABS SHALL BE SPACED ON A GRID OF +-30 TIMES THE DEPTH (D). CONTROL JOINTS SHALL BE SAWCUT TO A DEPTH OF I/D. (I.E. 4" CONCRETE SLABS SHALL HAVE 1/4" DEEP CONTROL JOINTS SAWCUT IN SLAB ON A +-10'-0" x +-10'-0" GRID).
- ALLOWABLE SOIL BEARING PRESSURE ASSUMED TO BE 2000 PSF. THE CONTRACTOR MUST CONTACT A GEOTECHNICAL ENGINEER AND THE STRUCTUAL ENGINEER IF UNSATISFACTORY SUBSURFACE CONDITIONS ARE ENCOUNTERED. THE SURFACE AREA ADJACENT TO THE FOUNDATION WALL SHALL BE PROVIDED WITH ADEQUATE DRAINAGE, AND SHALL BE GRADED SO AS TO DRAINSURFACE WATER AWAY FROM FOUNDATION WALLS.
- 8. ALL FRAMING LUMBER SHALL BE SPF #2 (Fb = 875 PSI) UNLESS NOTED OTHERWISE (UNO). ALL TREATED LUMBER SHALL BE SYP # 2. PLATE MATERIAL MAY BE SPF # 3 OR SYP #3 (Fc(perp) =
- 9. L.V.L. SHALL BE LAMINATED VENEER LUMBER: Fb=2600 PSI, Fv=285 PSI, E=1.9xI0 PSI. 9.I. P.S.L. SHALL BE PARALLEL STRAND LUMBER: Fb=2900 PSI, Fv=290 PSI, E=2.0xI0 PSI. 9.2. L.S.L. SHALL BE LAMINATED STRAND LUMBER: Fb=2250 PSI, Fv=400 PSI, E=1.55xI0 PSI. INSTALL ALL CONNECTIONS PER MANUFACTURERS INSTRUCTIONS.
- IO. ALL ROOF TRUSS AND I-JOIST LAYOUTS SHALL BE PREPARED IN ACCORDANCE WITH THE SEALED STRUCTURAL DRAWINGS. TRUSSES AND I-JOISTS SHALL BE INSTALLED ACCORDING TO THE MANUFACTURE'S SPECIFICATIONS. ANY CHANGE IN TRUSS OR I-JOIST LAYOUT SHALL BE COORDINATED WITH SOUTHERN ENGINEERS.
- II. ALL STRUCTURAL STEEL SHALL BE ASTM A-36. STEEL BEAMS SHALL BE SUPPORTED AT EACH END WITH A MINIMUM BEARING LENGTH OF 3 1/2" INCHES AND FULL FLANGE WIDTH. PROVIDE SOLID BEARING FROM BEAM SUPPORT TO FOUNDATION. BEAMS SHALL BE ATTACHED TO EACH SUPPORT WITH TWO LAG SCREWS (I/2" DIAMETER x 4" LONG). LATERAL SUPPORT IS CONSIDERED ADEQUATE PROVIDING THE JOIST ARE TOE NAILED TO THE SOLE PLATE, AND SOLE PLATE IS NAILED OR BOLTED TO THE BEAM FLANGE @ 48" O.C. ALL STEEL TUBING SHALL BE ASTM A500. LAP ALL REBAR SPLICES 30 BAR DIAMETERS.
- 12. REBAR SHALL BE DEFORMED STEEL, ASTM615, GRADE 60.
- 13. FLITCH BEAMS SHALL BE BOLTED TOGETHER USING (2) ROWS OF 1/2" DIAMETER BOLTS (ASTM A325) WITH WASHERS PLACED UNDER THE THREADED END OF BOLT. BOLTS SHALL BE SPACED AT 24" O.C. (MAX), AND STAGGERED AT THE TOP AND BOTTOM OF BEAM (2" EDGE DISTANCE), WITH 2 BOLTS LOCATED AT 6" FROM EACH END.
- 14. BRICK LINTELS (WHEN REQUIRED) SHALL BE 3 1/2"x3 1/2"x1/4" STEEL ANGLE FOR UP TO 6'-0" SPAN AND 6"x4"x5/16" STEEL ANGLE WITH 6" LEG VERTICAL FOR SPANS UP TO 9'-0". SEE PLANS FOR SPANS OVER 9'-0". SEE ALSO SECTION R703.7.3 LINTELS.

FRAMING NOTES NC (2018 NCRC): Wind: 115-120 mph

- BRACING METHOD AND TYPE: CONTINUOUSLY SHEATHED WSP: CS-WSP. NOTE THAT THE WALL BRACING AMOUNT PROVIDED ON THE PLANS (DETAILS AND SPECIFICATIONS) IS GREATER THAN THE AMOUNT OF WALL BRACING REQUIRED BY SECTION R602.10 OF THE CODE. SEE NOTES BELOW FOR DETAILS AND SPECIFICATIONS FOR WALL BRACING AND WALL FRAMING.
- 2. EXTERIOR WALL SHEATHING: WALLS SHALL BE BRACED BY SHEATHING WALLS ON ALL STORIES WITH WOOD STRUCTURAL PANEL SHEATHING (MSP) (EXPOSURE B: 1/16", EXPOSURE C: 15/32"), SHEATHING SHALL BE ATTACHED WITH 8d NAILS AT A 6"/12" NAILING PATTERN (6" OC AT PANEL EDGES AND 12" OC AT INTERMEDIATE SUPPORTS). INSTALL BLOCKING AT ALL PANEL EDGES.
- 3. WSP SHEATHING SHALL EXTEND TO THE UPPERMOST DOUBLE BEARING PLATE. BLOCK AT ROOF PER SECTION R602.10.4.5 AND ATTACH BRACED WALLS PER CODE. WSP SHEATHING BETWEEN FLOORS SHALL BE SPLICED ALONG CONTINUOUS BAND OR THE WSP SHEATHING MAY BE SPLICED ACROSS STUDS (CONTINUOUS ACROSS FLOOR SYSTEM) WITH BLOCKING AT PANEL EDGES. (MINIMUM 12" BEYOND FLOOR BREAK) OR OTHER APPROVED METHOD.
- 4. "HD" = HOLDOWN: HOLD-DOWN DEVICE (NOTED AS "HD" ON PLANS) SHALL BE AN 800 POUND CAPACITY ASSEMBLY AS NOTED ON PLANS. SEE DETAILS FOR HD ASSEMBLY. • **GROUND/FIRST FLOOR: USE "HD HOLD-DOWN DETAIL" ON SD SHEET
- (OR EQUIV.) • **UPPER FLOORS: ATTACH BASE OF KING STUD WITH A SIMPSON CS22 STRAP DOWN ACROSS THE BAND AND DOWN TO A STUD BELOW OR HEADER BELOW. EXTEND STRAP 7" MIN ALONG EACH STUD (OR HEADER) AND ATTACH EACH END W (7) 8d NAILS.
- 5. INTERIOR BRACED WALL: (NOTED AS "IBW" ON PLANS) ATTACH I/2" GYPSUM BOARD (GB) ON EACH SIDE OF WALL WITH A MIN. OF 5d COOLER NAILS OR #6 SCREWS @ 7" O.C. ALONG THE EDGES AND AT INTERMEDIATE SUPPORTS.
- INTERIOR BRACED WALL-WOOD STRUCTURAL PANEL: (NOTED AS "IBW-WSP" ON PLANS). ATTACH ONE SIDE WITH 16" WSP SHEATHING WITH 8d NAILS AT A 6"/12" NAILING PATTERN (6" OC AT PANEL EDGES AND 12" OC AT INTERMEDIATE SUPPORTS). INSTALL BLOCKING AT ALL PANEL EDGES. ATTACH GB OVER MSP AS REQUIRED. ATTACH OPPOSITE SIDE WITH I/2" GB WITH A MIN. OF 5d COOLER NAILS OR #6 SCREMS @ 7" OC ALONG THE EDGES AND AT INTERMEDIATE

HEADER/BEAM & COLUMN NOTES

- ALL EXTERIOR AND LOAD BEARING HEADERS SHALL BE MIN. (2)2x6 (4" WALL) OR (3)2x6 (6" WALL) WITH (I) SUPPORT STUD, UNLESS NOTED
- 2. THE NUMBER SHOWN AT BEAM AND HEADER SUPPORTS INDICATES THE NUMBER OF SUPPORT STUDS REQUIRED IN STUD POCKET OR COLUMN. THE NUMBER OF KING STUDS AT EACH END OF HEADERS IN EXTERIOR WALLS SHALL BE ACCORDING TO ITEM "d" IN TABLE R602.3(5) OR AS BELOW:
- •• UP TO 4' SPAN: (I) KING STUD OVER 4' UP TO 8' SPAN: (2) KING STUDS
- OVER 8' UP TO 11' SPAN: (3) KING STUDS OVER II' SPAN: (4) KING STUDS

TRUSS SYSTEM REQUIREMENTS NC (2018 NCRC): Wind: 115-120 mph


- TRUSS SYSTEM LAYOUTS (PLACEMENT PLANS) SHALL BE DESIGNED IN ACCORDANCE WITH SEALED STRUCTURAL PLANS. ANY NEED TO CHANGE TRUSSES SHALL BE COORDINATED WITH SOUTHERN
- TRUSS SCHEMATICS (PROFILES) SHALL BE PREPARED AND SEALED BY TRUSS MANUFACTURER.
- 3. ALL TRUSSES SHALL BE DESIGNED FOR BEARING ON SPF #2 OR #3 PLATES OR LEDGERS (UNO).
- 4. ALL REQUIRED ANCHORS FOR TRUSSES DUE TO UPLIFT OR BEARING SHALL MEET THE REQUIREMENTS AS SPECIFIED ON THE TRUSS SCHEMATICS.

- 4X4 (6x6) TRT'D POST (OR EQUAL). ATTACH TRUSSES (RAFTERS) AT PORCH WITH
- HURRICANE CONNECTORS. POST CAP: SIMPSON AC4-MAX (AC6-MAX)
- POST CAP AT CORNER: (2) SIMPSON LCE4 (MITER HEADER AT CORNER). HIGH WIND; ADD (I)
- 3. <u>POST BASE</u>: SIMPSON ABU44 (ABU66). 3.1. <u>MONO</u>: %" ANCHOR (EMBED 7")
- 3.2. CMU: 5/8" ANCHOR (EXTEND TO FOOTING -HIGH WIND ONLY) 4. POST BASE: WOOD FOUNDATION: (2) SIMPSON CSI6 STRAPS AT POSTS. EXTEND 12" ONTO
- NOTE: EQUIVALENT POST CAP AND BASE ACCEPTABLE.


EACH POST (UPPER AND LOWER) OR TO GIRDER.

FRAMING - TREATED SILL - ½" DIAMETER ANCHOR BOLTS @ 6'-0" OC 7" EMBEDMENT) OR SIMPSON MASA MUDSILL ANCHORS @ 6'-0" OC (ADJUST LOCATION AT DOOR OPENINGS.) LOCATE 12" FROM PLATE ENDS. - 4" CONC. SLAB SEE PLAN


MONOLITHIC SLAB FOOTING (SIDING OR EQUAL)




MONOLITHIC SLAB @ GARAGE





MONOLITHIC SLAB FOOTING





MONOLITHIC SLAB @ GARAGE
















PROVIDE SOLID BLOCKING (2) SIMPSON CSI6 STRAP WITH 8d NAILS. (EXTEND TO WALL TOP PLATE AND EXTEND 20" UNDER HEADER). ATTACH KING STUD TO-SUPPORT STUDS WITH IOD NAILS @ 8" OC. MIN (2)2X SUPPORT STUDS AND (I) KING STUD (SEE PLAN FOR STUD COLUMN REQUIREMENTS). 1,000 LB HOLDOWN (SIMPSON HTT4 HOLDOWN W/ 18-10d NAILS OR EQUAL) HOLDOWN ANCHOR CONCRETE: ½"x12 SIMPSON TITEN HD (THD501200H) STRAP OPTION (MONO: SIMPSON STHD14 STRAP-TIE HOLDOWN. CMU: %" THREADED ROD (EMBEDDED 12") WITH SIMPSON SET EPOXY. (HIGH WIND ZONE: EXTEND ROD TO FOOTING) END CONDITION DETAIL $^{D}\!\!$ (FOR USE WITH SINGLE APA PORTAL FRAME CONDITION) DETAIL AND APPLICATION BASED ON APA TT-100F WITH USE OF TABLE I FOR APA PORTAL FRAME WITH HOLD-DOWN CAPACITIES.

HEADERS IN 2x6 WALLS,

ELEVATION 900 APA PORTAL FRAME W/ HOLD-DOWNS $^\prime$ DETAIL AND APPLICATION BASED ON APA TT-100F WITH USE OF TABLE I FOR APA PORTAL FRAME WITH HOLD-DOWN CAPACITIES.




SECTION 400 APA PORTAL FRAME W/ HOLD-DOWNS DETAIL AND APPLICATION BASED ON APA TT-100F WITH USE OF TABLE I FOR APA PORTAL FRAME WITH HOLD-DOWN




HOLD-DOWN DETAIL NOTE: SIMPSON DTT-IZ IS ACCEPTABLE ALTERNATE NOTE: ALTERNATE HD HOLD-DOWN DEVICES OR SYSTEMS MAY BE USED TO MEET THE CODE REQUIRED 800 LB CAPACITY IN

LIEU OF THE ABOVE DETAIL.



:S-PF: CONTINUOUS PORTAL FRAME CONSTRUCTION DETAIL AND APPLICATION BASED ON NORC FIGURE R602.IO.I - PORTAL FRAME CONSTRUCTION



<u>CS-PF: END CONDITION DETAIL</u> SD / (FOR USE WITH SINGLE CS-PF CONDITION) DETAIL AND APPLICATION BASED ON NORC FIGURE R602.10.1 - PORTAL FRAME CONSTRUCTION

9

entling 0 • α

> Home

ail

SD-

MONO