



EXTERIOR DIMENSIONS ARE TO FACE OF SHEATHING.
SHEATHING IS FLUSH TO FACE OF FOUNDATION.

Products					
PlotID	Length	Product	Plies	Net Qty	
DBM1	20' 0"	1-3/4X11-7/8 LP-LVL 2900Fb-2.0E	2	2	
FBM7	18' 0"	1-3/4X14 LP-LVL 2900Fb-2.0E	2	2	
FBM2	6' 0"	1-3/4X14 LP-LVL 2900Fb-2.0E	2	2	
FBM3	6' 0"	1-3/4X14 LP-LVL 2900Fb-2.0E	2	2	
FBM5	6' 0"	1-3/4X14 LP-LVL 2900Fb-2.0E	2	2	
FBM6	6' 0"	1-3/4X14 LP-LVL 2900Fb-2.0E	2	2	
TFBM4	22' 0"	1-3/4X18 LP-LVL 2900Fb-2.0E	3	3	

Connector Summary			Truss Connector Total List		
Qty	Manuf	Product	Manuf	Product	Qty
1	Simpson	HU412	Simpson	LUS410	5
1	Simpson	HU416			

THIS IS A TRUSS PLACEMENT DIAGRAM ONLY

These trusses are designed as individual building components to be incorporated into the building design at the specification of the building designer. See individual design sheets for each truss design identified on the placement drawing. The building designer is responsible for temporary and permanent bracing of the roof and floor system and for the overall structure. The design of the truss support structure including headers, beams, walls, and columns is the responsibility of the building designer. For general guidance regarding bracing, consult "Bracing of Wood Trusses" available from the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53179.

SHOP DRAWING APPROVAL

THIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND VOIDS ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. VERIFY ALL CONDITIONS TO INSURE AGAINST CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU.

REVIEWED BY: _____ APPROVED BY: _____ DATE: _____



Plan: HONEYSUCKLE A & B	Roof Area: 1785.76 SF
Date: 5/13/2024	
Sales Rep: RW	
Designer: JSP	

Job #: Q2200855 GARAGE RIGHT
Customer: GARMAN HOMES
Site Address:
City, ST, ZIP:

Carolina Structural Systems
Roof Trusses • Floor Trusses • EWP
Carolina Structural Systems
P.O. Box 157, Ether, NC 27247
225 Frame Shop Rd., Star, NC 27356
910-491-9004