## Harnett County Environmental Health

File/Perm	nit Number: SFD2404-0092	
IMPROVEMENT PERMIT		
County: Harnett		
PIN/Lot Identifier: 9579-24-0020.000		
Owner: Southern Touch Homes Applicant:		
Property Location: 78 Boyce Ct		
Subdivision (if applicable) West Preserve Lot #: 42 Block	ck: Section:	
New Expansion System Relocation	Change of Use	
Facility Type: SFD (63'x56')		
Number of bedrooms: 3 Number of Occupants: 6 Other:		
Design Wastewater Strength: Domestic High Strength Industrial Proce	ess Wastewater	
Proposed Design Daily Flow: 360 GPD Proposed LTAR (Initial): 4 Proposed		
Proposed Wastewater System Type*: 25% Reduction System (Initial) Pump Required:  Proposed Wastewater System Type*: Low Profile Chamber (Repair) Pump Required:	Yes No May be required	
Proposed Wastewater System Type*: Low Profile Chamber (Repair) Pump Required:	Yes No May be required	
*Please include system classification for proposed wastewater system types in accordance with Rule .1301 7	able XXXII	
Effluent Standard:   DSE HSE NSF/ANSI 40 TS-I TS-II RCW		
Saprolite System (Initial): Yes No Saprolite System (Repair): Yes No		
Fill System (Initial): Yes No If yes, specify: New Existing (when adding more than 6 inches	of fill to system area provide a fill plan)	
Fill System (Repair): Yes No If yes, specify: New Existing (when adding more than 6 inches	s of fill to system area provide a fill plan)	
Usable Depth to LC (Initial) <sup>x</sup> : 34 Usable Depth to LC (Repair) <sup>x</sup> : 22	x Limiting Condition	
Max. Trench Depth (Initial) <sup>‡</sup> : 18 Max. Trench Depth (Repair) <sup>‡</sup> : 10 *Measu	red on the downhill side of the trench	
Artificial Drainage Required:  Yes No If yes, please specify details:		
Type of Water Supply: Private well Public well Shared well Municipal Supply Spr	ring Other:	
Drainfield location meets requirements of Rule .0508: Yes 🔳 No 🗌 Drainfield location meets require	ments of Rule .0601: Yes 🔳 No 🗌	
Permit valid for: Five years [site plan submitted pursuant to GS 130A-334(13a)] No expiration [plat	submitted pursuant to GS 130A-334(7a)]	
Permit conditions:		
Authorized Agent's Printed Name: Oliver Tolksdorf	E/44/2020	
	Expiration Date: 5/14/2029	
Authorized Agent's Signature:	Date: <u>5/14/24</u>	

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. <u>This permit is subject to revocation if the site plan, plat, or the intended use changes.</u> The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

\*See attached site sketch\*

## **Harnett County Environmental Health**

File/Permit Number: SFD2404-0092		
CONSTRUCTION AUTHORIZATION		
County: Harnett PIN/Lot Identifier: 9579-24-0020.000		
Owner: Southern Touch Homes Applicant:		
Property Location: 78 Boyce Dr		
Facility Type: SFD (63'x56')		
Number of bedrooms: 3 Number of Occupants: 6 Other:		
■ New		
Basement? Yes No Basement Fixtures? Yes No		
Crawl Space? ☐ Yes ☐ No Slab Foundation? ■ Yes ☐ No		
Type of Wastewater System* Accepted (Initial) Low Profile Chamber (Repair)		
*Please include system classification for proposed wastewater system types in accordance with Rule .1301 Table XXXII		
Design Daily Flow: 360 GPD Wastewater Strength: Domestic High Strength Industrial Process Wastewater		
Rule .0403(e) Engineering Design Utilizing Low-flow Fixtures and Low-flow Technologies (S.L. 2013-413 and 2014-120)?    Yes   No (if yes, please provide engineering documentation)		
Effluent Standard: 🔳 DSE 🔲 HSE 🔲 NSF/ANSI 40 🔲 TS-I 🔛 TS-II 🔲 RCW		
Type of Water Supply: Private well Public well Shared well Municipal Supply Spring Other:		
Installation Requirements/Conditions		
Septic Tank Size: 1000 gallons Total Trench/Bed Length: 225 feet Trench/Bed Spacing: 9 feet on center		
Trench/Bed Width: 36 inches LTAR: .4 gpd/ft² Usable Depth to LC (Initial)x: 34 xLimiting condition		
Soil Cover: 6 inches Slope Corrected Maximum Trench/Bed Depth <sup>‡</sup> : 18 inches ** Measured on the downhill side of the trench		
Pump Tank Size (if applicable): gallons Requires more than one pump?		
Pump Requirements: ft. TDH vs GPM Grease Trap Size (if applicable): gallons		
Distribution Method: Serial D-Box or Parallel Pressure Manifold(s) LPP Other:		
Artificial Drainage Required: Yes No If yes, please specify details:		
<u>Legal Agreements</u> (If the answer is "Yes" to any type of legal agreements, please attach a copy of the agreement.)		
Multi-party Agreement Required [Rule .0204(g)]:		
Easement, Right-of-Way, or Encroachment Agreement Required [Rule .0204(d)]:		
Declaration of Restrictive Covenants: ☐ Yes ☐ No Pre-Construction Conference Required: Yes ☐ No ■		
Management Entity Required: Yes No Minimum O&M Requirements:		
Conditions:		
The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems shall be installed in accordance with the attached site sketch. <i>This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes.</i> The Construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of 15A NCAC 18E, or 15A NCAC 18A .1900, as applicable, and to the conditions of this permit.		
Authorized Agent's Printed Name: Oliver Tolksdorf Expiration Date: 5/14/29		
Authorized Agent's Signature:  Date: 5/14/24		
*See attached site sketch*		

NCDHHS/DPH/EHS/OSWP

## **Harnett County Environmental Health**

## SITE SKETCH

PIN 9579-24-0020.000	Permit Number SFD2404-0092
Southern Touch Homes	West Preserve
Apphicant's Name	Subdivision/Section/Lot Number 5/14/24
Authorized State Agent	Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

