

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0424-2182
ORDER DATE	04/15/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007228
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Bryant Lockamy	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bryant Lockamy	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 524-3354	SALES AREA	Curtis Quick

SOUTH TO	Southern Touch Homes PO Box 2135 Angier, NC 27501 (919) 524-3354	JOB NAME: Lot 42 West Preserve MODEL: TAG: Holly DELIVERY INSTRUCTIONS:	LOT # 42 SUBDIV: West Preserve JOB CATEGORY: _
	Southern Touch Homes 78 Boyce Ct. Sanford, NC 27332	SPECIAL INSTRUCTIONS: Like Lot 34 West Preserve (J0923-5312)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 04/16/24
	PLUMB			JOBSITE	1	CUTTING	CQ 04/16/24
	GABLE STUDS		24 IN. OC				

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	2	10.00	6.00	ROOF A1	36-00-00 36-00-00	2 X 6	2 X 6		00-10-08	Joint 1 Joint 2 Joint 11 958.5 lbs. 994.9 lbs. 1957.6 lbs. -49.3 lbs. -27.1 lbs. -143.4 lbs.
	5	10.00	6.00	ROOF A2	36-00-00 36-00-00	2 X 6	2 X 6		00-10-08	Joint 1 Joint 12 1150.4 lbs. 1765.7 lbs. -50.1 lbs. -119.8 lbs.
	1	10.00	6.00	ROOF A2A	36-00-00 36-00-00	2 X 6	2 X 6		00-10-08	Joint 1 Joint 12 1150.4 lbs. 1765.7 lbs. -50.1 lbs. -119.8 lbs.
	3	10.00	6.00	ROOF A3	29-00-00 29-00-00	2 X 6	2 X 6			Joint 1 Joint 10 1137.6 lbs. 1193.1 lbs. -45.9 lbs. -37.4 lbs.
	1 2 Ply	10.00	6.00	ROOF A3A	29-00-00 29-00-00	2 X 6	2 X 6			Joint 1 Joint 10 2275.2 lbs. 2386.3 lbs. -91.8 lbs. -74.8 lbs.
	6	10.00	0.00	FINK B1	30-00-00 30-00-00	2 X 6	2 X 6		00-10-08	Joint 2 Joint 10 1486.0 lbs. 1442.9 lbs. -60.4 lbs. -49.8 lbs.
	1	10.00	0.00	GABLE B1GE	30-00-00 30-00-00	2 X 6	2 X 6		00-10-08	Joint 2 Joint 10 Joint 11 Joint 12 Joint 13 462.9 lbs. 708.1 lbs. 150.0 lbs. 123.5 lbs. 417.7 lbs. -137.7 lbs. -226.2 lbs. -46.4 lbs. -166.1 lbs. -94.6 lbs.
	3	10.00	0.00	ATTIC B2	29-00-00 29-00-00	2 X	2 X 10		00-10-08	Joint 2 Joint 12 1939.7 lbs. 1959.3 lbs. 183.8 lbs. 227.6 lbs.
	2 2 Ply	10.00	0.00	ATTIC B2A	29-00-00 29-00-00	2 X	2 X 10		00-10-08	Joint 2 Joint 11 5044.6 lbs. 6263.6 lbs. 459.4 lbs. 463.4 lbs.
	1	10.00	0.00	GABLE B2GE	29-00-00 29-00-00	2 X	2 X 10		00-10-08	Joint 2 Joint 11 Joint 12 Joint 13 Joint 14 618.2 lbs. 760.6 lbs. 81.3 lbs. 941.8 lbs. 748.2 lbs. -15.1 lbs. -21.3 lbs. -98.7 lbs. -304.3 lbs. 98.7 lbs.
	3	10.00	0.00	COMMON C1	25-08-00 25-08-00	2 X 6	2 X 6		00-10-08	Joint 2 Joint 10 Joint 14 573.2 lbs. 777.2 lbs. 991.8 lbs. -37.0 lbs. -131.7 lbs. -69.1 lbs.

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0424-2182
ORDER DATE	04/15/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007228
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Bryant Lockamy	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bryant Lockamy	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 524-3354	SALES AREA	Curtis Quick

SOUTH TO	Southern Touch Homes PO Box 2135 Angier, NC 27501 (919) 524-3354	JOB NAME: Lot 42 West Preserve MODEL: TAG: Holly DELIVERY INSTRUCTIONS:	LOT # 42 SUBDIV: West Preserve JOB CATEGORY: _
	Southern Touch Homes 78 Boyce Ct. Sanford, NC 27332	SPECIAL INSTRUCTIONS: Like Lot 34 West Preserve (J0923-5312)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 04/16/24
	PLUMB			JOBSITE	1	CUTTING	CQ 04/16/24
	GABLE STUDS		24 IN. OC				

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	10.00	0.00	COMMON C1GE	25-08-00 25-08-00	2 X 6	2 X 8	00-10-08	00-10-08	Joint 2 341.1 lbs. -4.7 lbs.	Joint 8 859.7 lbs. -89.6 lbs.	Joint 12 510.4 lbs. 146.2 lbs.	Joint 13 75.5 lbs. -399.6 lbs.	Joint 14 497.1 lbs. -207.7 lbs.
	9	12.00	0.00	ATTIC D1	22-08-00 22-07-00	2 X	2 X 10	00-11-00	00-11-00	Joint 12 1549.0 lbs. 176.3 lbs.	Joint 16 1549.0 lbs. 176.3 lbs.			
	1	12.00	0.00	ATTIC D1GE	22-08-00 22-07-00	2 X	2 X 10	00-11-00	00-11-00	Joint 12 1541.5 lbs. 51.2 lbs.	Joint 16 1541.5 lbs. 51.2 lbs.			
	1	12.00	0.00	ATTIC D2	22-08-00 22-07-00	2 X	2 X 10	00-11-00		Joint 12 1514.7 lbs. 180.8 lbs.	Joint 16 1540.0 lbs. 175.0 lbs.			
	1	12.00	0.00	ATTIC D3	22-08-00 22-07-00	2 X	2 X 10	00-11-00		Joint 12 962.6 lbs. 98.1 lbs.	Joint 15 997.1 lbs. 112.8 lbs.	Joint 16 604.6 lbs. -248.5 lbs.	Joint 18 999.5 lbs. -14.5 lbs.	
	1	12.00	0.00	ATTIC D4	22-08-00 22-07-00	2 X	2 X 10			Joint 11 960.5 lbs. 99.1 lbs.	Joint 14 998.4 lbs. 112.1 lbs.	Joint 15 598.0 lbs. -255.3 lbs.	Joint 17 971.8 lbs. -12.3 lbs.	
	1	10.00	0.00	COMMON E1	16-00-00 16-00-00	2 X 6	2 X 8	00-10-08	00-10-08	Joint 2 759.5 lbs. -83.7 lbs.	Joint 4 759.5 lbs. -83.7 lbs.			
	1	10.00	0.00	GABLE E1GE	16-00-00 16-00-00	2 X 6	2 X 8	00-10-08	00-10-08	Joint 2 785.5 lbs. -132.5 lbs.	Joint 4 785.5 lbs. -132.5 lbs.			
	1	12.00	0.00	COMMON G1GE	12-08-00 12-08-00	2 X 6	2 X 6		00-10-08	Joint 1 198.2 lbs. -63.4 lbs.	Joint 9 198.2 lbs. -25.9 lbs.	Joint 11 235.3 lbs. -233.4 lbs.	Joint 12 183.0 lbs. -111.0 lbs.	Joint 13 143.3 lbs. 27.6 lbs.
	1 2 Ply	12.00	0.00	COMMON G2GDR	12-08-00 12-08-00	2 X 6	2 X 10			Joint 1 5064.3 lbs. -225.9 lbs.	Joint 3 4067.5 lbs. -183.5 lbs.			
	1 2 Ply	10.00	0.00	COMMON H1GDR	10-03-08 10-03-08	2 X 6	2 X 8			Joint 1 3661.9 lbs. -181.8 lbs.	Joint 3 3867.1 lbs. -192.0 lbs.			

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0424-2182
ORDER DATE	04/15/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007228
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Bryant Lockamy	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bryant Lockamy	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 524-3354	SALES AREA	Curtis Quick

SOUTH TO	Southern Touch Homes PO Box 2135 Angier, NC 27501 (919) 524-3354	JOB NAME: Lot 42 West Preserve MODEL: TAG: Holly DELIVERY INSTRUCTIONS:	LOT # 42 SUBDIV: West Preserve JOB CATEGORY: _
	Southern Touch Homes 78 Boyce Ct. Sanford, NC 27332	SPECIAL INSTRUCTIONS: Like Lot 34 West Preserve (J0923-5312)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT RETURN					LAYOUT	CQ 04/16/24
	PLUMB	GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	CQ 04/16/24

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	3.00	0.00	GABLE M1GE	04-08-00 04-08-00	2 X 4	2 X 6	00-10-08		Joint 2 Joint 5 Joint 6 Joint 7 140.9 lbs. 18.1 lbs. 107.4 lbs. 199.0 lbs. -62.6 lbs. -26.9 lbs. -52.4 lbs. -63.2 lbs.
	4	7.00	0.00	MONOPITCH M2	02-10-00 02-10-00	2 X 6	2 X 6	00-10-08		Joint 2 Joint 4 160.5 lbs. 97.7 lbs. -2.2 lbs. -30.8 lbs.
	6	7.00	0.00	MONOPITCH M3	02-00-00 02-00-00	2 X 6	2 X 6	00-10-08		Joint 2 Joint 4 125.4 lbs. 66.3 lbs. -3.0 lbs. -22.3 lbs.
	1	10.00	0.00	VALLEY VC1	23-05-12 23-05-12	2 X 4	2 X 4			Joint 1 Joint 7 Joint 8 Joint 9 Joint 11 176.0 lbs. 144.6 lbs. 396.6 lbs. 556.4 lbs. 430.7 lbs. -39.5 lbs. 2.3 lbs. -125.7 lbs. -135.9 lbs. 69.2 lbs.
	1	10.00	0.00	VALLEY VC2	19-05-12 19-05-12	2 X 4	2 X 4			Joint 1 Joint 7 Joint 8 Joint 9 Joint 11 128.4 lbs. 104.9 lbs. 269.4 lbs. 474.6 lbs. 436.9 lbs. -92.2 lbs. -57.8 lbs. -99.6 lbs. -141.0 lbs. 62.3 lbs.
	1	10.00	0.00	VALLEY VC3	15-05-12 15-05-12	2 X 4	2 X 4			Joint 1 Joint 5 Joint 6 Joint 7 Joint 8 147.6 lbs. 131.9 lbs. 421.7 lbs. 409.4 lbs. 421.9 lbs. -17.4 lbs. 9.8 lbs. -140.9 lbs. 56.2 lbs. -141.1 lbs.
	1	10.00	0.00	VALLEY VC4	11-05-12 11-05-12	2 X 4	2 X 4			Joint 1 Joint 5 Joint 6 Joint 7 Joint 8 82.1 lbs. 62.1 lbs. 327.1 lbs. 241.5 lbs. 327.3 lbs. -60.4 lbs. -40.5 lbs. -124.9 lbs. 46.9 lbs. -125.1 lbs.
	1	10.00	0.00	VALLEY VC5	07-05-12 07-05-12	2 X 4	2 X 4			Joint 1 Joint 3 Joint 4 156.1 lbs. 156.0 lbs. 227.6 lbs. -23.5 lbs. -29.7 lbs. 23.3 lbs.
	1	10.00	0.00	VALLEY VC7	03-05-12 03-05-12	2 X 4	2 X 4			Joint 1 Joint 3 109.9 lbs. 109.9 lbs. -4.8 lbs. -4.8 lbs.
	1	12.00	0.00	VALLEY VG1	09-11-02 09-11-02	2 X 4	2 X 4			Joint 1 Joint 3 Joint 4 210.5 lbs. 210.6 lbs. 321.7 lbs. -27.7 lbs. -27.7 lbs. 13.0 lbs.
	1	12.00	0.00	VALLEY VG2	06-07-02 06-07-02	2 X 4	2 X 4			Joint 1 Joint 3 Joint 4 145.0 lbs. 145.0 lbs. 186.2 lbs. -25.8 lbs. -25.8 lbs. 24.6 lbs.

Reaction Summary of Order




ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0424-2182
ORDER DATE	04/15/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007228
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Bryant Lockamy	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bryant Lockamy	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 524-3354	SALES AREA	Curtis Quick

SOUTH TO	Southern Touch Homes PO Box 2135 Angier, NC 27501 (919) 524-3354	JOB NAME: Lot 42 West Preserve MODEL: TAG: Holly DELIVERY INSTRUCTIONS:	LOT # 42 SUBDIV: West Preserve JOB CATEGORY: _
	Southern Touch Homes 78 Boyce Ct. Sanford, NC 27332	SPECIAL INSTRUCTIONS: Like Lot 34 West Preserve (J0923-5312)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT RETURN					LAYOUT	CQ 04/16/24
	PLUMB	GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	CQ 04/16/24

ROOF TRUSSES		LOADING INFORMATION		TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)			
				20.0,10.0,0.0,10.0	1.15				
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG	REACTIONS
	PLY	TOP	BOT			TOP	BOT		
	1	12.00	0.00	VALLEY VG3	03-03-02 03-03-02	2 X 4	2 X 4		Joint 1 Joint 3 104.8 lbs. 104.8 lbs. -3.4 lbs. -3.4 lbs.

ITEMS									
QTY	ITEM TYPE	SIZE	LENGTH	PART NUMBER	NOTES				
			FT-IN-16						
10	Hangers, USP	HUS 26			SIMPSON (HUS26)				
4	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		BM1 & BM2				
2	LVL Beams (Sized)	LVL, 1-3/4" x 14" (S)	23-00-00		GDH				
1	Hangers, USP	THD28-2			SIMPSON (HHUS28-2)				