GENERAL N	OTES
-----------	------

This plan was designed and drafted BY Advanced House Plans to meet average conditions and codes in the State of Nebraska at the time it was designed. Because codes and requirements can change and may vary from jurisdiction to jurisdiction, AHP cannot warrant compliance with any specific code or regulation. Consult your local building official to determine the suitability of these plans for your specific site and application. This plan can be adapted to your local building codes and requirements, however, it is the responsibility of the purchaser and/or builder of this plan to see that the structure is built in strict compliance with all governing municipal codes (city county, state and compliance with all governing municipal codes (city, county, state and federal). The purchaser and/or builder of this plan releases the designer from any claims or lawsuits that may arise during the construction of this structure or anytime thereafter.

\* If the contractor or sub-contractor, in the course of their work finds any discrepancies between the plan and the physical conditions of the site or structure, or any errors in the plans or specifications, it shall be their responsibility to immediately inform AHP, who will promptly verify and if necessary correct the working drawings. Any work done after such discovery will be done at the contractor's expense.

\* Only the purchaser of this plan has permission to build this plan. The purchaser is given permission to reproduce the drawings only as required for such construction. The purchaser also has permission to modify this plan. No permission is given to any party to claim copyright on the original or modified plan. The modified plans shall remain subject to the license and may not be sold, distributed or otherwise transferred without the express written consent of Advanced House Plans. Infringing upon Advanced House Plans' copyright through reproduction, distribution, construction or redrawing & design is punishable by law with fine up to \$150,000 as defined by architectural copyright laws.

DESIGN LOADS:

- \* Ultimate design wind speed: 115 mph, Exposure Category: B
- \* Seismic Design Category A
- Floor 30 psf. live 10 psf. dead 40 psf. live 10 psf. live 15 p'sf. dead 5 psf. dead Soil bearing Capacity - 1500 psf.

Live loads, dead loads, wind loads, snow loads, lateral loads, seismic zoning and any specialty loading conditions will need to be confirmed before construction and adjustments to plans made accordingly. See your local building officials for verification of your specific load data, zoning restrictions and site conditions.

- CONCRETE AND FOUNDATIONS:
  \* All foundation walls and slabs on grade shall be 3000 PSI (28-day compressive strength concrete), unless noted otherwise.
  \* All interior slabs on grade shall bear on 4" compacted granular fill with 6 mil. polyethylene vapor barrier underneath.
  \* Provide proper expansion and control joints as per local
- All 36" x 36" x 18" concrete pads to have (3) #5 rods
- each way. All 48" x 48" x 24" concrete pads to have (4) #5 rods
- each way. Foundation walls are not to be backfilled until properly
- braced. Verify depth of frost footings with your local codes. Provide termite protection as required by HUD minimum
- Provide termite protection as required by HuD minimum property standards.
  Foundation bolts must be anchored to sill plate with 5/8" bolts embedded 15" in concrete walls.
  For window openings in conc. wall, provide #5 bars @4" o.c. (two total) w/2" clearance from top 4 sides of opg, for jamb 4 lintel reinforcing. Extend reinforcing a minimum of 2' past opening edges.

- All structural steel for beams and plates shall comply with ASTM specification A-36.
  All structural steel for steel columns shall comply with ASTM specification A-53 Grade B or A-501.
- All reinforcing steel for concrete shall comply with ASTM specification A-615 Grade 60.
- Provide steel shimns in all beam pockets. Steel columns are to be 3" I.D. (inside diameter) unless noted otherwise.


FRAMING MEMBERS:


- Unless noted otherwise, all framing lumber shall have the following characteristics: Fb = 1,000 psi Fv = 75 psi E = 1,400,000 psi
- Contractor to confirm the size, spacing and stress characteristics of all framing and structural members to meet your local code requirements.
- Wall bracing method assumed as CS-WSP. Since braced wall line spacing and braced wall panel calculations vary by location, purchaser will need to consult a local professional for specific wall bracing calculations and diagrams.
- Hole sizes and locations in GluLam or Laminated Veneered Lumber (L.V.L.) members are to be confirmed by a professional engineer.
- Any structural or framing members not indicated on the plan are to be sized by contractor.
- Double floor joists under all partition walls, unless noted otherwise.
- All subflooring is assumed to be 3/4" thick, glued \$ nailed. All exterior walls are dimensioned to outside of 1/2" sheathing Calculated dimensions take precedence over scaled dimensions.
- All angled walls on floor plans are at 45 degree angle, unless otherwise noted.
- Laterally unsupported walls 12'-O" high or higher shall be 2x6 and balloon framed unless noted otherwise. Unless noted otherwise, above all openings that are:
- (1) Load bearing and less than or equal to 3 ft. ..... use 4x6. (2) Load bearing and more than 3 ft.".....use (2) 2x12 with 1/2" Plywood between.
- (3) Non-load bearing and less than or equal to 6 ft. .....use 4x6.
  (4) Non-load bearing and more than 6 ft. ..... use (2) 2x12 with 1/2" Plywood between.
- (5) All exterior openings use (2) 2x12 with 1/2" Plywood between.
   All trusses to be engineered by truss manufacturer according to the loading indicated on this plan.
- All exterior corners shall be braced in each direction with let-in
- diagonal bracing or plywood. Place (1) row of  $1" \times 3"$  cross-bridging on all spans over 8'-0" and (2) rows of  $1" \times 3"$  cross-bridging on all spans over 16'-0". Collar ties are to be spaced 4'-0" o.c.
- All purlins and kickers are to be 2x6's, unless noted otherwise. Any hip or valley rafters over a 28'-0" span are to be Laminated Věneér Lumber (L.V.L.).

## MISC. NOTES:

- Prefabricated fireplaces and flues are to be U.L. approved and installed as per manufacturer's specifications. All materials, supplies and equipment to be installed as per manufacturer's specifications and per local codes and requirements.
- Provide proper insulation for all plumbing. " water-resistant drywall around showers, tubs and whirlpools.
- 1/2" drywall on interior walls and ceilings.
   5/8" type "X" fire code drywall on garage walls and ceilings.
   When no brand is specifiend Windows are called out by glass size
- only. In dwelling units, where the top of the sill of an operable window opening unit is located less than 24 inches above the finished floor and greater than 12 inches above the finished grade, fall protection must comply with R312.2.1
- Window opening control devices on windows serving as a required emergency escape and rescue shall comply with ASTM F2090. Windows, if not noted, are assumed to be casements.
- Header heights are labeled to bottom of arched transoms. Confirm window openings for your local egress requirements and minimum light and ventilation requirements.
- Headroom at stairs shall have a minimum clearance of 6'-8" high.
- Provide proper handrails at stairs per local codes. The mechanical and electrical layouts are suggested only. Consult your mechanical and electrical contractors for
- exact specifications, locations and sizes.
- Jog flue to rear of ridge as necessary. Provide proper wiring for all electrical appliances,
- mechanical equipment and whirlpools per manufacturer's specifications. Air conditioner locations may vary depending on
- restrictive covenants and codes.










100% SCALE @ 24"x36"

OF









SCALE: 1/4" = 1'-0"


	PRELIM         FINAL         04-13-2021         REVISION
	MONTREAL CRAWLSPACE scale prints - see dimensions.
Γ	This is not represented in the formation of the formation
	THE COMPACTION BALE ALL AND A COMPACTION BALE ALL AND A COMPACTION B44.675.9638 MALL AND A COMPACTION PURPOSES ONLY AND A CONSTRUCTION PURPOSES ONLY AND A FUT
	ADVANCED HOUSE PLANS IS A PROFESSIONAL RESIDENTIAL DESIGN FIRM LOCATEDIN OMAHA, NE. BECAUSE SITE CONDITIONS VARY, AHP CANNOT LOCATEDIN OMAHA, NE. BECAUSE SITE CONDITIONS VARY, AHP CANNOT WARRANT THE SUITABILITY OF THESE PLANS FOR URS ON YOUR SPECIFIC SITE. CONSTRUCTION FROM THESE PLANS SHOULD NOT BE UNDERTAKEN WITHOUT THE ASSISTANCE OF A CONSTRUCTION PROFESSIONAL. HOMEOWNER/CONTRACTOR MUST THOROUGHLY REVIEW 4 VERIFY ALL DIMENSIONS, MATERIALS, STRUCTURAL, CODE, 4 SITE REQUIREMENTS PRIOR FOR CONSTRUCTION. THEY RELEASE PLANS FRIOR FOR CONSTRUCTION. THEY RELEASE PLANS FRIOR ANY LAWBUTE THAT MAY OCCUR DURING OR AFTER THE BUILDING PROCESS.
	© 2021
	SHEET B OF D SHEET OF SHEET OF SHEET OF SHEET




ELECTRICAL	COUNT	SYMBOL
CEILING CLASSIC	1	**
can light Ginch	12	0
ceiling classic	1	• <b>**</b> *•
EXTERIOR CAN LIGHT	1	O EXT.
exterior light 03	4	X
GARBAGE DISPOSAL	1	t GD
Garage Door outlet	1	D0
LIGHT	4	-¢-
PLUNGER SWITCH	1	0
Smoke Detector	2	•
cable tv outlet	3	τv
fan	1	⊕
light	2	-¢-
outlet	25	Ф
outlet 220v	1	۵
outlet gfi	14	Øœ
outlet gfi weatherproof	1	d⊊
outlet wp	3	Фwр
switch	8	\$
switch 3 way	11	\$3
switch 4 way	3	\$4
wall mounted O3 3 lights	1	<u> </u>


MAIN LEVEL FLOOR PLAN SCALE: 1/4" = 1'-0"








SCALE: 3/16" = 1'-0"








SECOND LEVEL FLOOR PLAN SCALE: 1/4" = 1'-0"





100% SCALE @ 24"x36"
























SCALE: 1/4" = 1'-0"







# CRAWLSPACE CMU PIER DETAIL SCALE: 1/4" = 1'-0"











100% SCALE @ 24"x36"