

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0424-2390
ORDER DATE	04/24/24	QUOTE #	B0424-2390
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006558
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Jason Wellons	INVOICE #	
COUNTY	HARNETT	TERMS	Net 10 Days
SUPERINTENDANT	Jason Wellons	SALES REP	Lenny Norris
JOBSITE PHONE #	(910) 263-0276	SALES AREA	Michael Turner

SHEET	<b>Herring Builders Inc</b> PO Box 766 Spring Lake, NC 28390 (910) 436-3131	<b>JOB NAME:</b> LOT 7 OVERHILLS CREEK <b>MODEL:</b> ROOF <b>TAG:</b> PLAN #15 <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 7</b> <b>SUBDIV:</b> OVERHILLS CREEK <b>JOB CATEGORY:</b> WCall - Will Call
	<b>WELLCO CONSTRUCTION</b> LOT 7 OVERHILLS CREEK HARNETT CO, NC	<b>SPECIAL INSTRUCTIONS:</b>	

**PLAN SEAL DATE:**  
BY      DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	MT	04/24/24
Roof Order	END CUT    RETURN	<b>GABLE STUDS</b>	24 IN. OC	JOBSITE	1	<b>LAYOUT</b>	MT	04/24/24
				JOBSITE	1	<b>CUTTING</b>	MT	04/24/24

PROFILE		QTY	PITCH		TYPE ID	BASE O/A		LUMBER		OVERHANG		REACTIONS		
			TOP	BOT		TOP	BOT	LEFT	RIGHT					
		3	6.00	0.00	SPECIAL A1	39-06-08 39-06-08	2 X 6 2 X 6	00-10-08				Joint 2 1517.2 lbs. -104.5 lbs.	Joint 11 2084.1 lbs. -111.8 lbs.	
		3	6.00	0.00	FAN A2	39-06-08 39-06-08	2 X 6 2 X 6	00-10-08				Joint 2 1818.9 lbs. -105.7 lbs.	Joint 10 1782.4 lbs. -95.6 lbs.	
		2	6.00	0.00	HIP A3	39-06-08 39-06-08	2 X 6 2 X 6	00-10-08				Joint 2 1809.2 lbs. -96.1 lbs.	Joint 9 1772.7 lbs. -86.0 lbs.	
		1	6.00	0.00	HIP A4	39-06-08 39-06-08	2 X 6 2 X 6	00-10-08				Joint 2 470.8 lbs. -55.9 lbs.	Joint 10 872.9 lbs. -81.5 lbs.	Joint 14 2253.4 lbs. -47.8 lbs.
		1	6.00	0.00	HIP A4A	39-06-08 39-06-08	2 X 6 2 X 6	00-10-08	00-10-08			Joint 2 1420.0 lbs. -93.1 lbs.	Joint 10 1384.7 lbs. -97.6 lbs.	Joint 15 744.2 lbs. 17.4 lbs.
		1	6.00	0.00	HIP A5	39-06-08 39-06-08	2 X 6 2 X 6	00-10-08	00-10-08			Joint 2 1791.5 lbs. -72.0 lbs.	Joint 10 1791.5 lbs. -72.0 lbs.	
		1	6.00	0.00	HIP A5A	39-06-08 39-06-08	2 X 6 2 X 6	00-10-08	00-10-08			Joint 2 1518.2 lbs. -103.4 lbs.	Joint 10 1491.0 lbs. -107.9 lbs.	Joint 15 578.4 lbs. 65.9 lbs.
		1	6.00	0.00	HIP A6	39-06-08 39-06-08	2 X 6 2 X 6	00-10-08	00-10-08			Joint 2 1787.6 lbs. -57.7 lbs.	Joint 8 1787.6 lbs. -57.7 lbs.	
		1	6.00	0.00	HIP A6A	39-06-08 39-06-08	2 X 6 2 X 6	00-10-08	00-10-08			Joint 2 951.4 lbs. -56.0 lbs.	Joint 8 869.9 lbs. -61.9 lbs.	Joint 12 1769.9 lbs. -67.1 lbs.
		1	6.00	0.00	HIP A7	39-06-08 39-06-08	2 X 6 2 X 6	00-10-08	00-10-08			Joint 2 1624.7 lbs. -64.7 lbs.	Joint 9 1624.7 lbs. -64.7 lbs.	
		1	6.00	0.00	HIP A7A	39-06-08 39-06-08	2 X 6 2 X 6	00-10-08	00-10-08			Joint 2 897.9 lbs. -52.9 lbs.	Joint 9 827.3 lbs. -57.5 lbs.	Joint 13 1526.5 lbs. -96.3 lbs.

<b>LOADING INFORMATION</b>	TCLL-TCDL-BCLL-BCDL	STRESS INCR.
	20.0,10.0,0.0,10.0	1.15

**ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

# Reaction Summary of Order














**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0424-2390
ORDER DATE	04/24/24	QUOTE #	B0424-2390
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006558
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Jason Wellons	INVOICE #	
COUNTY	HARNETT	TERMS	Net 10 Days
SUPERINTENDANT	Jason Wellons	SALES REP	Lenny Norris
JOBSITE PHONE #	(910) 263-0276	SALES AREA	Michael Turner

SOUTH	<b>Herring Builders Inc</b> PO Box 766 Spring Lake, NC 28390 (910) 436-3131	<b>JOB NAME:</b> LOT 7 OVERHILLS CREEK <b>MODEL:</b> ROOF <b>TAG:</b> PLAN #15 <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT # 7</b> <b>SUBDIV:</b> OVERHILLS CREEK <b>JOB CATEGORY:</b> WCall - Will Call
	<b>WELLCO CONSTRUCTION</b> LOT 7 OVERHILLS CREEK HARNETT CO, NC	<b>SPECIAL INSTRUCTIONS:</b>	

**PLAN SEAL DATE:**  
BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	MT	04/24/24
Roof Order	END CUT	RETURN					MT	04/24/24
	<b>GABLE STUDS</b>	24 IN. OC		JOBSITE	1	JOBSITE	1	<b>CUTTING</b> MT 04/24/24

PROFILE		QTY	PITCH		TYPE ID	LOADING INFORMATION		OVERHANG		REACTIONS				
			TOP	BOT		BASE O/A	STRESS INCR.	TOP	BOT		LEFT	RIGHT		
		1	6.00	0.00	HIP A8	39-06-08 20.0,10.0,0.0,10.0	1.15	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 1624.7 lbs. -90.1 lbs.	Joint 8 1624.7 lbs. -90.1 lbs.	
		1	6.00	0.00	HIP A8A	39-06-08 20.0,10.0,0.0,10.0	1.15	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 1174.4 lbs. -59.9 lbs.	Joint 8 1129.6 lbs. -58.2 lbs.	Joint 13 945.4 lbs. -63.4 lbs.
		1 2 Ply	6.00	0.00	HIP GIRDER A9AL	39-06-08 20.0,10.0,0.0,10.0	1.15	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 1525.7 lbs. -147.7 lbs.	Joint 9 1371.3 lbs. -140.8 lbs.	Joint 14 3261.6 lbs. -304.9 lbs.
		1 2 Ply	6.00	0.00	HIP GIRDER A9L	39-06-08 20.0,10.0,0.0,10.0	1.15	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 3079.2 lbs. -276.9 lbs.	Joint 9 3079.0 lbs. -276.8 lbs.	
		1 2 Ply	6.00	0.00	HIP GIRDER B1L	16-08-08 20.0,10.0,0.0,10.0	1.15	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 999.0 lbs. -316.0 lbs.	Joint 6 999.0 lbs. -316.0 lbs.	
		1	6.00	0.00	HIP GIRDER B2L	16-08-08 20.0,10.0,0.0,10.0	1.15	2 X 6	2 X 6			Joint 1 668.3 lbs. -187.8 lbs.	Joint 4 668.3 lbs. -187.8 lbs.	
		30	6.00	0.00	JACK-OPEN J1	05-09-04 20.0,10.0,0.0,10.0	1.15	2 X 4	2 X 6	00-10-08		Joint 2 284.9 lbs. -12.0 lbs.	Joint 3 133.8 lbs. -60.8 lbs.	Joint 4 119.1 lbs. 11.6 lbs.
		4	6.00	0.00	HALF HIP J2	05-09-04 20.0,10.0,0.0,10.0	1.15	2 X 4	2 X 6	00-10-08		Joint 2 282.9 lbs. -22.6 lbs.	Joint 4 51.3 lbs. -17.6 lbs.	Joint 6 176.2 lbs. -9.9 lbs.
		4	6.00	0.00	HALF HIP J3	05-09-04 20.0,10.0,0.0,10.0	1.15	2 X 4	2 X 6	00-10-08		Joint 2 284.1 lbs. -22.0 lbs.	Joint 7 235.8 lbs. -21.7 lbs.	
		10	6.00	0.00	JACK-OPEN J4	02-00-00 20.0,10.0,0.0,10.0	1.15	2 X 4	2 X 6	00-10-08		Joint 2 143.6 lbs. -20.7 lbs.	Joint 3 39.7 lbs. -18.4 lbs.	Joint 4 40.0 lbs. -15.4 lbs.
		4	6.00	0.00	JACK-OPEN J5	04-00-00 20.0,10.0,0.0,10.0	1.15	2 X 4	2 X 6	00-10-08		Joint 2 215.8 lbs. -34.3 lbs.	Joint 3 88.9 lbs. -40.6 lbs.	Joint 4 82.2 lbs. -28.7 lbs.

## Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0424-2390
ORDER DATE	04/24/24	QUOTE #	B0424-2390
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006558
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Jason Wellons	INVOICE #	
COUNTY	HARNETT	TERMS	Net 10 Days
SUPERINTENDANT	Jason Wellons	SALES REP	Lenny Norris
JOBSITE PHONE #	(910) 263-0276	SALES AREA	Michael Turner

S H I P T O	Herring Builders Inc PO Box 766 Spring Lake, NC 28390 (910) 436-3131	JOB NAME: LOT 7 OVERHILLS CREEK MODEL: ROOF TAG: PLAN #15	LOT # 7 SUBDIV: OVERHILLS CREEK JOB CATEGORY: WCall - Will Call
	WELLCO CONSTRUCTION LOT 7 OVERHILLS CREEK HARNETT CO, NC	DELIVERY INSTRUCTIONS:	
S H I P T O	SPECIAL INSTRUCTIONS:		PLAN SEAL DATE:

BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	MT	04/24/24		
Roof Order	END CUT	RETURN				LAYOUT	MT	04/24/24		
	GABLE STUDS	24 IN. OC		JOBSITE	1	JOBSITE	1	CUTTING	MT	04/24/24

## ROOF TRUSSES

## LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	2	6.00	0.00	JACK-OPEN J6	04-00-00 04-00-00	2 X 4	2 X 6	00-10-08		Joint 2 281.9 lbs. -44.5 lbs.	Joint 3 94.6 lbs. -43.5 lbs.	Joint 4 129.8 lbs. -26.1 lbs.		
	2	6.00	0.00	HALF HIP J7	04-00-00 04-00-00	2 X 4	2 X 6	00-10-08		Joint 2 1635.0 lbs. -706.7 lbs.	Joint 7 158.8 lbs. -56.1 lbs.	Joint 14 1635.0 lbs. -709.7 lbs.		
	4	13.42	0.00	GABLE LG1	13-11-00 13-11-00	2 X 4	2 X 4			Joint 1 523.0 lbs. -216.6 lbs.	Joint 10 25.4 lbs. -21.2 lbs.	Joint 11 8.8 lbs. 1.5 lbs.	Joint 12 78.1 lbs. -36.0 lbs.	Joint 13 168.7 lbs. -85.9 lbs.
	1	6.00	0.00	GABLE VB1	12-08-01 12-08-01	2 X 4	2 X 4			Joint 1 49.7 lbs. -7.4 lbs.	Joint 7 49.7 lbs. -1.5 lbs.	Joint 8 283.8 lbs. -62.8 lbs.	Joint 9 279.2 lbs. 27.9 lbs.	Joint 10 283.8 lbs. -63.1 lbs.
	1	6.00	0.00	VALLEY VB2	08-08-01 08-08-01	2 X 4	2 X 4			Joint 1 152.6 lbs. -24.4 lbs.	Joint 3 152.7 lbs. -28.6 lbs.	Joint 4 293.9 lbs. 12.6 lbs.		
	1	6.00	0.00	VALLEY VB3	04-08-01 04-08-01	2 X 4	2 X 4			Joint 1 139.6 lbs. -8.4 lbs.	Joint 3 139.6 lbs. -8.4 lbs.			

## ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
9	Hangers, USP	JUS26			SIMPSON (LUS26)
2	LVL Beams (Sized)	LVL, 1-3/4" x 16" (S)	19-00-00		GDH DROPPED