BUILDER SHALL VERIFY ALL DIMENSIONS AND CONDITIONS AT TIME OF CONSTRUCTION.

ALL CONSTRUCTION SHALL CONFORM TO THE 2018 EDITION OF THE NC STATE BUILDING CODE.

CODES GOVERN OVER DRAWINGS.

DIMENSIONS GOVERN OVER SCALE.

VERIFY ALL MECHANICAL REQUIREMENTS BEFORE FRAMING.

YUNCANNON DESIGNS DOES NOT ASSUME LIABILITY FOR ANY DEVIATION OF OR CONSTRUCTION METHODS OF THESE PLANS.

SUNROOM

MASTER SUITE

SCREENED PORCH

PATIO

WORKSHOP

GARAGE

NOOK

FAMILY

KITCHEN

UTILITY

PANTRY

BATH

WIC

SHWR 42" X 72"

SAFE

STORAGE

1/2 BATH

LINEN

STUDY

FOYER

DINING

PORCH

4" POST (TYP)

STEPS/RAILS AS REQ'D

DOWN TO GRADE

36" FIREPLACE W/ 20" X 60" HEARTH

8" DECOR COL

CABINET LAYOUT TO BE CONFIRMED BY OWNER

GRADE LOT IN ORDER TO MINIMIZE NO. OF STEPS FROM FINISH FLOOR OF HOUSE TO GARAGE SLAB

8" POST (TYP)

FLOOR PLAN

SCALE: 1/4" = 1'-0"

FIRST FLOOR HEATED AREA: 2474 SQ. FT.
GARAGE AREA: 1281 SQ. FT.
FRONT PORCH AREA: 659 SQ. FT.
SCREEN PORCH AREA: 370 SQ. FT.

VERIFY ALL WINDOW SIZES MEET MINIMUM STANDARDS FOR LIGHT, VENTILATION AND EGRESS.

NOTE

1) 9'-0" CEILING HEIGHT
2) PRAIRIE WINDOWS AT 3'-8" ABOVE FINISHED FLOOR
3) DOUBLE ALL JOISTS PARALLEL TO WALLS ABOVE.
4) USE TEMPERED GLASS AT TUB & SHWR. AREAS 4 WITH LOUR LESS THAN 18" ABOVE FINISHED FLOOR WITH MORE THAN 9 SQ. FT. OF GLASS AND WIDER WITHIN 2' OF SWINGING DOORS.
5) USE 2X8'S AS HEADERS (TYP.) U.O.N. ON STRUCTURAL SHEETS
6) ATTIC ACCESS 22"X30" MINIMUM.
7) SILLS AND PLATES TO BE 8" OR MORE ABOVE GRADE OR BE TREATED MATERIAL.
8) SIDING TO BE MINIMUM 6" ABOVE GRADE.
9) DOOR FROM GARAGE TO HOUSE TO BE 20 MINUTE FIRE RATED. ADD 1/2" SHEETROCK ON ALL WALLS & CEILINGS COMMON TO GARAGE & HEATED SPACE.
10) MINIMUM 15" SIDE CLEARANCE FROM CENTER LINE OF WATER CLOSET.
11) PROVIDE TREATED BAND AT CONCRETE SLAB.

Plan No. 3480-20

Rick & Jannice Weber
Mamie Upchurch Road
Lillington, NC

YUNCANNON DESIGNS
CUSTOM HOME PLANS
RUSSELL-YARRINA, NC - (919) 427-7374

DRAWN BY : WRV
CHK'D BY : WRV
DATE: 04/24/24
REVISIONS :

SHEET
A-3