HAL OWEN & ASSOCIATES, INC.

SOIL & ENVIRONMENTAL SCIENTISTS

P.O. Box 400, Lillington, NC 27546-0400 Phone (910) 893-8743 / Fax (910) 893-3594 www.halowensoil.com

Project Name:			
County:	LHD Reference:		
Provided to:			
Name:			
Address:			
I,		<u>,</u> acknowledge	receipt of the
Licensed Soil Scientist	Report which includes:		
• Signed and se	aled copy of the AOWE's repo	ort that includes the i	information in G.S.
130A-336.2(k)			
• Operation and	Management Program		
• Authorization t	o Operate		
I accept the septic sys	stem installation and understand	d that I will be respor	nsible for continued
adherence to the Opera	ations and Management program	established by the AO	WE.
Drew Brody Signature			
Signature		——————————————————————————————————————	ıte

HAL OWEN & ASSOCIATES, INC.

SOIL & ENVIRONMENTAL SCIENTISTS

P.O. Box 400, Lillington, NC 27546-0400 Phone (910) 893-8743 / Fax (910) 893-3594 www.halowensoil.com

11 November 2024

Mattamy Homes, LLC 11000 regency Parkway, Suite 110 Cary, NC 27518

Reference: LSS Report for Authorization to Operate (ATO)

205 Bering Cir, Angier, NC Lot 12, Riverfall SD, Ph 1 LHD # SFD2407-0095


Dear Mattamy Homes, LLC,

This LSS Report is being provided pursuant to and meets the requirements of G.S. 130A-336. This report is based on information provided by the property owner or their representative. Hal Owen & Associates, Inc. is not responsible for false or misleading information that may have been provided to us in pursuit of this permit, nor for concealed conditions on the property. Hal Owen & Associates Inc. does not warrant that the septic system will continue to function satisfactorily in the future.

The septic system for the above referenced property has been installed and was inspected by Hal Owen & Associates staff on 6 November 2024. The system has been installed in compliance with applicable NC General Statutes, Rules for Sewage Treatment and Disposal, and all conditions of the AOWE Permit. Enclosed with this report are the *Septic System Final Inspection Report*, As-Built map (Figure 1), and *Operation and Management Program*.

You will need to sign a document confirming receipt of this report and acceptance of the installed system (pg 1) and submit this report to the Local Health Department (LHD). The LHD shall issue a certificate of occupancy upon receipt of a complete ATO.

I appreciate the opportunity to provide this service. If you have any questions or need additional information, please contact me at your convenience.





Sincerely.

Hal Owen

Licensed Soil Scientist

Authorized Onsite Wastewater Evaluator

Contacts

APPLICANT

Applicant Name	Mattamy Homes, LLC	
Mailing Address	11000 regency Parkway, Suite 110	
	Cary, NC 27518	
Telephone Number	919-625-9546	
E-mail Address	Drew.brody@mattamycorp.com	

SOIL SCIENTIST

Company Name	Hal Owen & Associates, Inc.		
Mailing Address	PO Box 400, Lillington, NC 27546		
Telephone Number	910-893-8743 Fax: 910-893-3594		
E-mail Address	hal@halowensoil.com		
Licensed Soil Scientist	Hal Owen, LSS#1102 and AOWE# 10036E		
System Designer	Jocelyn Proulx		
System Inspector	Jocelyn Proulx #9943I		

INSTALLER

Company Name	David Brantley and Sons
Mailing Address	37 Pine Ridge Rd, Zebulon, NC 27597
Telephone Number	(919) 404-9511
Installer & Certification #	Cory J. Brantley #1036

LOCAL HEALTH DEPARTMENT

Agency Name	Harnett County Health Department	
	Environmental Health Division	
Mailing Address	307 W Cornelius Harnett Blvd, Lillington, NC 27546	
Telephone Number	(910) 893-7547	
LHD Application #	SFD2407-0095	

Septic System Final Inspection Report

Facility Type	Single Family Residence
Wastewater Type	Domestic
Water Supply	Public
Design Wastewater Flow	480 gpd
Soil LTAR	0.60

Installation

Date	6 November 2024
System Inspector	Jocelyn Proulx, #9943I
Installer	Cory J. Brantley #1036

Septic Tank:

2 44444		
Volume (gallons)	1000	
Brand and Tank ID#	DB STB 502	
Date of Manufacture	9/20/24	
Certified watertight	NA	
Distance to Structure	9'	
Elevation of tank inlet	4' 3"	
Elevation of tank outlet	4' 5"	

Effluent Filter:

Make and Model	SIMTECH STF110
----------------	----------------

Distribution:


Supply Line Length to Distribution	70'		
Supply Line Diameter	3"		
Distribution Device:	Distribution Box		
Number of outlets (laterals)	3		

Type	EZ Flow
Distance to Structure	6'
Distance to Well	NA

Trench Deptl	h	24"	Trench width	36"
Trench Space	ing	9'	Aggregate	Polystyrene
	Length (ft)	<u>Start</u>	<u>Middle</u>	End
Line 1	70	6' 7 1/2"	6' 7 1/2"	6' 7 ½"
Line 2	70	7' 1 1/4"	7' 1 1/4"	7' 1 1/4"
Line 3	70	7' 6 1/4"	7' 6 1/4"	7' 6 1/4"
Total	210			

All elevations are given as relative grade rod reading.

Notes:



LSS Report for Authorization to Operate (ATO) 205 Bering Cir















Operation and Management Program

In accordance with G.S. § 130A-336.2, the owner is responsible for continued adherence to the operations and management program. Septic systems safely treat and dispose of wastewaters produced in the bathroom, kitchen, and laundry. These wastewaters may contain disease-causing germs and pollutants that must be treated to protect human health and the environment. Septic systems must be properly used, operated, and maintained by the homeowner to assure the long-term performance of the system.

PERMIT CONDITIONS:

- I. Performance: System shall perform in accordance with Rule .1961.
- II. Monitoring: As required by Rule .1961.

KNOW WHERE YOUR SEPTIC SYSTEM IS LOCATED

V. Other: _____

Your property has an onsite subsurface sewage waste disposal system. Familiarize yourself with the location of the system including the tanks, distribution devices, and disposal fields (including repair area). These areas shall be protected from excavation, building additions, outbuildings, pool construction, and soil disturbing activities. Prohibit vehicular traffic over the ground absorption field.

DAY-TO-DAY MANAGEMENT

Don't use too much water.

- The drainfield does not have unlimited capacity.
- ◆ Typical daily water use is 50 gallons per person.
- ♦ The soil drainfield usually has a maximum daily design capacity of 120 gallons per bedroom, even for short periods of time.
- Overloads can occur seasonally, daily, or on the weekend.
- ♦ Water conservation will extend the life of your system.
- Repair dripping faucets and toilets.

Limit disposal to sewage.

- Don't use your septic tank as a trash can for cigarette butts, tissues, sanitary napkins, cotton swabs, cat box litter, coffee grounds, or disposable diapers.
- Restrict the use of your garbage disposal. These add quite a lot of extra solids.
- ♦ Don't pour grease or cooking oil down the drain.
- Don't poison your system with harmful chemicals such as solvents, oils, paints, thinners, discarded medications, disinfectants, pesticides, poisons, and other substances.
- Save money. Commercial septic tank additives are usually not necessary.

Protect the system from physical damage (site maintenance).

- Keep the soil over the drainfield covered with vegetation to prevent soil erosion.
- Don't drive vehicles over the system.
- ♦ Avoid construction over the system and repair area.
- Don't cover the tank or drainfield with asphalt or concrete.
- Do not install irrigation systems over your drainfield as these could damage the system and/or hydraulically overload the soils.

Dispose of all wastewater in an approved system.

- Don't put in a separate pipe to carry wash waters to a side ditch or the woods. This is illegal.
- Don't connect pipes from air conditioners or ice makers to the septic system.

PERIODIC MAINTENANCE AND REPAIR

Home and yard (site maintenance):

- Protect and maintain the site of your septic tank and drainfield.
- In the drainfield area, cut down and remove trees that like wet conditions. This includes willows, elms, sweetgums, and some maples.
- Landscape the yard to divert surface waters away from the tank and drainfield. Eliminate depressional areas within the drainfield.
- Be sure that the water from the roof, gutters, and foundation drains does not flow over the system.
- Maintain drainage ditches, subsurface tiles, and drainage outlets so that water can flow freely from them.

Septic tank:

- Ensure tank risers remain accessible for measuring and pumping solids as well as cleaning the effluent filter.
- Measure how quickly sludge and scum accumulate in the tank. Pump septage when solids occupy 1/3 to 1/4 of the liquid capacity of the tank (frequency 1 to 3 years).
- Don't wait until your drainfield fails to have your tank pumped. By then, the drainfield may be ruined. With septic systems, an ounce of prevention is worth a ton of cure!

11

Table 1. Estimated septic tank inspection and pumping frequency (in years). Tank Size (gallons)

	Number of People Using the System						
Tank Size (gallons)	1	2	4	6	8		
900	11	5	2	1	<1		
1000	12	<mark>6</mark>	3	2	1		
1250	16	8	3	2	1		
1500	19	9	4	3	2		

SIGNS OF POSSIBLE SEPTIC SYSTEM PROBLEMS

• Don't attempt to repair a failing system yourself. Get a repair permit and hire an experienced contractor.

REGULATIONS AND PRECAUTIONS:

♦ Sewage contains germs that can cause diseases. Never enter a septic tank. Toxic and explosive gases in the tank present a hazard. Old tanks may collapse. Electrical controls present a shock and spark hazard. Secure the septic tank lid so that children cannot open it.

For more information about septic systems, contact your county Extension agent or local health department. https://content.ces.ncsu.edu/septic-system-owners-guide

PREVENTIVE MAINTENANCE RECORD

Your Septic	System Pumper				
Nam	ne:				
Add	ress:				
Pho	ne:	Email:			
Date Systen	n Installed:				
Date	Work Done		Firm	Cost	



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 11/11/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

th	this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).									
	DUCER				CONTAC NAME:	Certificate	Administrato	r		
SIA Group, Inc.				PHONE (A/C, No, Ext): 910-455-7576 FAX (A/C, No): 910-455-7481						
	7 Gum Branch Road cksonville NC 28540				E-MAIL ADDRESS: certs@siagroup.com					
Jac	SKSOTVIIIC INO 20040									NAIG#
					INSURER(S) AFFORDING COVERAGE				NAIC #	
INSU	nen.			DAVIBRA-02	INSURER A: Owners Insurance Company				32700	
	vid Brantley & Sons, Inc.			B/(VIBIO) 02	1,				18988	
37	Pine Ridge Road				INSURE	R C : FFVA Mu	utual Insuran	ce Co.		10385
Zel	oulon NC 27597				INSURE	RD:				
					INSURER E:					
					INSURER F:					
CO	VERAGES CER	TIFIC	CATE	NUMBER: 2025340388				REVISION NUMBER:		
	HIS IS TO CERTIFY THAT THE POLICIES									
	DICATED. NOTWITHSTANDING ANY RE ERTIFICATE MAY BE ISSUED OR MAY									
	KCLUSIONS AND CONDITIONS OF SUCH							D HEREIN IS SUBJECT TO	/ ALL I	HE TERIVIS,
INSR	TYPE OF INSURANCE	ADDL	SUBR	DOLICY NUMBER	POLICY EFF POLICY EXP (MM/DD/YYYY) LIMITS					
LTR A	X COMMERCIAL GENERAL LIABILITY	INSD	WVD	POLICY NUMBER 35506165		7/2/2024	7/2/2025		\$ 1,000.	000
, ,				00000100		77272024	11212020	EACH OCCURRENCE DAMAGE TO RENTED		,
	CEA WING WINDE COOCIN							T TEIMIOLO (La occanioneo)	\$ 300,00	
	X cont liab							` , , , ,	\$ 10,000	
								PERSONAL & ADV INJURY	\$ 1,000,	,000
	GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGREGATE	\$ 2,000,	,000
	POLICY X PRO-								\$ 2,000,	,000
	OTHER:								\$	
Α	AUTOMOBILE LIABILITY			53-914661-00		7/2/2024	7/2/2025	COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,	,000
	X ANY AUTO							BODILY INJURY (Per person)	\$	
	OWNED SCHEDULED AUTOS							BODILY INJURY (Per accident)	\$	
	X HIRED X NON-OWNED AUTOS ONLY							PROPERTY DAMAGE (Per accident)	\$	
	7,01,00 0,121							,	\$	
В	X UMBRELLA LIAB X OCCUR			5391466101		7/2/2024	7/2/2025	EACH OCCURRENCE	\$ 3,000,	,000
	EXCESS LIAB CLAIMS-MADE							AGGREGATE	\$3,000,	
	DED X RETENTION \$ 10,000								\$,
С	WORKERS COMPENSATION			WC850-0050098-2024A		7/2/2024	7/2/2025	X PER OTH-	<u> </u>	
AND EMPLOYERS' LIABILITY ANYPROPRIETOR/PARTNER/EXECUTIVE								E.L. EACH ACCIDENT	\$ 1,000.	000
	OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	N/A						E.L. DISEASE - EA EMPLOYEE		
	If yes, describe under DESCRIPTION OF OPERATIONS below								\$ 1,000,	
Α	Contractors Equipment			35506165		7/2/2024	7/2/2025	Leased/Rented	\$50,00	
, ,	Somators Equipment			00000100		77272024	11212020	25d55d/1tollica	7,-	
DES	CRIPTION OF OPERATIONS / LOCATIONS / VEHIC	EC //	COBD	101 Additional Bamarka Sahadul	la may ba	attached if more	anasa is result			
DES	CRIPTION OF OPERATIONS / LOCATIONS / VEHICL	_E3 (A	COKD	101, Additional Remarks Schedul	ie, iliay be	attached ii more	s space is require	eu)		
CERTIFICATE HOLDER CANCELLATION										
						SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE				
					THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE					
Hal Owen and Associates 827 S 8th St										
				Lillington NC 27546						(C_{-}, C_{-})
				Diana Evens						
	1									