

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0924-5113
ORDER DATE	09/17/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006897
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Chris Sherrod	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Sherrod	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 985-1136	SALES AREA	Anthony Williams

SHEET	Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299	JOB NAME: Lot 13 Micro Tower MODEL: Roof TAG: Logan	LOT # 13 SUBDIV: Micro Tower JOB CATEGORY: _
	Signature Home Builders 420 Micro Tower Rd Lillington, NC	DELIVERY INSTRUCTIONS:	
SHEET	SPECIAL INSTRUCTIONS:		PLAN SEAL DATE:
			BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN		NONE	NONE	LAYOUT	/ /
		GABLE STUDS	24 IN. OC			CUTTING	/ /

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	8.00	0.00	GABLE A1-GE	30-11-00 30-11-00	2 X 6	2 X 6	00-11-00		Joint 2 193.8 lbs. -79.0 lbs.	Joint 26 130.5 lbs. -21.4 lbs.	Joint 27 188.9 lbs. -99.0 lbs.	Joint 28 97.8 lbs. -50.6 lbs.	Joint 29 120.1 lbs. -58.0 lbs.
	12	8.00	0.00	COMMON A2	30-11-00 30-11-00	2 X 6	2 X 6	00-11-00		Joint 2 1597.9 lbs. -77.8 lbs.	Joint 8 1544.4 lbs. -65.0 lbs.			
	3	8.00	0.00	COMMON A3	30-11-00 30-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 1368.5 lbs. -75.4 lbs.	Joint 7 239.5 lbs. -143.8 lbs.	Joint 8 565.9 lbs. -46.0 lbs.	Joint 10 219.8 lbs.	
	6	8.00	0.00	COMMON A4	30-11-00 21-08-08	2 X 6	2 X 6	00-11-00		Joint 2 1128.2 lbs. -44.9 lbs.	Joint 7 1105.2 lbs. -79.1 lbs.			
	4	8.00	0.00	COMMON A5	30-11-00 21-08-08	2 X 6	2 X 6	00-11-00		Joint 2 984.3 lbs. -34.7 lbs.	Joint 8 1183.8 lbs. -89.2 lbs.			
	1	8.00	0.00	GABLE A6-GE	30-11-00 21-08-08	2 X 6	2 X 6	00-11-00		Joint 1 1395.0 lbs. -46.1 lbs.	Joint 2 200.8 lbs. -74.1 lbs.	Joint 12 2152.6 lbs. -137.6 lbs.	Joint 20 34.2 lbs. -14.4 lbs.	Joint 21 86.0 lbs. -44.3 lbs.
	1	8.00	0.00	GABLE B1-GE	21-06-00 21-06-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 150.4 lbs. -60.0 lbs.	Joint 18 121.1 lbs. -14.5 lbs.	Joint 20 120.0 lbs. -62.3 lbs.	Joint 21 117.6 lbs. -59.3 lbs.	Joint 22 117.8 lbs. -57.8 lbs.
	5	8.00	0.00	SPECIAL B2	21-06-00 21-06-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 1124.5 lbs. -57.7 lbs.	Joint 8 1124.5 lbs. -57.7 lbs.			
	5	8.00	0.00	SPECIAL B3	21-06-00 21-06-00	2 X 6	2 X 6	00-11-00		Joint 2 1125.2 lbs. -57.8 lbs.	Joint 8 1071.3 lbs. -44.4 lbs.			
	1	8.00	0.00	GABLE C1-GE	25-03-00 25-03-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 515.1 lbs. -114.3 lbs.	Joint 19 100.0 lbs. -3.6 lbs.	Joint 21 162.0 lbs. -81.6 lbs.	Joint 22 107.1 lbs. -55.2 lbs.	Joint 23 119.2 lbs. -57.9 lbs.
	2	8.00	0.00	COMMON C2	25-03-00 25-03-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 1230.2 lbs. -65.6 lbs.	Joint 8 1230.2 lbs. -65.6 lbs.			

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0924-5113
ORDER DATE	09/17/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006897
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Chris Sherrod	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Sherrod	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 985-1136	SALES AREA	Anthony Williams

SIGNED	Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299	JOB NAME: Lot 13 Micro Tower	LOT # 13	SUBDIV: Micro Tower
	Signature Home Builders 420 Micro Tower Rd Lillington, NC	MODEL: Roof	TAG: Logan	JOB CATEGORY: _
SHIPPED	DELIVERY INSTRUCTIONS:			
	SPECIAL INSTRUCTIONS:			
PLAN SEAL DATE: _____				

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN		NONE	NONE	LAYOUT	/ /
		GABLE STUDS	24 IN. OC			CUTTING	/ /

## ROOF TRUSSES

LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.
	20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		PLY	TOP			BOT	TOP	BOT	LEFT		RIGHT			
	1	3 Ply	8.00	0.00	25-03-00 25-03-00	2 X 6	2 X 8			Joint 1 9307.6 lbs. -498.9 lbs.	Joint 5 9913.6 lbs. -531.0 lbs.			
	1		8.00	0.00	12-09-00 12-09-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 147.7 lbs. -22.4 lbs.	Joint 10 147.7 lbs. -11.5 lbs.	Joint 12 192.3 lbs. -93.7 lbs.	Joint 13 98.5 lbs. -58.6 lbs.	Joint 14 115.6 lbs. -33.8 lbs.
	1		8.00	0.00	12-09-00 12-09-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 554.2 lbs. -39.2 lbs.	Joint 4 554.2 lbs. -39.2 lbs.			
	1		8.00	0.00	21-06-05 21-06-05	2 X 4	2 X 4			Joint 1 124.1 lbs. -31.6 lbs.	Joint 7 99.8 lbs. 0.8 lbs.	Joint 8 341.9 lbs. -79.2 lbs.	Joint 10 492.1 lbs. -104.7 lbs.	Joint 11 438.0 lbs. 59.0 lbs.
	1		8.00	0.00	17-06-05 17-06-05	2 X 4	2 X 4			Joint 1 183.1 lbs. -2.9 lbs.	Joint 5 163.5 lbs. 10.2 lbs.	Joint 6 519.6 lbs. -119.1 lbs.	Joint 8 394.2 lbs. 51.4 lbs.	Joint 9 519.8 lbs. -119.2 lbs.
	1		8.00	0.00	13-06-05 13-06-05	2 X 4	2 X 4			Joint 1 91.1 lbs. -16.4 lbs.	Joint 5 76.1 lbs. 3.5 lbs.	Joint 6 326.2 lbs. -94.9 lbs.	Joint 7 262.6 lbs. 43.8 lbs.	Joint 8 326.4 lbs. -95.0 lbs.
	1		8.00	0.00	09-06-05 09-06-05	2 X 4	2 X 4			Joint 1 171.4 lbs. -21.3 lbs.	Joint 3 171.4 lbs. -28.1 lbs.	Joint 4 347.7 lbs. 6.0 lbs.		
	1		8.00	0.00	05-06-05 05-06-05	2 X 4	2 X 4			Joint 1 100.8 lbs. -15.9 lbs.	Joint 3 100.8 lbs. -19.5 lbs.	Joint 4 169.0 lbs. 12.1 lbs.		

## ITEMS

QTY	ITEM TYPE	SIZE	LENGTH	PART NUMBER	NOTES
12	Hangers, USP	HUS 26			SIMPSON (HUS26)
2	BlueLinX (W)	LVL, Metsa(W) 2.0,	21-00-00		GDH