


1. All bracing, blocking, beams, purlins @ 2'0" o.c., ledger, etc. provided by others.
2. Roof truss to roof truss connections provided by Riverside Roof Truss.
3. Truss to building connections provided by others.

Refer to Sealed drawings for connection detail of multiple ply trusses.


NOT ALL TRUSSES ARE SYMMETRICAL AND MAY NOT PERFORM CORRECTLY IF INSTALLED BACKWARDS. PLEASE REFER TO SEALS WHILE SETTING TRUSSES TO ENSURE TRUSSES ARE ORIENTED CORRECTLY



SHOP DRAWING APPROVAL  
THIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND VOIDS ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS IDENTIFIED ON THE PLACEMENT DRAWING. THE BUILDING DESIGNER IS RESPONSIBLE FOR TEMPORARY AND PERMANENT BRACING OF THE ROOF AND FLOOR LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. VERIFY ALL SYSTEMS AND FOR THE OVERALL STRUCTURE. THE DESIGN OF THE TRUSS SUPPORT STRUCTURE INCLUDING HEADERS, BEAMS, WALLS, COLUMNS, AND SUFFICIENT BRACING IN FLOOR CAVITY UNDER POINT LOADS IS THE RESPONSIBILITY OF THE BUILDING DESIGNER. FOR GENERAL GUIDANCE REGARDING BRACING, CONSULT "BRACING OF WOOD TRUSSES" AVAILABLE FROM THE TRUSS PLATE INSTITUTE, 583 D'ONOFRIO DRIVE, MADISON, WI 53179.

REVIEWED BY: \_\_\_\_\_ APPROVED BY: \_\_\_\_\_ DATE: \_\_\_\_\_

HEADER IN WALL ON FLOOR ABOVE



HEADER IN WALL ON FLOOR ABOVE

Products				
PlotID	Length	Product	Plies	Net Qty
FJ38	38-00-00	14" NI-40x	1	5
FJ28	28-00-00	14" NI-40x	1	3
FJ28-2	28-00-00	14" NI-40x	2	4
FJ26	26-00-00	14" NI-40x	1	2
FJ22	22-00-00	14" NI-40x	1	1
FJ22-2	22-00-00	14" NI-40x	2	4
FJ18	18-00-00	14" NI-40x	1	22
FJ18-2	18-00-00	14" NI-40x	2	4
FJ14	14-00-00	14" NI-40x	1	5
FJ6	6-00-00	14" NI-40x	1	8
FJ6	6-00-00	14" NI-40x	2	2
1WHBM2	8-00-00	1 3/4" x 9 1/4" (2.0E 3100) LVL	2	2
1WHBM3	8-00-00	1 3/4" x 9 1/4" (2.0E 3100) LVL	2	2
1WHBM7	8-00-00	1 3/4" x 9 1/4" (2.0E 3100) LVL	2	2
1WHBM1	10-00-00	1 3/4" x 11 7/8" (2.0E 3100) LVL	2	2
BM6	10-00-00	1 3/4" x 14" (2.0E 3100) LVL	2	2
BM4	8-00-00	1 3/4" x 14" (2.0E 3100) LVL	2	2
GDHBM5	22-00-00	1 3/4" x 18" (2.0E 3100) LVL	3	3
RIM1	12-00-00	1 1/8" x 14" APA Rim Board	1	15
Bk1	43-00-00	14" NI-40x	1	1

Connector Summary		
Qty	Manuf	Product
1	Simpson	HUC414
7	Simpson	IUS2.56/14
2	Simpson	IUS2.56/14
7	Simpson	IUS2.56/14
3	Simpson	MIU5.12/14
1	Simpson	MIU5.12/14

Hanger Conversion Chart

USP	Simpson
JUS26	LUS26
THD26	HUS26
THD26-2	HHUS26-2
HJC26	THJA26
MSH422	THA422

Client: **MATTAMY HOMES**  
Job Name: **THE SHENANDOAH - FARMHOUSE**  
Model: **EWP SECOND FLOOR**  
Lot #: **6**  
Order #: **24-4826-B**  
Sales Rep: **C Walden**  
Subdivision: **RIVERFALL**  
Designer: **R S**

733 RIVER PARK DRIVE  
DANVILLE, VA 24540  
(434) 793-0217  
FAX: (434) 799-8767

RIVERSIDE ROOF TRUSS, LLC

Roof Surface Area: 0 Sq. Ft.  
Floor Surface Area: 3801 Sq. Ft.

