Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: New Hores Applicant: Address: 506 Durcon Crack Proposed Facility: 560	Date Evaluated: Design Flow (.1949): 480 GPP	Property Size:	
Location of Site:		☐ Spring ☐ Mixed	Other

R D	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
1	1	0-18	15	F	104R6/2	> 48"	_	_	5.4
	Z-5%	18-48	SCI	fi	104R6/2				
						7			
7	L	0-20	LS	Fr	104R6/2	248'	_	_	5-4
	Z-5%	20-48	SCI	Fi	104R6/2 = 34"				
2	1	0-20	45	fr	104R6/2	>(8"	_	_	5.4
	2-5%	20-48	Sei	Fi	104R6/2				
						2			
6					2				
					1 2 2				
				· · · · · · · · · · · · · · · · · · ·					

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948):
Available Space (.1945)	-		Site Classification (.1948): Evaluated By: A PEHS
System Type(s)	_		Others Present:
Site LTAR	. 4	. 4	

COMMENTS: ____

LANDSCAPE POSITIONS	GROUP	<u>TEXTURES</u>	. <u>1955 LTAR</u>	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8		
S-SHOULDER SLOPE		LS-LOAMY SAND		VFR-VERY FRIABLE	NS-NON-STICKY
L-LINEAR SLOPE				FR-FRIABLE	SS-SLIGHTY STICKY
FS-FOOT SLOPE	П	SL-SANDY LOAM	0.8 - 0.6	FI-FIRM	S-STICKY
N-NOSE SLOPE		L-LOAM		VFI-VERY FIRM	VS-VERY STICKY
H-HEAD SLOPE				EFI-EXTREMELY FIRM	NP-NON-PLASTIC
CC-CONCLAVE SLOPE	Ш	SI-SILT	0.6 - 0.3		SP-SLIGHTLY STICKY
CV-CONVEX SLOPE		SIL-SILT LOAM			P-PLASTIC
T-TERRACE		CL-CLAY LOAM			VP-VERY PLASTIC
FP-FLOOD PLAN		SCL-SANDY CLAY LOAM			

IV SIC-SILTY CLAY 0.4 - 0.1 C-CLAY

SC-SANDY CLAY

MINERALOGY

SLIGHTLY EXPANSIVE

EXPANSIVE

SG-SINGLE GRAIN M- MASSIVE CR-CRUMB **GR-GRANULAR** SBK-SUBANGULAR BLOCKY ABK-ANGULAR BLOCKY PL-PLATY

STRUCTURE

PR-PRISMATIC Show profile locations and other site features (dimensions, references or benchmark, and North) 3 (2) (1) 28 × 58 41Br 301 Dyncan Crack not